







11AC40MIMO-Ant2-5755-PASS



11AC40MIMO-Ant1-5795-PASS



11AC40MIMO-Ant2-5795-PASS



Appendix D: Band edge measurements

Test Result


Test Mode	Antenna	Ch. Name	Frequency [MHz]	Freq. Range [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-29.96	≤18.96	PASS
11A	Ant1	Low	5745	5700~5720	-33.27	≤10.09	PASS
11A	Ant1	Low	5745	5650~5700	-34.7	≤-26.70	PASS
11A	Ant1	Low	5745	5760~5650	-33.08	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-33.26	≤17.39	PASS
11A	Ant2	Low	5745	5700~5720	-35.05	≤10.06	PASS
11A	Ant2	Low	5745	5650~5700	-34.25	≤-26.19	PASS
11A	Ant2	Low	5745	5760~5650	-33.75	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-34.5	≤15.73	PASS
11A	Ant1	High	5825	5855~5875	-33.47	≤10.17	PASS
11A	Ant1	High	5825	5875~5925	-35.31	≤-26.81	PASS
11A	Ant1	High	5825	5925~5935	-32.32	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-34.66	≤16.34	PASS
11A	Ant2	High	5825	5855~5875	-33.78	≤10.93	PASS
11A	Ant2	High	5825	5875~5925	-35.14	≤-26.91	PASS
11A	Ant2	High	5825	5925~5935	-33.96	≤-27	PASS
11N20MI MO	Ant1	Low	5745	5720~5725	-33.78	≤15.82	PASS
11N20MI MO	Ant1	Low	5745	5700~5720	-33.66	≤10.15	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-34.56	≤-26.36	PASS
11N20MI MO	Ant1	Low	5745	5760~5650	-33.34	≤-27	PASS
11N20MI MO	Ant2	Low	5745	5720~5725	-34.8	≤15.82	PASS
11N20MI MO	Ant2	Low	5745	5700~5720	-32.97	≤10.44	PASS
11N20MI MO	Ant2	Low	5745	5650~5700	-35.21	≤-26.96	PASS
11N20MI MO	Ant2	Low	5745	5760~5650	-34.25	≤-27	PASS
11N20MI MO	Ant1	High	5825	5850~5855	-33.17	≤15.73	PASS
11N20MI MO	Ant1	High	5825	5855~5875	-33.24	≤10.89	PASS
11N20MI MO	Ant1	High	5825	5875~5925	-33.92	≤-26.81	PASS
11N20MI MO	Ant1	High	5825	5925~5935	-33.46	≤-27	PASS
11N20MI	Ant2	High	5825	5850~5855	-35.24	≤15.73	PASS

MO							
11N20MI MO	Ant2	High	5825	5855~5875	-34.68	≤10.32	PASS
11N20MI MO	Ant2	High	5825	5875~5925	-35.4	≤-26.71	PASS
11N20MI MO	Ant2	High	5825	5925~5935	-34.11	≤-27	PASS
11N40MI MO	Ant1	Low	5755	5720~5725	-29.42	≤15.74	PASS
11N40MI MO	Ant1	Low	5755	5700~5720	-27.85	≤13.61	PASS
11N40MI MO	Ant1	Low	5755	5650~5700	-34.14	≤-26.80	PASS
11N40MI MO	Ant1	Low	5755	5780~5650	-34	≤-27	PASS
11N40MI MO	Ant2	Low	5755	5720~5725	-32.52	≤15.74	PASS
11N40MI MO	Ant2	Low	5755	5700~5720	-33.64	≤10.55	PASS
11N40MI MO	Ant2	Low	5755	5650~5700	-34.36	≤-26.50	PASS
11N40MI MO	Ant2	Low	5755	5780~5650	-34.86	≤-27	PASS
11N40MI MO	Ant1	High	5795	5850~5855	-34.22	≤15.66	PASS
11N40MI MO	Ant1	High	5795	5855~5875	-33.55	≤10.25	PASS
11N40MI MO	Ant1	High	5795	5875~5925	-34.22	≤-26.83	PASS
11N40MI MO	Ant1	High	5795	5925~5935	-32.46	≤-27	PASS
11N40MI MO	Ant2	High	5795	5850~5855	-33.63	≤17.16	PASS
11N40MI MO	Ant2	High	5795	5855~5875	-34.09	≤10.48	PASS
11N40MI MO	Ant2	High	5795	5875~5925	-34.29	≤-26.95	PASS
11N40MI MO	Ant2	High	5795	5925~5935	-34.5	≤-27	PASS
11AC20M IMO	Ant1	Low	5745	5720~5725	-34.55	≤15.82	PASS
11AC20M IMO	Ant1	Low	5745	5700~5720	-33.54	≤11.12	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-34.45	≤-25.93	PASS
11AC20M IMO	Ant1	Low	5745	5760~5650	-33.34	≤-27	PASS


11AC20M IMO	Ant2	Low	5745	5720~5725	-35.49	≤16.08	PASS
11AC20M IMO	Ant2	Low	5745	5700~5720	-34.6	≤10.02	PASS
11AC20M IMO	Ant2	Low	5745	5650~5700	-33.45	≤-25.76	PASS
11AC20M IMO	Ant2	Low	5745	5760~5650	-33.41	≤-27	PASS
11AC20M IMO	Ant1	High	5825	5850~5855	-31.56	≤18.50	PASS
11AC20M IMO	Ant1	High	5825	5855~5875	-34.31	≤10.17	PASS
11AC20M IMO	Ant1	High	5825	5875~5925	-33.44	≤-25.31	PASS
11AC20M IMO	Ant1	High	5825	5925~5935	-32.87	≤-27	PASS
11AC20M IMO	Ant2	High	5825	5850~5855	-32.29	≤16.03	PASS
11AC20M IMO	Ant2	High	5825	5855~5875	-33.9	≤10.02	PASS
11AC20M IMO	Ant2	High	5825	5875~5925	-34.61	≤-26.51	PASS
11AC20M IMO	Ant2	High	5825	5925~5935	-34.13	≤-27	PASS
11AC40M IMO	Ant1	Low	5755	5720~5725	-30.08	≤15.74	PASS
11AC40M IMO	Ant1	Low	5755	5700~5720	-27.71	≤13.95	PASS
11AC40M IMO	Ant1	Low	5755	5650~5700	-34.83	≤-26.70	PASS
11AC40M IMO	Ant1	Low	5755	5780~5650	-33.47	≤-27	PASS
11AC40M IMO	Ant2	Low	5755	5720~5725	-33.05	≤15.74	PASS
11AC40M IMO	Ant2	Low	5755	5700~5720	-34.27	≤10.44	PASS
11AC40M IMO	Ant2	Low	5755	5650~5700	-34.74	≤-26.90	PASS
11AC40M IMO	Ant2	Low	5755	5780~5650	-34.45	≤-27	PASS
11AC40M IMO	Ant1	High	5795	5850~5855	-35.48	≤15.66	PASS
11AC40M IMO	Ant1	High	5795	5855~5875	-32.93	≤10.25	PASS
11AC40M IMO	Ant1	High	5795	5875~5925	-33.34	≤-26.22	PASS
11AC40M	Ant1	High	5795	5925~5935	-32.66	≤-27	PASS

IMO							
11AC40M IMO	Ant2	High	5795	5850~5855	-33.74	≤16.79	PASS
11AC40M IMO	Ant2	High	5795	5855~5875	-34.22	≤10.25	PASS
11AC40M IMO	Ant2	High	5795	5875~5925	-34.63	≤-26.95	PASS
11AC40M IMO	Ant2	High	5795	5925~5935	-33.92	≤-27	PASS
11AC80M IMO	Ant1	Low	5775	5720~5725	-34.23	≤16.00	PASS
11AC80M IMO	Ant1	Low	5775	5700~5720	-34.23	≤10.22	PASS
11AC80M IMO	Ant1	Low	5775	5650~5700	-34.35	≤-26.69	PASS
11AC80M IMO	Ant1	Low	5775	5800~5650	-34.64	≤-27	PASS
11AC80M IMO	Ant1	High	5775	5850~5855	-35.04	≤15.84	PASS
11AC80M IMO	Ant1	High	5775	5855~5875	-33.24	≤10.50	PASS
11AC80M IMO	Ant1	High	5775	5875~5925	-35.08	≤-26.87	PASS
11AC80M IMO	Ant1	High	5775	5925~5935	-33.41	≤-27	PASS
11AC80M IMO	Ant2	Low	5775	5720~5725	-34.84	≤15.65	PASS
11AC80M IMO	Ant2	Low	5775	5700~5720	-33.52	≤10.48	PASS
11AC80M IMO	Ant2	Low	5775	5650~5700	-34.98	≤-26.91	PASS
11AC80M IMO	Ant2	Low	5775	5800~5650	-34.4	≤-27	PASS
11AC80M IMO	Ant2	High	5775	5850~5855	-34.78	≤15.84	PASS
11AC80M IMO	Ant2	High	5775	5855~5875	-33.17	≤10.35	PASS
11AC80M IMO	Ant2	High	5775	5875~5925	-34.67	≤-26.46	PASS
11AC80M IMO	Ant2	High	5775	5925~5935	-33.79	≤-27	PASS


Test Graphs









11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11N40MIMO-Ant1-5755-PASS




11N40MIMO-Ant2-5755-PASS




11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS




11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS




11AC80MIMO-Ant1-5775-PASS



11AC80MIMO-Ant1-5775-PASS



11AC80MIMO-Ant2-5775-PASS



Appendix E: Frequency Stability

Test Result

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	132	5744.900978	5745 – 5825	PASS
5745	20	108	5745.041039	5745 – 5825	PASS
5745	50	120	5744.933548	5745 – 5825	PASS
5745	40	120	5745.050945	5745 – 5825	PASS
5745	30	120	5745.009926	5745 – 5825	PASS
5745	20	120	5744.907202	5745 – 5825	PASS
5745	10	120	5745.076732	5745 – 5825	PASS
5745	0	120	5745.084333	5745 – 5825	PASS
5745	-10	120	5744.903159	5745 – 5825	PASS
5745	-20	120	5745.033055	5745 – 5825	PASS
5745	-30	120	5745.059729	5745 – 5825	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	132	5744.940474	5745 – 5825	PASS
5745	20	108	5744.916013	5745 – 5825	PASS
5745	50	120	5745.005464	5745 – 5825	PASS
5745	40	120	5744.999666	5745 – 5825	PASS
5745	30	120	5744.912172	5745 – 5825	PASS
5745	20	120	5745.005382	5745 – 5825	PASS
5745	10	120	5745.021796	5745 – 5825	PASS
5745	0	120	5744.910254	5745 – 5825	PASS
5745	-10	120	5745.072852	5745 – 5825	PASS
5745	-20	120	5744.909069	5745 – 5825	PASS
5745	-30	120	5744.965065	5745 – 5825	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	132	5784.918658	5745 – 5825	PASS
5785	20	108	5784.976167	5745 – 5825	PASS
5785	50	120	5785.027551	5745 – 5825	PASS
5785	40	120	5784.962090	5745 – 5825	PASS
5785	30	120	5784.990629	5745 – 5825	PASS
5785	20	120	5784.998354	5745 – 5825	PASS
5785	10	120	5785.012681	5745 – 5825	PASS
5785	0	120	5785.059765	5745 – 5825	PASS
5785	-10	120	5784.912339	5745 – 5825	PASS
5785	-20	120	5785.074352	5745 – 5825	PASS
5785	-30	120	5784.912952	5745 – 5825	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	132	5785.055904	5745 – 5825	PASS
5785	20	108	5785.023417	5745 – 5825	PASS
5785	50	120	5784.982052	5745 – 5825	PASS
5785	40	120	5785.092825	5745 – 5825	PASS
5785	30	120	5785.091799	5745 – 5825	PASS
5785	20	120	5785.069784	5745 – 5825	PASS
5785	10	120	5784.950614	5745 – 5825	PASS
5785	0	120	5785.077447	5745 – 5825	PASS
5785	-10	120	5785.042768	5745 – 5825	PASS
5785	-20	120	5784.974367	5745 – 5825	PASS
5785	-30	120	5785.003993	5745 – 5825	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	132	5824.902968	5745 – 5825	PASS
5825	20	108	5824.910994	5745 – 5825	PASS
5825	50	120	5824.955446	5745 – 5825	PASS
5825	40	120	5824.950636	5745 – 5825	PASS
5825	30	120	5824.982370	5745 – 5825	PASS
5825	20	120	5825.085909	5745 – 5825	PASS
5825	10	120	5824.906989	5745 – 5825	PASS
5825	0	120	5825.008848	5745 – 5825	PASS
5825	-10	120	5824.975844	5745 – 5825	PASS
5825	-20	120	5824.953194	5745 – 5825	PASS
5825	-30	120	5825.032182	5745 – 5825	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	132	5824.940325	5745 – 5825	PASS
5825	20	108	5825.074161	5745 – 5825	PASS
5825	50	120	5825.026472	5745 – 5825	PASS
5825	40	120	5824.983524	5745 – 5825	PASS
5825	30	120	5824.918209	5745 – 5825	PASS
5825	20	120	5825.060073	5745 – 5825	PASS
5825	10	120	5825.005428	5745 – 5825	PASS
5825	0	120	5824.983522	5745 – 5825	PASS
5825	-10	120	5825.083726	5745 – 5825	PASS
5825	-20	120	5824.988826	5745 – 5825	PASS
5825	-30	120	5825.095740	5745 – 5825	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5755	20	132	5755.085781	5745 – 5825	PASS
5755	20	108	5755.018576	5745 – 5825	PASS
5755	50	120	5754.997551	5745 – 5825	PASS
5755	40	120	5755.045244	5745 – 5825	PASS
5755	30	120	5755.005085	5745 – 5825	PASS
5755	20	120	5754.993754	5745 – 5825	PASS
5755	10	120	5755.045784	5745 – 5825	PASS
5755	0	120	5754.938192	5745 – 5825	PASS
5755	-10	120	5755.050014	5745 – 5825	PASS
5755	-20	120	5754.939851	5745 – 5825	PASS
5755	-30	120	5755.084397	5745 – 5825	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5755	20	132	5755.014028	5745 – 5825	PASS
5755	20	108	5755.015417	5745 – 5825	PASS
5755	50	120	5755.008464	5745 – 5825	PASS
5755	40	120	5755.065361	5745 – 5825	PASS
5755	30	120	5754.946955	5745 – 5825	PASS
5755	20	120	5755.040249	5745 – 5825	PASS
5755	10	120	5754.952173	5745 – 5825	PASS
5755	0	120	5754.908350	5745 – 5825	PASS
5755	-10	120	5754.970679	5745 – 5825	PASS
5755	-20	120	5754.976887	5745 – 5825	PASS
5755	-30	120	5755.079372	5745 – 5825	PASS

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5795	20	132	5794.976560	5745 – 5825	PASS
5795	20	108	5794.980464	5745 – 5825	PASS
5795	50	120	5795.053547	5745 – 5825	PASS
5795	40	120	5795.071755	5745 – 5825	PASS
5795	30	120	5794.989789	5745 – 5825	PASS
5795	20	120	5794.909062	5745 – 5825	PASS
5795	10	120	5795.070606	5745 – 5825	PASS
5795	0	120	5794.943231	5745 – 5825	PASS
5795	-10	120	5794.943866	5745 – 5825	PASS
5795	-20	120	5795.024793	5745 – 5825	PASS
5795	-30	120	5795.006434	5745 – 5825	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5795	20	132	5794.904908	5745 – 5825	PASS
5795	20	108	5794.998064	5745 – 5825	PASS
5795	50	120	5795.073749	5745 – 5825	PASS
5795	40	120	5794.964862	5745 – 5825	PASS
5795	30	120	5795.096738	5745 – 5825	PASS
5795	20	120	5794.966031	5745 – 5825	PASS
5795	10	120	5794.973044	5745 – 5825	PASS
5795	0	120	5795.007922	5745 – 5825	PASS
5795	-10	120	5795.091900	5745 – 5825	PASS
5795	-20	120	5795.050427	5745 – 5825	PASS
5795	-30	120	5795.051496	5745 – 5825	PASS

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5775	20	132	5775.069852	5745 – 5825	PASS
5775	20	108	5774.910218	5745 – 5825	PASS
5775	50	120	5775.038829	5745 – 5825	PASS
5775	40	120	5774.992270	5745 – 5825	PASS
5775	30	120	5774.948452	5745 – 5825	PASS
5775	20	120	5774.953492	5745 – 5825	PASS
5775	10	120	5774.903603	5745 – 5825	PASS
5775	0	120	5774.973904	5745 – 5825	PASS
5775	-10	120	5775.010758	5745 – 5825	PASS
5775	-20	120	5774.908281	5745 – 5825	PASS
5775	-30	120	5775.090681	5745 – 5825	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5775	20	132	5774.943664	5745 – 5825	PASS
5775	20	108	5775.070948	5745 – 5825	PASS
5775	50	120	5774.948059	5745 – 5825	PASS
5775	40	120	5774.960877	5745 – 5825	PASS
5775	30	120	5774.996562	5745 – 5825	PASS
5775	20	120	5774.907191	5745 – 5825	PASS
5775	10	120	5774.979900	5745 – 5825	PASS
5775	0	120	5775.013251	5745 – 5825	PASS
5775	-10	120	5775.066229	5745 – 5825	PASS
5775	-20	120	5774.993625	5745 – 5825	PASS
5775	-30	120	5775.062617	5745 – 5825	PASS


Appendix F: Conducted Spurious Emission


Test Result


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5745	30~5650	5415.65	-44.62	≤-27	PASS
11A	Ant2	5745	30~5650	5314.11	-45.48	≤-27	PASS
11A	Ant1	5745	5925~40000	25067.42	-34.62	≤-27	PASS
11A	Ant2	5745	5925~40000	26934.67	-35.21	≤-27	PASS
11A	Ant1	5785	30~5650	1925.06	-42.02	≤-27	PASS
11A	Ant2	5785	30~5650	1926.94	-40.48	≤-27	PASS
11A	Ant1	5785	5925~40000	26945.91	-35.92	≤-27	PASS
11A	Ant2	5785	5925~40000	25984.19	-35.44	≤-27	PASS
11A	Ant1	5825	30~5650	5446.56	-45.35	≤-27	PASS
11A	Ant2	5825	30~5650	1925.44	-39.02	≤-27	PASS
11A	Ant1	5825	5925~40000	26851.77	-35.54	≤-27	PASS
11A	Ant2	5825	5925~40000	26861.61	-35.49	≤-27	PASS
11N20MIMO	Ant1	5745	30~5650	5499.01	-45.22	≤-27	PASS
11N20MIMO	Ant2	5745	30~5650	3038.01	-45.2	≤-27	PASS
11N20MIMO	Ant1	5745	5925~40000	26886.9	-35.46	≤-27	PASS
11N20MIMO	Ant2	5745	5925~40000	25939.23	-35.14	≤-27	PASS
11N20MIMO	Ant1	5785	30~5650	1924.13	-42.71	≤-27	PASS
11N20MIMO	Ant2	5785	30~5650	5441.12	-45.53	≤-27	PASS
11N20MIMO	Ant1	5785	5925~40000	26787.14	-34.78	≤-27	PASS
11N20MIMO	Ant2	5785	5925~40000	24515.26	-34.83	≤-27	PASS
11N20MIMO	Ant1	5825	30~5650	5480.46	-44.9	≤-27	PASS
11N20MIMO	Ant2	5825	30~5650	3417.92	-41.43	≤-27	PASS
11N20MIMO	Ant1	5825	5925~40000	25110.98	-35.76	≤-27	PASS
11N20MIMO	Ant2	5825	5925~40000	25000.69	-35.15	≤-27	PASS
11N40MIMO	Ant1	5755	30~5650	5396.91	-45.87	≤-27	PASS
11N40MIMO	Ant2	5755	30~5650	5535.16	-45.26	≤-27	PASS
11N40MIMO	Ant1	5755	5925~40000	25066.02	-35.12	≤-27	PASS
11N40MIMO	Ant2	5755	5925~40000	26798.38	-35.68	≤-27	PASS
11N40MIMO	Ant1	5795	30~5650	5343.52	-46.05	≤-27	PASS
11N40MIMO	Ant2	5795	30~5650	5385.3	-45.56	≤-27	PASS
11N40MIMO	Ant1	5795	5925~40000	26075.51	-34.7	≤-27	PASS
11N40MIMO	Ant2	5795	5925~40000	25092.01	-35.17	≤-27	PASS
11AC20MIMO	Ant1	5745	30~5650	5289.95	-45.77	≤-27	PASS
11AC20MIMO	Ant2	5745	30~5650	3100.96	-45.42	≤-27	PASS
11AC20MIMO	Ant1	5745	5925~40000	25999.64	-34.73	≤-27	PASS
11AC20MIMO	Ant2	5745	5925~40000	26798.38	-34.48	≤-27	PASS
11AC20MIMO	Ant1	5785	30~5650	5332.47	-45.65	≤-27	PASS
11AC20MIMO	Ant2	5785	30~5650	3419.42	-34.66	≤-27	PASS
11AC20MIMO	Ant1	5785	5925~40000	26070.59	-35.18	≤-27	PASS
11AC20MIMO	Ant2	5785	5925~40000	26917.11	-34.09	≤-27	PASS

11AC20MIMO	Ant1	5825	30~5650	3306.46	-45.92	≤-27	PASS
11AC20MIMO	Ant2	5825	30~5650	5416.96	-45.62	≤-27	PASS
11AC20MIMO	Ant1	5825	5925~40000	25977.86	-34.47	≤-27	PASS
11AC20MIMO	Ant2	5825	5925~40000	26860.91	-35.19	≤-27	PASS
11AC40MIMO	Ant1	5755	30~5650	5396.35	-45.79	≤-27	PASS
11AC40MIMO	Ant2	5755	30~5650	3419.42	-33.64	≤-27	PASS
11AC40MIMO	Ant1	5755	5925~40000	25946.25	-35.01	≤-27	PASS
11AC40MIMO	Ant2	5755	5925~40000	26781.52	-34.19	≤-27	PASS
11AC40MIMO	Ant1	5795	30~5650	3402.37	-44.1	≤-27	PASS
11AC40MIMO	Ant2	5795	30~5650	5490.02	-45.66	≤-27	PASS
11AC40MIMO	Ant1	5795	5925~40000	26038.98	-34.34	≤-27	PASS
11AC40MIMO	Ant2	5795	5925~40000	25956.79	-35.45	≤-27	PASS
11AC80MIMO	Ant1	5775	30~5650	5349.33	-45.81	≤-27	PASS
11AC80MIMO	Ant2	5775	30~5650	5449.18	-45.28	≤-27	PASS
11AC80MIMO	Ant1	5775	5925~40000	26402.88	-35.31	≤-27	PASS
11AC80MIMO	Ant2	5775	5925~40000	26060.06	-35.71	≤-27	PASS


Test Graphs









11A-Ant2-5785-30~5650-PASS





11A-Ant1-5785-5925~40000-PASS





11A-Ant2-5785-5925~40000-PASS














11N20MIMO-Ant1-5825-30~5650-PASS





11N20MIMO-Ant2-5825-30~5650-PASS




11N20MIMO-Ant1-5825-5925~40000-PASS








11N40MIMO-Ant2-5795-30~5650-PASS



11N40MIMO-Ant1-5795-5925~40000-PASS



11N40MIMO-Ant2-5795-5925~40000-PASS