



EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a black circular external unit (EUT) connected to a black USB cable. The device is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in centimeters (0 to 100) and millimeters (0 to 10). The device is approximately 5 cm in diameter.
EUT View 2	 A photograph showing the same black circular external unit (EUT) connected to a black USB cable, placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in centimeters (0 to 100) and millimeters (0 to 10). The device is approximately 5 cm in diameter.

EUT View 3	 A black circular device with a coiled cable, viewed from above. The device is positioned above a ruler. The ruler has markings in centimeters, with the number '100' visible. The background is a light blue textured surface.
EUT View 4	 A black circular device with a coiled cable, viewed from the side. The device is positioned above a ruler. The ruler has markings in centimeters, with the number '100' visible. The background is a light blue textured surface.

EUT View 5	 A black circular device with a USB cable attached. The cable is coiled and ends in a standard USB-A connector. The device is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in centimeters, with the device spanning approximately from the 10 cm mark to the 30 cm mark.
EUT View 6	 A black circular device with a USB cable attached. The cable is coiled and ends in a standard USB-A connector. The device is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in centimeters, with the device spanning approximately from the 10 cm mark to the 30 cm mark.