


11B_Ant1_2462_1000~26500




11G_Ant1_2412_30~1000



11G_Ant1_2412_1000~26500



11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500




11G_Ant1_2462_30~1000



11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_30~1000



11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_30~1000




11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_30~1000



11N20SISO_Ant1_2462_1000~26500




Appendix G: Duty Cycle

Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant1	2412	12.42	12.54	99.04
		2437	12.42	12.56	98.89
		2462	20.00	20.00	100.00
11G	Ant1	2412	2.06	2.19	94.06
		2437	2.06	2.19	94.06
		2462	2.07	2.20	94.09
11N20SISO	Ant1	2412	1.92	2.05	93.66
		2437	1.92	2.05	93.66
		2462	1.92	2.05	93.66

Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



Appendix H: Emissions in Restricted Bands

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	63.84	-19.79	44.05	74.00	29.95	Horizontal	PASS
2	2334.4244	64.19	-19.75	44.44	74.00	29.56	Horizontal	PASS
3	2353.6436	65.3	-19.52	45.78	74.00	28.22	Horizontal	PASS
4	2362.9329	64.34	-19.03	45.31	74.00	28.69	Horizontal	PASS
5	2377.0270	68.67	-18.27	50.40	74.00	23.60	Horizontal	PASS
6	2390.0000	63.56	-17.57	45.99	74.00	28.01	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.02	-19.79	41.23	74.00	32.77	Vertical	PASS
2	2338.9890	62.76	-19.74	43.02	74.00	30.98	Vertical	PASS
3	2344.1942	63.35	-19.73	43.62	74.00	30.38	Vertical	PASS
4	2352.1221	61.76	-19.61	42.15	74.00	31.85	Vertical	PASS
5	2361.2513	61.94	-19.12	42.82	74.00	31.18	Vertical	PASS
6	2390.0000	61.09	-17.57	43.52	74.00	30.48	Vertical	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	64.57	-18.02	46.55	74.00	27.45	Horizontal	PASS
2	2487.7240	68.27	-18.72	49.55	74.00	24.45	Horizontal	PASS
3	2493.9280	64.67	-18.93	45.74	74.00	28.26	Horizontal	PASS
4	2496.9970	65.7	-18.89	46.81	74.00	27.19	Horizontal	PASS
5	2497.2280	65.66	-18.89	46.77	74.00	27.23	Horizontal	PASS
6	2500.0000	62.79	-18.85	43.94	74.00	30.06	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.72	-18.02	43.70	74.00	30.30	Vertical	PASS
2	2493.1360	64.25	-18.94	45.31	74.00	28.69	Vertical	PASS
3	2493.6640	63.21	-18.94	44.27	74.00	29.73	Vertical	PASS
4	2496.3535	62.87	-18.90	43.97	74.00	30.03	Vertical	PASS
5	2497.7230	62.9	-18.88	44.02	74.00	29.98	Vertical	PASS
6	2500.0000	61.75	-18.85	42.90	74.00	31.10	Vertical	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	64.16	-19.79	44.37	74.00	29.63	Horizontal	PASS
2	2384.0741	81.83	-17.90	63.93	74.00	10.07	Horizontal	PASS
3	2385.1952	82.01	-17.84	64.17	74.00	9.83	Horizontal	PASS
4	2386.3163	83.56	-17.78	65.78	74.00	8.22	Horizontal	PASS
5	2389.2793	86.83	-17.61	69.22	74.00	4.78	Horizontal	PASS
6	2390.0000	86.49	-17.57	68.92	74.00	5.08	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	60.62	-19.79	40.83	54.00	13.17	Horizontal	PASS
2	2384.0741	61.33	-17.90	43.43	54.00	10.57	Horizontal	PASS
3	2385.1952	62.02	-17.84	44.18	54.00	9.82	Horizontal	PASS
4	2386.3163	62.86	-17.78	45.08	54.00	8.92	Horizontal	PASS
5	2389.2793	64.30	-17.61	46.69	54.00	7.31	Horizontal	PASS
6	2390.0000	63.79	-17.57	46.22	54.00	7.78	Horizontal	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.26	-19.79	41.47	74.00	32.53	Vertical	PASS
2	2383.7538	71.09	-17.91	53.18	74.00	20.82	Vertical	PASS
3	2386.7167	78.69	-17.75	60.94	74.00	13.06	Vertical	PASS
4	2388.9590	81.67	-17.63	64.04	74.00	9.96	Vertical	PASS
5	2389.2793	81.95	-17.61	64.34	74.00	9.66	Vertical	PASS
6	2390.0000	82.80	-17.57	65.23	74.00	8.77	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.15	-19.79	39.36	54.00	14.64	Vertical	PASS
2	2383.7538	63.37	-17.91	45.46	54.00	8.54	Vertical	PASS
3	2386.7167	57.93	-17.75	40.18	54.00	13.82	Vertical	PASS
4	2388.9590	60.19	-17.63	42.56	54.00	11.44	Vertical	PASS
5	2389.2793	60.07	-17.61	42.46	54.00	11.54	Vertical	PASS
6	2390.0000	60.62	-17.57	43.05	54.00	10.95	Vertical	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	90.27	-18.02	72.25	74.00	1.75	Horizontal	PASS
2	2483.6155	90.85	-18.05	72.80	74.00	1.20	Horizontal	PASS
3	2483.8135	89.71	-18.10	71.61	74.00	2.39	Horizontal	PASS
4	2483.9620	90.23	-18.14	72.09	74.00	1.91	Horizontal	PASS
5	2484.1765	89.76	-18.20	71.56	74.00	2.44	Horizontal	PASS
6	2500.0000	66.72	-18.85	47.87	74.00	26.13	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	66.74	-18.02	48.72	54.00	5.28	Horizontal	PASS
2	2483.6155	67.78	-18.05	49.73	54.00	4.27	Horizontal	PASS
3	2483.8135	66.58	-18.10	48.48	54.00	5.52	Horizontal	PASS
4	2483.9620	67.17	-18.14	49.03	54.00	4.97	Horizontal	PASS
5	2484.1765	66.98	-18.20	48.78	54.00	5.22	Horizontal	PASS
6	2500.0000	63.17	-18.85	44.32	54.00	9.68	Horizontal	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	84.79	-18.02	66.77	74.00	7.23	Vertical	PASS
2	2483.5825	81.03	-18.04	62.99	74.00	11.01	Vertical	PASS
3	2483.6980	84.39	-18.07	66.32	74.00	7.68	Vertical	PASS
4	2483.9785	80.17	-18.15	62.02	74.00	11.98	Vertical	PASS
5	2484.1600	79.54	-18.19	61.35	74.00	12.65	Vertical	PASS
6	2500.0000	62.31	-18.85	43.46	74.00	30.54	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	59.17	-18.02	41.15	54.00	12.85	Vertical	PASS
2	2483.5825	58.96	-18.04	40.92	54.00	13.08	Vertical	PASS
3	2483.6980	61.96	-18.07	43.89	54.00	10.11	Vertical	PASS
4	2483.9785	58.24	-18.15	40.09	54.00	13.91	Vertical	PASS
5	2484.1600	58.04	-18.19	39.85	54.00	14.15	Vertical	PASS
6	2500.0000	59.06	-18.85	40.21	54.00	13.79	Vertical	PASS

Mode:	N-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.98	-19.79	43.19	74.00	30.81	Horizontal	PASS
2	2385.9960	80.92	-17.79	63.13	74.00	10.87	Horizontal	PASS
3	2387.5175	81.78	-17.70	64.08	74.00	9.92	Horizontal	PASS
4	2388.5586	84.70	-17.65	67.05	74.00	6.95	Horizontal	PASS
5	2389.5195	86.13	-17.60	68.53	74.00	5.47	Horizontal	PASS
6	2390.0000	83.45	-17.57	65.88	74.00	8.12	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.07	-19.79	39.28	54.00	14.72	Horizontal	PASS
2	2385.9960	60.35	-17.79	42.56	54.00	11.44	Horizontal	PASS
3	2387.5175	60.65	-17.70	42.95	54.00	11.05	Horizontal	PASS
4	2388.5586	62.38	-17.65	44.73	54.00	9.27	Horizontal	PASS
5	2389.5195	62.81	-17.60	45.21	54.00	8.79	Horizontal	PASS
6	2390.0000	60.26	-17.57	42.69	54.00	11.31	Horizontal	PASS

Mode:	N-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	60.17	-19.79	40.38	74.00	33.62	Vertical	PASS
2	2383.7538	70.7	-17.91	52.79	74.00	21.21	Vertical	PASS
3	2386.3163	71.04	-17.77	53.27	74.00	20.73	Vertical	PASS
4	2387.8378	73.89	-17.69	56.20	74.00	17.80	Vertical	PASS
5	2389.6797	81.16	-17.59	63.57	74.00	10.43	Vertical	PASS
6	2390.0000	78.79	-17.57	61.22	74.00	12.78	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.15	-19.79	37.36	54.00	16.64	Vertical	PASS
2	2383.7538	61.78	-17.91	43.87	54.00	10.13	Vertical	PASS
3	2386.3163	64.07	-17.77	46.30	54.00	7.70	Vertical	PASS
4	2387.8378	65.98	-17.69	48.29	54.00	5.71	Vertical	PASS
5	2389.6797	58.31	-17.59	40.72	54.00	13.28	Vertical	PASS
6	2390.0000	56.51	-17.57	38.94	54.00	15.06	Vertical	PASS

Mode:	N-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	91.31	-18.02	73.29	74.00	0.71	Horizontal	PASS
2	2483.8465	91.55	-18.11	73.44	74.00	0.56	Horizontal	PASS
3	2484.1600	91.16	-18.19	72.97	74.00	1.03	Horizontal	PASS
4	2484.3745	90.44	-18.25	72.19	74.00	1.81	Horizontal	PASS
5	2484.6385	89.56	-18.32	71.24	74.00	2.76	Horizontal	PASS
6	2500.0000	64.39	-18.85	45.54	74.00	28.46	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	64.99	-18.02	46.97	54.00	7.03	Horizontal	PASS
2	2483.8465	65.19	-18.11	47.08	54.00	6.92	Horizontal	PASS
3	2484.1600	64.81	-18.19	46.62	54.00	7.38	Horizontal	PASS
4	2484.3745	64.60	-18.25	46.35	54.00	7.65	Horizontal	PASS
5	2484.6385	63.63	-18.32	45.31	54.00	8.69	Horizontal	PASS
6	2500.0000	60.74	-18.85	41.89	54.00	12.11	Horizontal	PASS

Mode:	N-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	84.39	-18.02	66.37	74.00	7.63	Vertical	PASS
2	2483.6980	84.93	-18.07	66.86	74.00	7.14	Vertical	PASS
3	2483.9290	81.01	-18.13	62.88	74.00	11.12	Vertical	PASS
4	2484.6055	79.17	-18.31	60.86	74.00	13.14	Vertical	PASS
5	2485.0675	82.00	-18.42	63.58	74.00	10.42	Vertical	PASS
6	2500.0000	61.54	-18.85	42.69	74.00	31.31	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	59.79	-18.02	41.77	54.00	12.23	Vertical	PASS
2	2483.6980	59.50	-18.07	41.43	54.00	12.57	Vertical	PASS
3	2483.9290	56.48	-18.13	38.35	54.00	15.65	Vertical	PASS
4	2484.6055	55.95	-18.31	37.64	54.00	16.36	Vertical	PASS
5	2485.0675	58.18	-18.42	39.76	54.00	14.24	Vertical	PASS
6	2500.0000	57.80	-18.85	38.95	54.00	15.05	Vertical	PASS

Appendix I: Spurious emissions


Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

Above 1GHz, The emission level with margin less than 20db is recorded.

The worst case was recorded.



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	119.329	-18.26	29.20	43.50	14.30	150	164	Horizontal
2	321.291	-15.10	29.82	46.00	16.18	150	224	Horizontal
3	463.053	-11.99	32.43	46.00	13.57	150	149	Horizontal
4	670.840	-8.17	35.13	46.00	10.87	150	138	Horizontal
5	806.776	-5.95	39.69	46.00	6.31	150	157	Horizontal
6	982.522	-4.36	40.78	54.00	13.22	150	217	Horizontal



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	148.458	-15.86	27.38	43.50	16.12	150	339	Vertical
2	340.710	-14.69	29.17	46.00	16.83	150	291	Vertical
3	515.485	-10.81	32.72	46.00	13.28	150	206	Vertical
4	654.334	-8.37	35.79	46.00	10.21	150	202	Vertical
5	808.718	-5.94	38.91	46.00	7.09	150	227	Vertical
6	981.551	-4.38	40.68	54.00	13.32	150	168	Vertical

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1600.3002	63.74	-23.90	39.84	74.00	34.16	Horizontal	PASS
2	3800.1334	61.16	-18.13	43.03	74.00	30.97	Horizontal	PASS
3	4825.3042	68.9	-16.40	52.50	74.00	21.50	Horizontal	PASS
4	6435.5726	59.83	-13.16	46.67	74.00	27.33	Horizontal	PASS
5	8083.3472	59.29	-11.55	47.74	74.00	26.26	Horizontal	PASS
6	12979.1632	58.32	-4.28	54.04	74.00	19.96	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1600.3002	57.91	-23.90	34.01	54.00	19.99	Horizontal	PASS
2	3800.1334	53.05	-18.13	34.92	54.00	19.08	Horizontal	PASS
3	4825.3042	60.69	-16.40	44.29	54.00	9.71	Horizontal	PASS
4	6435.5726	50.56	-13.16	37.40	54.00	16.60	Horizontal	PASS
5	8083.3472	50.65	-11.55	39.10	54.00	14.90	Horizontal	PASS
6	12979.1632	48.39	-4.28	44.11	54.00	9.89	Horizontal	PASS

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1237.1186	65.28	-25.60	39.68	74.00	34.32	Vertical	PASS
2	1990.4952	63.37	-20.58	42.79	74.00	31.21	Vertical	PASS
3	4822.8038	62.56	-16.41	46.15	74.00	27.85	Vertical	PASS
4	7235.7060	61.62	-12.72	48.90	74.00	25.10	Vertical	PASS
5	8953.4922	58.07	-11.06	47.01	74.00	26.99	Vertical	PASS
6	13114.1857	57.59	-3.97	53.62	74.00	20.38	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1237.1186	58.87	-25.60	33.27	54.00	20.73	Vertical	PASS
2	1990.4952	59.04	-20.58	38.46	54.00	15.54	Vertical	PASS
3	4822.8038	50.55	-16.41	34.14	54.00	19.86	Vertical	PASS
4	7235.7060	53.76	-12.72	41.04	54.00	12.96	Vertical	PASS
5	8953.4922	49.94	-11.06	38.88	54.00	15.12	Vertical	PASS
6	13114.1857	48.12	-3.97	44.15	54.00	9.85	Vertical	PASS

Mode:	B-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1500.2501	63.36	-24.93	38.43	74.00	35.57	Horizontal	PASS
2	1866.4332	62.9	-21.53	41.37	74.00	32.63	Horizontal	PASS
3	4427.7380	60.9	-16.87	44.03	74.00	29.97	Horizontal	PASS
4	4872.8121	67.71	-16.32	51.39	74.00	22.61	Horizontal	PASS
5	6765.6276	59.65	-12.91	46.74	74.00	27.26	Horizontal	PASS
6	12431.5719	59.07	-4.84	54.23	74.00	19.77	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1500.2501	60.78	-24.93	35.85	54.00	18.15	Horizontal	PASS
2	1866.4332	59.01	-21.53	37.48	54.00	16.52	Horizontal	PASS
3	4427.7380	50.06	-16.87	33.19	54.00	20.81	Horizontal	PASS
4	4872.8121	54.22	-16.32	37.90	54.00	16.10	Horizontal	PASS
5	6765.6276	49.55	-12.91	36.64	54.00	17.36	Horizontal	PASS
6	12431.5719	48.90	-4.84	44.06	54.00	9.94	Horizontal	PASS

Mode:	B-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1482.2411	64.55	-24.92	39.63	74.00	34.37	Vertical	PASS
2	2029.5148	63.77	-20.40	43.37	74.00	30.63	Vertical	PASS
3	4872.8121	64.8	-16.32	48.48	74.00	25.52	Vertical	PASS
4	7045.6743	59.71	-12.51	47.20	74.00	26.80	Vertical	PASS
5	9046.0077	58.21	-10.61	47.60	74.00	26.40	Vertical	PASS
6	11088.8481	58.66	-7.29	51.37	74.00	22.63	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1482.2411	61.51	-24.92	36.59	54.00	17.41	Vertical	PASS
2	2029.5148	59.66	-20.40	39.26	54.00	14.74	Vertical	PASS
3	4872.8121	52.26	-16.32	35.94	54.00	18.06	Vertical	PASS
4	7045.6743	52.47	-12.51	39.96	54.00	14.04	Vertical	PASS
5	9046.0077	50.18	-10.61	39.57	54.00	14.43	Vertical	PASS
6	11088.8481	47.94	-7.29	40.65	54.00	13.35	Vertical	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1329.1646	64.39	-25.21	39.18	74.00	34.82	Horizontal	PASS
2	4905.3176	68.61	-16.33	52.28	74.00	21.72	Horizontal	PASS
3	6415.5693	59.47	-13.43	46.04	74.00	27.96	Horizontal	PASS
4	7765.7943	59.59	-11.99	47.60	74.00	26.40	Horizontal	PASS
5	10723.7873	59.62	-8.03	51.59	74.00	22.41	Horizontal	PASS
6	12664.1107	57.34	-4.39	52.95	74.00	21.05	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1329.1646	58.83	-25.21	33.62	54.00	20.38	Horizontal	PASS
2	4905.3176	55.49	-16.33	39.16	54.00	14.84	Horizontal	PASS
3	6415.5693	51.62	-13.43	38.19	54.00	15.81	Horizontal	PASS
4	7765.7943	50.59	-11.99	38.60	54.00	15.40	Horizontal	PASS
5	10723.7873	49.62	-8.03	41.59	54.00	12.41	Horizontal	PASS
6	12664.1107	48.41	-4.39	44.02	54.00	9.98	Horizontal	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1481.2406	65.53	-24.92	40.61	74.00	33.39	Vertical	PASS
2	3950.1584	60.93	-17.81	43.12	74.00	30.88	Vertical	PASS
3	4905.3176	67.06	-16.33	50.73	74.00	23.27	Vertical	PASS
4	6855.6426	58.96	-12.48	46.48	74.00	27.52	Vertical	PASS
5	9248.5414	59.44	-10.39	49.05	74.00	24.95	Vertical	PASS
6	13016.6694	57.66	-4.18	53.48	74.00	20.52	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1481.2406	61.19	-24.92	36.27	54.00	17.73	Vertical	PASS
2	3950.1584	51.76	-17.81	33.95	54.00	20.05	Vertical	PASS
3	4905.3176	53.16	-16.33	36.83	54.00	17.17	Vertical	PASS
4	6855.6426	50.44	-12.48	37.96	54.00	16.04	Vertical	PASS
5	9248.5414	50.19	-10.39	39.80	54.00	14.20	Vertical	PASS
6	13016.6694	48.49	-4.18	44.31	54.00	9.69	Vertical	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1723.3617	63.5	-22.82	40.68	74.00	33.32	Horizontal	PASS
2	4012.6688	61.61	-17.58	44.03	74.00	29.97	Horizontal	PASS
3	4820.3034	64.54	-16.42	48.12	74.00	25.88	Horizontal	PASS
4	7235.7060	60.33	-12.72	47.61	74.00	26.39	Horizontal	PASS
5	10618.7698	57.71	-7.98	49.73	74.00	24.27	Horizontal	PASS
6	13526.7545	58.13	-3.95	54.18	74.00	19.82	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1723.3617	58.42	-22.82	35.60	54.00	18.40	Horizontal	PASS
2	4012.6688	52.02	-17.58	34.44	54.00	19.56	Horizontal	PASS
3	4820.3034	55.68	-16.42	39.26	54.00	14.74	Horizontal	PASS
4	7235.7060	52.54	-12.72	39.82	54.00	14.18	Horizontal	PASS
5	10618.7698	50.02	-7.98	42.04	54.00	11.96	Horizontal	PASS
6	13526.7545	48.20	-3.95	44.25	54.00	9.75	Horizontal	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1351.1756	64.63	-25.07	39.56	74.00	34.44	Vertical	PASS
2	1823.4117	62.8	-21.96	40.84	74.00	33.16	Vertical	PASS
3	4825.3042	62	-16.40	45.60	74.00	28.40	Vertical	PASS
4	7105.6843	59.66	-12.79	46.87	74.00	27.13	Vertical	PASS
5	8295.8826	59.24	-11.71	47.53	74.00	26.47	Vertical	PASS
6	12079.0132	58.41	-5.14	53.27	74.00	20.73	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1351.1756	59.69	-25.07	34.62	54.00	19.38	Vertical	PASS
2	1823.4117	60.89	-21.96	38.93	54.00	15.07	Vertical	PASS
3	4825.3042	53.18	-16.40	36.78	54.00	17.22	Vertical	PASS
4	7105.6843	51.61	-12.79	38.82	54.00	15.18	Vertical	PASS
5	8295.8826	49.33	-11.71	37.62	54.00	16.38	Vertical	PASS
6	12079.0132	48.10	-5.14	42.96	54.00	11.04	Vertical	PASS

Mode:	G-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1801.4007	63.82	-22.21	41.61	74.00	32.39	Horizontal	PASS
2	3807.6346	61.19	-18.15	43.04	74.00	30.96	Horizontal	PASS
3	4870.3117	64.51	-16.32	48.19	74.00	25.81	Horizontal	PASS
4	7758.2930	60.08	-11.92	48.16	74.00	25.84	Horizontal	PASS
5	9701.1169	59.13	-9.68	49.45	74.00	24.55	Horizontal	PASS
6	12274.0457	57.74	-4.83	52.91	74.00	21.09	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1801.4007	59.51	-22.21	37.30	54.00	16.70	Horizontal	PASS
2	3807.6346	52.58	-18.15	34.43	54.00	19.57	Horizontal	PASS
3	4870.3117	52.97	-16.32	36.65	54.00	17.35	Horizontal	PASS
4	7758.2930	50.37	-11.92	38.45	54.00	15.55	Horizontal	PASS
5	9701.1169	49.14	-9.68	39.46	54.00	14.54	Horizontal	PASS
6	12274.0457	48.49	-4.83	43.66	54.00	10.34	Horizontal	PASS

Mode:	G-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1388.1941	63.83	-25.12	38.71	74.00	35.29	Vertical	PASS
2	3950.1584	64.31	-17.81	46.50	74.00	27.50	Vertical	PASS
3	4872.8121	62.3	-16.32	45.98	74.00	28.02	Vertical	PASS
4	6668.1114	59.42	-12.61	46.81	74.00	27.19	Vertical	PASS
5	8473.4122	59.75	-12.01	47.74	74.00	26.26	Vertical	PASS
6	12034.0057	56.88	-5.30	51.58	74.00	22.42	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1388.1941	58.17	-25.12	33.05	54.00	20.95	Vertical	PASS
2	3950.1584	53.60	-17.81	35.79	54.00	18.21	Vertical	PASS
3	4872.8121	53.74	-16.32	37.42	54.00	16.58	Vertical	PASS
4	6668.1114	51.86	-12.61	39.25	54.00	14.75	Vertical	PASS
5	8473.4122	51.00	-12.01	38.99	54.00	15.01	Vertical	PASS
6	12034.0057	49.70	-5.30	44.40	54.00	9.60	Vertical	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1865.4327	63.13	-21.54	41.59	74.00	32.41	Horizontal	PASS
2	4930.3217	65.03	-16.41	48.62	74.00	25.38	Horizontal	PASS
3	6440.5734	59.02	-13.10	45.92	74.00	28.08	Horizontal	PASS
4	7975.8293	58.86	-11.83	47.03	74.00	26.97	Horizontal	PASS
5	11078.8465	58.42	-7.28	51.14	74.00	22.86	Horizontal	PASS
6	12434.0723	57.64	-4.86	52.78	74.00	21.22	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1865.4327	57.90	-21.54	36.36	54.00	17.64	Horizontal	PASS
2	4930.3217	58.42	-16.41	42.01	54.00	11.99	Horizontal	PASS
3	6440.5734	50.34	-13.10	37.24	54.00	16.76	Horizontal	PASS
4	7975.8293	49.69	-11.83	37.86	54.00	16.14	Horizontal	PASS
5	11078.8465	49.15	-7.28	41.87	54.00	12.13	Horizontal	PASS
6	12434.0723	48.03	-4.86	43.17	54.00	10.83	Horizontal	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1317.1586	64.81	-25.29	39.52	74.00	34.48	Vertical	PASS
2	2040.5203	62.68	-20.37	42.31	74.00	31.69	Vertical	PASS
3	4925.3209	63.25	-16.39	46.86	74.00	27.14	Vertical	PASS
4	6098.0163	60.97	-13.54	47.43	74.00	26.57	Vertical	PASS
5	7935.8226	58.44	-11.71	46.73	74.00	27.27	Vertical	PASS
6	9908.6514	58.07	-8.99	49.08	74.00	24.92	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1317.1586	60.79	-25.29	35.50	54.00	18.50	Vertical	PASS
2	2040.5203	59.24	-20.37	38.87	54.00	15.13	Vertical	PASS
3	4925.3209	56.26	-16.39	39.87	54.00	14.13	Vertical	PASS
4	6098.0163	51.06	-13.54	37.52	54.00	16.48	Vertical	PASS
5	7935.8226	50.01	-11.71	38.30	54.00	15.70	Vertical	PASS
6	9908.6514	49.11	-8.99	40.12	54.00	13.88	Vertical	PASS

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1374.1871	63.31	-25.10	38.21	74.00	35.79	Horizontal	PASS
2	4825.3042	64.74	-16.40	48.34	74.00	25.66	Horizontal	PASS
3	6368.0613	59.89	-13.84	46.05	74.00	27.95	Horizontal	PASS
4	7753.2922	59.48	-11.87	47.61	74.00	26.39	Horizontal	PASS
5	10628.7715	58.41	-8.00	50.41	74.00	23.59	Horizontal	PASS
6	13921.8203	57.4	-3.66	53.74	74.00	20.26	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1374.1871	58.73	-25.10	33.63	54.00	20.37	Horizontal	PASS
2	4825.3042	56.03	-16.40	39.63	54.00	14.37	Horizontal	PASS
3	6368.0613	50.44	-13.84	36.60	54.00	17.40	Horizontal	PASS
4	7753.2922	50.68	-11.87	38.81	54.00	15.19	Horizontal	PASS
5	10628.7715	50.32	-8.00	42.32	54.00	11.68	Horizontal	PASS
6	13921.8203	47.70	-3.66	44.04	54.00	9.96	Horizontal	PASS

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1703.3517	62.98	-22.96	40.02	74.00	33.98	Vertical	PASS
2	3802.6338	61.48	-18.14	43.34	74.00	30.66	Vertical	PASS
3	4997.8330	60.95	-15.88	45.07	74.00	28.93	Vertical	PASS
4	6443.0738	60.11	-13.06	47.05	74.00	26.95	Vertical	PASS
5	9051.0085	58.24	-10.58	47.66	74.00	26.34	Vertical	PASS
6	11936.4894	56.92	-5.46	51.46	74.00	22.54	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1703.3517	59.29	-22.96	36.33	54.00	17.67	Vertical	PASS
2	3802.6338	53.02	-18.14	34.88	54.00	19.12	Vertical	PASS
3	4997.8330	51.51	-15.88	35.63	54.00	18.37	Vertical	PASS
4	6443.0738	49.75	-13.06	36.69	54.00	17.31	Vertical	PASS
5	9051.0085	50.61	-10.58	40.03	54.00	13.97	Vertical	PASS
6	11936.4894	48.55	-5.46	43.09	54.00	10.91	Vertical	PASS


Mode:	N20-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1330.1651	63.46	-25.20	38.26	74.00	35.74	Horizontal	PASS
2	1756.3782	64.44	-22.58	41.86	74.00	32.14	Horizontal	PASS
3	4860.3101	61.83	-16.33	45.50	74.00	28.50	Horizontal	PASS
4	6110.5184	58.81	-13.64	45.17	74.00	28.83	Horizontal	PASS
5	8308.3847	58.57	-11.72	46.85	74.00	27.15	Horizontal	PASS
6	10996.3327	58.81	-7.45	51.36	74.00	22.64	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1330.1651	58.73	-25.20	33.53	54.00	20.47	Horizontal	PASS
2	1756.3782	59.94	-22.58	37.36	54.00	16.64	Horizontal	PASS
3	4860.3101	50.30	-16.33	33.97	54.00	20.03	Horizontal	PASS
4	6110.5184	50.76	-13.64	37.12	54.00	16.88	Horizontal	PASS
5	8308.3847	49.88	-11.72	38.16	54.00	15.84	Horizontal	PASS
6	10996.3327	49.30	-7.45	41.85	54.00	12.15	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1825.4127	63.67	-21.94	41.73	74.00	32.27	Horizontal	PASS
2	4925.3209	63.88	-16.39	47.49	74.00	26.51	Horizontal	PASS
3	6110.5184	59.23	-13.64	45.59	74.00	28.41	Horizontal	PASS
4	7518.2530	59.59	-12.51	47.08	74.00	26.92	Horizontal	PASS
5	9306.0510	57.87	-10.28	47.59	74.00	26.41	Horizontal	PASS
6	12324.0540	57.52	-4.96	52.56	74.00	21.44	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1825.4127	61.27	-21.94	39.33	54.00	14.67	Horizontal	PASS
2	4925.3209	54.76	-16.39	38.37	54.00	15.63	Horizontal	PASS
3	6110.5184	49.86	-13.64	36.22	54.00	17.78	Horizontal	PASS
4	7518.2530	50.43	-12.51	37.92	54.00	16.08	Horizontal	PASS
5	9306.0510	49.12	-10.28	38.84	54.00	15.16	Horizontal	PASS
6	12324.0540	49.20	-4.96	44.24	54.00	9.76	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph



PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1734.3672	63.57	-22.74	40.83	74.00	33.17	Vertical	PASS
2	4050.1750	61.11	-17.75	43.36	74.00	30.64	Vertical	PASS
3	4920.3201	61.09	-16.38	44.71	74.00	29.29	Vertical	PASS
4	7120.6868	60.12	-12.79	47.33	74.00	26.67	Vertical	PASS
5	9586.0977	58.26	-9.92	48.34	74.00	25.66	Vertical	PASS
6	12386.5644	56.38	-4.74	51.64	74.00	22.36	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1734.3672	58.46	-22.74	35.72	54.00	18.28	Vertical	PASS
2	4050.1750	52.38	-17.75	34.63	54.00	19.37	Vertical	PASS
3	4920.3201	53.47	-16.38	37.09	54.00	16.91	Vertical	PASS
4	7120.6868	50.50	-12.79	37.71	54.00	16.29	Vertical	PASS
5	9586.0977	48.18	-9.92	38.26	54.00	15.74	Vertical	PASS
6	12386.5644	48.13	-4.74	43.39	54.00	10.61	Vertical	PASS