

Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.040	2406.920	2416.960	0.5	PASS
		2437	10.040	2431.920	2441.960	0.5	PASS
		2462	10.040	2456.920	2466.960	0.5	PASS
11G	Ant1	2412	16.360	2403.760	2420.120	0.5	PASS
		2437	16.360	2428.760	2445.120	0.5	PASS
		2462	16.360	2453.760	2470.120	0.5	PASS
11N20SISO	Ant1	2412	17.120	2403.360	2420.480	0.5	PASS
		2437	17.560	2428.160	2445.720	0.5	PASS
		2462	17.320	2453.200	2470.520	0.5	PASS
11N40SISO	Ant1	2422	35.120	2404.400	2439.520	0.5	PASS
		2437	35.120	2419.400	2454.520	0.5	PASS
		2452	35.120	2434.400	2469.520	0.5	PASS

Test Graphs

11B_Ant1_2412



11B_Ant1_2437



11B_Ant1_2462



11G_Ant1_2412



11G_Ant1_2437



11G_Ant1_2462



11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	14.849	2404.520	2419.369	---	---
		2437	14.826	2429.517	2444.343	---	---
		2462	14.861	2454.505	2469.366	---	---
11G	Ant1	2412	17.395	2403.201	2420.596	---	---
		2437	17.381	2428.195	2445.576	---	---
		2462	17.438	2453.162	2470.600	---	---
11N20SISO	Ant1	2412	18.153	2402.906	2421.059	---	---
		2437	18.164	2427.914	2446.078	---	---
		2462	18.184	2452.894	2471.078	---	---
11N40SISO	Ant1	2422	35.834	2404.066	2439.900	---	---
		2437	35.816	2419.053	2454.869	---	---
		2452	35.848	2434.044	2469.892	---	---

Test Graphs

11B_Ant1_2412



11B_Ant1_2437



11B_Ant1_2462



11G_Ant1_2412



11G_Ant1_2437



11G_Ant1_2462



11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix C: Maximum conducted output power

Test Result

TestMode	Antenna	Frequency[MHz]	Conducted Power[dBm]	Conducted Limit[dBm]	EIRP [dBm]	EIRP Limit[dBm]	Verdict
11B	Ant1	2412	14.75	≤30.00	17.29	≤36.00	PASS
		2437	14.68	≤30.00	17.22	≤36.00	PASS
		2462	14.59	≤30.00	17.13	≤36.00	PASS
11G	Ant1	2412	15.57	≤30.00	18.11	≤36.00	PASS
		2437	15.48	≤30.00	18.02	≤36.00	PASS
		2462	16.02	≤30.00	18.56	≤36.00	PASS
11N20SISO	Ant1	2412	14.38	≤30.00	16.92	≤36.00	PASS
		2437	14.44	≤30.00	16.98	≤36.00	PASS
		2462	14.34	≤30.00	16.88	≤36.00	PASS
11N40SISO	Ant1	2422	14.44	≤30.00	16.98	≤36.00	PASS
		2437	14.51	≤30.00	17.05	≤36.00	PASS
		2452	14.49	≤30.00	17.03	≤36.00	PASS

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-17.79	≤8.00	PASS
		2437	-17.87	≤8.00	PASS
		2462	-15.46	≤8.00	PASS
11G	Ant1	2412	-19.44	≤8.00	PASS
		2437	-19.27	≤8.00	PASS
		2462	-19.78	≤8.00	PASS
11N20SISO	Ant1	2412	-20.08	≤8.00	PASS
		2437	-20.46	≤8.00	PASS
		2462	-20.76	≤8.00	PASS
11N40SISO	Ant1	2422	-23.27	≤8.00	PASS
		2437	-23.35	≤8.00	PASS
		2452	-23.74	≤8.00	PASS

Test Graphs

11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437




11N20SISO_Ant1_2462




11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Reference level measurement

Test Result

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
11B	Ant1	2412	2412.45	5.27
		2437	2436.44	5.43
		2462	2461.44	5.25
11G	Ant1	2412	2413.23	4.18
		2437	2441.93	4.14
		2462	2464.45	4.45
11N20SISO	Ant1	2412	2416.93	3.08
		2437	2440.69	3.08
		2462	2463.22	3.16
11N40SISO	Ant1	2422	2426.95	0.45
		2437	2428.20	0.62
		2452	2443.20	0.61

Test Graphs

11B_Ant1_2412




11B_Ant1_2437



11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix E: Band edge measurements

Test Result

TestMode	Antenna	Channel Name	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	5.27	-34.66	≤-24.73	PASS
		High	2462	5.25	-47.28	≤-24.75	PASS
11G	Ant1	Low	2412	4.18	-28.8	≤-25.82	PASS
		High	2462	4.45	-40.85	≤-25.55	PASS
11N20SISO	Ant1	Low	2412	3.08	-29.9	≤-26.92	PASS
		High	2462	3.16	-41.64	≤-26.84	PASS
11N40SISO	Ant1	Low	2422	0.45	-37.6	≤-29.55	PASS
		High	2452	0.61	-39.04	≤-29.39	PASS

Test Graphs

11B_Ant1_Low_2412



11B_Ant1_High_2462



11G_Ant1_Low_2412



11G_Ant1_High_2462



11N20SISO_Ant1_Low_2412



11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452



Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	30~1000	5.27	-62.09	≤-24.73	PASS
			1000~26500	5.27	-53.62	≤-24.73	PASS
		2437	30~1000	5.43	-61.67	≤-24.57	PASS
			1000~26500	5.43	-53.5	≤-24.57	PASS
		2462	30~1000	5.25	-61.45	≤-24.75	PASS
			1000~26500	5.25	-52.95	≤-24.75	PASS
11G	Ant1	2412	30~1000	4.18	-61.62	≤-25.82	PASS
			1000~26500	4.18	-52.35	≤-25.82	PASS
		2437	30~1000	4.14	-61.78	≤-25.86	PASS
			1000~26500	4.14	-52.91	≤-25.86	PASS
		2462	30~1000	4.45	-62.1	≤-25.55	PASS
			1000~26500	4.45	-52.53	≤-25.55	PASS
11N20SISO	Ant1	2412	30~1000	3.08	-61.95	≤-26.92	PASS
			1000~26500	3.08	-53.28	≤-26.92	PASS
		2437	30~1000	3.08	-61.79	≤-26.92	PASS
			1000~26500	3.08	-53.33	≤-26.92	PASS
		2462	30~1000	3.16	-61.09	≤-26.84	PASS
			1000~26500	3.16	-53.63	≤-26.84	PASS
11N40SISO	Ant1	2422	30~1000	0.45	-61.37	≤-29.55	PASS
			1000~26500	0.45	-53.26	≤-29.55	PASS
		2437	30~1000	0.62	-61.31	≤-29.38	PASS
			1000~26500	0.62	-52.36	≤-29.38	PASS
		2452	30~1000	0.61	-61.13	≤-29.39	PASS
			1000~26500	0.61	-53.47	≤-29.39	PASS

Test Graphs

11B_Ant1_2412_30~1000



11B_Ant1_2412_1000~26500



11B_Ant1_2437_30~1000



11B_Ant1_2437_1000~26500



11B_Ant1_2462_30~1000



11B_Ant1_2462_1000~26500



11G_Ant1_2412_30~1000



11G_Ant1_2412_1000~26500



11G_Ant1_2437_30~1000



11G_Ant1_2437_1000~26500



11G_Ant1_2462_30~1000



11G_Ant1_2462_1000~26500



11N20SISO_Ant1_2412_30~1000



11N20SISO_Ant1_2412_1000~26500



11N20SISO_Ant1_2437_30~1000



11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_30~1000



11N20SISO_Ant1_2462_1000~26500



11N40SISO_Ant1_2422_30~1000



11N40SISO_Ant1_2422_1000~26500



11N40SISO_Ant1_2437_30~1000



11N40SISO_Ant1_2437_1000~26500



11N40SISO_Ant1_2452_30~1000



11N40SISO_Ant1_2452_1000~26500



Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant1	2412	12.42	12.54	99.04
		2437	20.00	20.00	100.00
		2462	12.42	12.54	99.04
11G	Ant1	2412	2.06	2.19	94.06
		2437	2.07	2.20	94.09
		2462	2.06	2.19	94.06
11N20SISO	Ant1	2412	1.92	2.05	93.66
		2437	1.92	2.05	93.66
		2462	1.92	2.05	93.66
11N40SISO	Ant1	2422	0.94	1.07	87.85
		2437	0.94	1.07	87.85
		2452	0.95	1.08	87.96

Test Graphs

11B_Ant1_2412



11B_Ant1_2437



11B_Ant1_2462



11G_Ant1_2412



11G_Ant1_2437



11G_Ant1_2462



11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



11N40SISO_Ant1_2422



11N40SISO_Ant1_2437




11N40SISO_Ant1_2452



Appendix H: Emissions in Restricted Bands

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





11B_Ant1_High_2462_Peak



11G_Ant1_Low_2412_AV



11G_Ant1_Low_2412_Peak



11G_Ant1_High_2462_AV



11G_Ant1_High_2462_Peak



11N20SISO_Ant1_Low_2412_AV



11N20SISO_Ant1_Low_2412_Peak



11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak



11N40SISO_Ant1_Low_2422_AV



11N40SISO_Ant1_Low_2422_Peak



11N40SISO_Ant1_High_2452_AV



11N40SISO_Ant1_High_2452_Peak



Radiated emission measurements

Mode:	N20-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2384.8749	81.31	-17.85	63.46	74.00	10.54	Vertical	PASS
2	2387.5976	83.27	-17.70	65.57	74.00	8.43	Vertical	PASS
3	2388.3183	85.55	-17.66	67.89	74.00	6.11	Vertical	PASS
4	2390.0000	88.94	-17.57	71.37	74.00	2.63	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2384.8749	57.48	-17.85	39.63	54.00	14.37	Vertical	PASS
2	2387.5976	61.46	-17.70	43.76	54.00	10.24	Vertical	PASS
3	2388.3183	62.42	-17.66	44.76	54.00	9.24	Vertical	PASS
4	2390.0000	65.23	-17.57	47.66	54.00	6.34	Vertical	PASS

Mode:	N20-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2381.6717	78.49	-18.02	60.47	74.00	13.53	Horizontal	PASS
2	2383.1131	80.61	-17.95	62.66	74.00	11.34	Horizontal	PASS
3	2384.2342	81.36	-17.89	63.47	74.00	10.53	Horizontal	PASS
4	2385.9159	81.57	-17.80	63.77	74.00	10.23	Horizontal	PASS
5	2388.3984	86.65	-17.66	68.99	74.00	5.01	Horizontal	PASS
6	2390.0000	88.86	-17.57	71.29	74.00	2.71	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2381.6717	55.98	-18.02	37.96	54.00	16.04	Horizontal	PASS
2	2383.1131	56.72	-17.95	38.77	54.00	15.23	Horizontal	PASS
3	2384.2342	57.30	-17.89	39.41	54.00	14.59	Horizontal	PASS
4	2385.9159	58.21	-17.80	40.41	54.00	13.59	Horizontal	PASS
5	2388.3984	63.42	-17.66	45.76	54.00	8.24	Horizontal	PASS
6	2390.0000	65.19	-17.57	47.62	54.00	6.38	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	89.06	-18.02	71.04	74.00	2.96	Horizontal	PASS
2	2483.7805	88.42	-18.10	70.32	74.00	3.68	Horizontal	PASS
3	2484.2260	88.36	-18.21	70.15	74.00	3.85	Horizontal	PASS
4	2485.0180	86.54	-18.41	68.13	74.00	5.87	Horizontal	PASS
5	2485.6450	84.77	-18.48	66.29	74.00	7.71	Horizontal	PASS
6	2486.5855	81.87	-18.59	63.28	74.00	10.72	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	66.61	-18.02	48.59	54.00	5.41	Horizontal	PASS
2	2483.7805	66.26	-18.10	48.16	54.00	5.84	Horizontal	PASS
3	2484.2260	65.52	-18.21	47.31	54.00	6.69	Horizontal	PASS
4	2485.0180	64.21	-18.41	45.80	54.00	8.20	Horizontal	PASS
5	2485.6450	62.90	-18.48	44.42	54.00	9.58	Horizontal	PASS
6	2486.5855	61.08	-18.59	42.49	54.00	11.51	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	86.67	-18.02	68.65	74.00	5.35	Vertical	PASS
2	2483.9125	86.90	-18.13	68.77	74.00	5.23	Vertical	PASS
3	2484.0610	86.28	-18.17	68.11	74.00	5.89	Vertical	PASS
4	2484.4075	85.75	-18.26	67.49	74.00	6.51	Vertical	PASS
5	2484.9850	84.34	-18.41	65.93	74.00	8.07	Vertical	PASS
6	2485.1665	83.77	-18.43	65.34	74.00	8.66	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	64.50	-18.02	46.48	54.00	7.52	Vertical	PASS
2	2483.9125	64.55	-18.13	46.42	54.00	7.58	Vertical	PASS
3	2484.0610	63.67	-18.17	45.50	54.00	8.50	Vertical	PASS
4	2484.4075	62.89	-18.26	44.63	54.00	9.37	Vertical	PASS
5	2484.9850	62.00	-18.41	43.59	54.00	10.41	Vertical	PASS
6	2485.1665	61.90	-18.43	43.47	54.00	10.53	Vertical	PASS

Mode:	N40-2422
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2371.5816	78.40	-18.56	59.84	74.00	14.16	Vertical	PASS
2	2376.4665	82.09	-18.30	63.79	74.00	10.21	Vertical	PASS
3	2380.3904	84.19	-18.09	66.10	74.00	7.90	Vertical	PASS
4	2383.5135	85.96	-17.93	68.03	74.00	5.97	Vertical	PASS
5	2384.7948	86.16	-17.86	68.30	74.00	5.70	Vertical	PASS
6	2390.0000	86.79	-17.57	69.22	74.00	4.78	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2371.5816	59.18	-18.56	40.62	54.00	13.38	Vertical	PASS
2	2376.4665	63.13	-18.30	44.83	54.00	9.17	Vertical	PASS
3	2380.3904	65.67	-18.09	47.58	54.00	6.42	Vertical	PASS
4	2383.5135	67.37	-17.93	49.44	54.00	4.56	Vertical	PASS
5	2384.7948	68.51	-17.86	50.65	54.00	3.35	Vertical	PASS
6	2390.0000	69.93	-17.57	52.36	54.00	1.64	Vertical	PASS

Mode:	N40-2422
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2377.0270	83.03	-18.27	64.76	74.00	9.24	Horizontal	PASS
2	2380.2302	84.17	-18.10	66.07	74.00	7.93	Horizontal	PASS
3	2382.9530	86.40	-17.96	68.44	74.00	5.56	Horizontal	PASS
4	2384.0741	86.29	-17.90	68.39	74.00	5.61	Horizontal	PASS
5	2387.7578	87.13	-17.69	69.44	74.00	4.56	Horizontal	PASS
6	2390.0000	86.90	-17.57	69.33	74.00	4.67	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2377.0270	63.59	-18.27	45.32	54.00	8.68	Horizontal	PASS
2	2380.2302	65.68	-18.10	47.58	54.00	6.42	Horizontal	PASS
3	2382.9530	67.45	-17.96	49.49	54.00	4.51	Horizontal	PASS
4	2384.0741	68.24	-17.90	50.34	54.00	3.66	Horizontal	PASS
5	2387.7578	68.99	-17.69	51.30	54.00	2.70	Horizontal	PASS
6	2390.0000	70.20	-17.57	52.63	54.00	1.37	Horizontal	PASS

Mode:	N40-2452
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	88.01	-18.02	69.99	74.00	4.01	Horizontal	PASS
2	2484.0610	88.03	-18.17	69.86	74.00	4.14	Horizontal	PASS
3	2484.3250	87.62	-18.24	69.38	74.00	4.62	Horizontal	PASS
4	2487.4105	86.82	-18.68	68.14	74.00	5.86	Horizontal	PASS
5	2489.2585	86.66	-18.89	67.77	74.00	6.23	Horizontal	PASS
6	2490.8260	85.30	-18.96	66.34	74.00	7.66	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	70.62	-18.02	52.60	54.00	1.40	Horizontal	PASS
2	2484.0610	70.72	-18.17	52.55	54.00	1.45	Horizontal	PASS
3	2484.3250	70.76	-18.24	52.52	54.00	1.48	Horizontal	PASS
4	2487.4105	69.33	-18.68	50.65	54.00	3.35	Horizontal	PASS
5	2489.2585	68.24	-18.89	49.35	54.00	4.65	Horizontal	PASS
6	2490.8260	67.33	-18.96	48.37	54.00	5.63	Horizontal	PASS

Mode:	N40-2452
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	86.51	-18.02	68.49	74.00	5.51	Vertical	PASS
2	2483.7970	86.12	-18.10	68.02	74.00	5.98	Vertical	PASS
3	2484.2755	85.02	-18.22	66.80	74.00	7.20	Vertical	PASS
4	2486.5195	85.07	-18.58	66.49	74.00	7.51	Vertical	PASS
5	2487.6085	84.43	-18.70	65.73	74.00	8.27	Vertical	PASS
6	2490.3805	83.63	-18.97	64.66	74.00	9.34	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	69.12	-18.02	51.10	54.00	2.90	Vertical	PASS
2	2483.7970	68.89	-18.10	50.79	54.00	3.21	Vertical	PASS
3	2484.2755	68.17	-18.22	49.95	54.00	4.05	Vertical	PASS
4	2486.5195	67.84	-18.58	49.26	54.00	4.74	Vertical	PASS
5	2487.6085	67.03	-18.70	48.33	54.00	5.67	Vertical	PASS
6	2490.3805	65.89	-18.97	46.92	54.00	7.08	Vertical	PASS

Appendix I: Spurious emissions


Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

Above 1GHz, The emission level with margin less than 20db is recorded.

The worst case(B-2412) was recorded.



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	42.6226	25.28	-15.73	40.00	14.72	150	344	Horizontal
2	111.561	39.56	-19.31	43.50	3.94	150	265	Horizontal
3	125.155	39.30	-18.04	43.50	4.20	150	251	Horizontal
4	182.442	39.98	-17.54	43.50	3.52	150	83	Horizontal
5	269.829	33.57	-17.37	46.00	12.43	150	186	Horizontal
6	575.685	25.92	-9.88	46.00	20.08	150	304	Horizontal



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	42.6226	37.94	-15.73	40.00	2.06	150	58	Vertical
2	60.1001	35.28	-16.27	40.00	4.72	150	274	Vertical
3	94.0841	38.47	-20.87	43.50	5.03	150	39	Vertical
4	152.342	37.57	-15.81	43.50	5.93	150	238	Vertical
5	269.829	30.07	-17.37	46.00	15.93	150	176	Vertical
6	891.251	25.43	-5.75	46.00	20.57	150	240	Vertical

Mode:	11B-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1220.110	65.67	40.01	-25.66	74.00	33.99	Horizontal	PASS
2	1511.255	66.75	41.93	-24.82	74.00	32.07	Horizontal	PASS
3	1832.416	65.92	44.07	-21.85	74.00	29.93	Horizontal	PASS
4	4825.304	77.93	61.53	-16.40	74.00	12.47	Horizontal	PASS
5	7233.205	67.55	54.83	-12.72	74.00	19.17	Horizontal	PASS
6	13134.18	59.11	55.12	-3.99	74.00	18.88	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1209.104	66.33	40.63	-25.70	74.00	33.37	Vertical	PASS
2	1463.231	66.00	41.08	-24.92	74.00	32.92	Vertical	PASS
3	2115.557	66.02	45.78	-20.24	74.00	28.22	Vertical	PASS
4	3660.110	63.73	45.09	-18.64	74.00	28.91	Vertical	PASS
5	4822.803	78.51	62.10	-16.41	74.00	11.90	Vertical	PASS
6	7233.205	69.79	57.07	-12.72	74.00	16.93	Vertical	PASS

Mode:	11B-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1273.136	66.60	41.12	-25.48	74.00	32.88	Horizontal	PASS
2	1427.213	66.16	41.15	-25.01	74.00	32.85	Horizontal	PASS
3	1893.446	65.62	44.28	-21.34	74.00	29.72	Horizontal	PASS
4	4187.698	63.07	45.83	-17.24	74.00	28.17	Horizontal	PASS
5	4875.312	74.97	58.65	-16.32	74.00	15.35	Horizontal	PASS
6	7308.218	71.86	58.89	-12.97	74.00	15.11	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1200.100	66.59	40.86	-25.73	74.00	33.14	Vertical	PASS
2	1503.251	66.16	41.26	-24.90	74.00	32.74	Vertical	PASS
3	1822.411	65.83	43.86	-21.97	74.00	30.14	Vertical	PASS
4	3930.155	62.47	44.61	-17.86	74.00	29.39	Vertical	PASS
5	4875.312	73.59	57.27	-16.32	74.00	16.73	Vertical	PASS
6	7310.718	69.43	56.48	-12.95	74.00	17.52	Vertical	PASS

Mode:	11B-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1177.088	66.87	41.09	-25.78	74.00	32.91	Horizontal	PASS
2	1470.235	65.85	40.93	-24.92	74.00	33.07	Horizontal	PASS
3	1933.466	66.33	45.27	-21.06	74.00	28.73	Horizontal	PASS
4	3682.613	63.79	45.13	-18.66	74.00	28.87	Horizontal	PASS
5	4925.320	77.37	60.98	-16.39	74.00	13.02	Horizontal	PASS
6	7388.231	75.74	63.12	-12.62	74.00	10.88	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1243.121	65.60	40.03	-25.57	74.00	33.97	Vertical	PASS
2	1684.342	66.02	42.85	-23.17	74.00	31.15	Vertical	PASS
3	2161.580	65.91	45.83	-20.08	74.00	28.17	Vertical	PASS
4	3767.627	63.54	45.07	-18.47	74.00	28.93	Vertical	PASS
5	4922.820	77.08	60.70	-16.38	74.00	13.30	Vertical	PASS
6	7388.231	72.73	60.11	-12.62	74.00	13.89	Vertical	PASS

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1178.089	66.23	40.46	-25.77	74.00	33.54	Vertical	PASS
2	1469.234	66.26	41.34	-24.92	74.00	32.66	Vertical	PASS
3	1963.481	65.37	44.55	-20.82	74.00	29.45	Vertical	PASS
4	3430.071	64.18	44.66	-19.52	74.00	29.34	Vertical	PASS
5	4830.305	69.08	52.69	-16.39	74.00	21.31	Vertical	PASS
6	7233.205	64.87	52.15	-12.72	74.00	21.85	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1172.086	66.37	40.58	-25.79	74.00	33.42	Horizontal	PASS
2	1373.186	66.50	41.40	-25.10	74.00	32.60	Horizontal	PASS
3	2055.527	65.98	45.64	-20.34	74.00	28.36	Horizontal	PASS
4	3687.614	64.24	45.58	-18.66	74.00	28.42	Horizontal	PASS
5	4822.803	70.55	54.14	-16.41	74.00	19.86	Horizontal	PASS
6	7235.706	66.95	54.23	-12.72	74.00	19.77	Horizontal	PASS

Mode:	11G-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1141.070	66.23	40.36	-25.87	74.00	33.64	Horizontal	PASS
2	1402.201	66.30	41.18	-25.12	74.00	32.82	Horizontal	PASS
3	1905.452	66.42	45.17	-21.25	74.00	28.83	Horizontal	PASS
4	3610.101	62.89	44.16	-18.73	74.00	29.84	Horizontal	PASS
5	4870.311	68.70	52.38	-16.32	74.00	21.62	Horizontal	PASS
6	7310.718	69.98	57.03	-12.95	74.00	16.97	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1153.076	65.91	40.09	-25.82	74.00	33.91	Vertical	PASS
2	1527.263	66.92	42.25	-24.67	74.00	31.75	Vertical	PASS
3	1904.452	65.52	44.26	-21.26	74.00	29.74	Vertical	PASS
4	3582.597	63.30	44.44	-18.86	74.00	29.56	Vertical	PASS
5	4882.813	70.12	53.80	-16.32	74.00	20.20	Vertical	PASS
6	7310.718	66.38	53.43	-12.95	74.00	20.57	Vertical	PASS

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1277.138	66.48	41.01	-25.47	74.00	32.99	Vertical	PASS
2	1638.319	66.05	42.40	-23.65	74.00	31.60	Vertical	PASS
3	2032.516	66.04	45.65	-20.39	74.00	28.35	Vertical	PASS
4	3295.049	63.64	44.44	-19.20	74.00	29.56	Vertical	PASS
5	4922.820	71.98	55.60	-16.38	74.00	18.40	Vertical	PASS
6	7390.731	69.86	57.24	-12.62	74.00	16.76	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1171.085	66.58	40.79	-25.79	74.00	33.21	Horizontal	PASS
2	1356.178	66.17	41.09	-25.08	74.00	32.91	Horizontal	PASS
3	1730.365	66.84	44.07	-22.77	74.00	29.93	Horizontal	PASS
4	3350.058	63.93	44.86	-19.07	74.00	29.14	Horizontal	PASS
5	4930.321	71.72	55.31	-16.41	74.00	18.69	Horizontal	PASS
6	7395.732	71.00	58.39	-12.61	74.00	15.61	Horizontal	PASS

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1194.097	66.95	41.21	-25.74	74.00	32.79	Horizontal	PASS
2	1605.302	66.16	42.29	-23.87	74.00	31.71	Horizontal	PASS
3	1965.482	65.89	45.09	-20.80	74.00	28.91	Horizontal	PASS
4	2992.996	65.68	48.18	-17.50	74.00	25.82	Horizontal	PASS
5	4830.305	70.56	54.17	-16.39	74.00	19.83	Horizontal	PASS
6	7245.707	65.33	52.62	-12.71	74.00	21.38	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1210.105	65.94	40.25	-25.69	74.00	33.75	Vertical	PASS
2	1558.279	66.20	41.84	-24.36	74.00	32.16	Vertical	PASS
3	2061.530	66.40	46.07	-20.33	74.00	27.93	Vertical	PASS
4	3517.586	64.28	44.80	-19.48	74.00	29.20	Vertical	PASS
5	4825.304	72.63	56.23	-16.40	74.00	17.77	Vertical	PASS
6	7903.317	61.46	49.76	-11.70	74.00	24.24	Vertical	PASS

Mode:	N20-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1097.048	66.42	40.34	-26.08	74.00	33.66	Vertical	PASS
2	1467.233	66.11	41.19	-24.92	74.00	32.81	Vertical	PASS
3	1870.435	66.00	44.50	-21.50	74.00	29.50	Vertical	PASS
4	3657.609	63.75	45.11	-18.64	74.00	28.89	Vertical	PASS
5	4875.312	69.30	52.98	-16.32	74.00	21.02	Vertical	PASS
6	7308.218	65.09	52.12	-12.97	74.00	21.88	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1189.094	66.12	40.37	-25.75	74.00	33.63	Horizontal	PASS
2	1585.292	66.06	42.00	-24.06	74.00	32.00	Horizontal	PASS
3	1966.483	65.48	44.69	-20.79	74.00	29.31	Horizontal	PASS
4	3822.637	63.20	45.01	-18.19	74.00	28.99	Horizontal	PASS
5	4875.312	70.01	53.69	-16.32	74.00	20.31	Horizontal	PASS
6	7313.218	67.24	54.30	-12.94	74.00	19.70	Horizontal	PASS

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1235.117	66.05	40.45	-25.60	74.00	33.55	Horizontal	PASS
2	1599.299	66.87	42.96	-23.91	74.00	31.04	Horizontal	PASS
3	2044.522	66.08	45.72	-20.36	74.00	28.28	Horizontal	PASS
4	3922.653	62.54	44.66	-17.88	74.00	29.34	Horizontal	PASS
5	4915.319	71.71	55.35	-16.36	74.00	18.65	Horizontal	PASS
6	7395.732	71.37	58.76	-12.61	74.00	15.24	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1190.095	66.27	40.52	-25.75	74.00	33.48	Vertical	PASS
2	1685.342	65.68	42.52	-23.16	74.00	31.48	Vertical	PASS
3	2070.535	65.58	45.25	-20.33	74.00	28.75	Vertical	PASS
4	4162.693	63.26	46.21	-17.05	74.00	27.79	Vertical	PASS
5	4912.818	70.83	54.48	-16.35	74.00	19.52	Vertical	PASS
6	7388.231	68.89	56.27	-12.62	74.00	17.73	Vertical	PASS

Mode:	N40-2422
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1102.051	66.39	40.32	-26.07	74.00	33.68	Vertical	PASS
2	1398.199	66.14	41.01	-25.13	74.00	32.99	Vertical	PASS
3	1825.412	65.56	43.62	-21.94	74.00	30.38	Vertical	PASS
4	3287.547	65.68	46.41	-19.27	74.00	27.59	Vertical	PASS
5	4840.306	69.21	52.85	-16.36	74.00	21.15	Vertical	PASS
6	7833.305	63.44	51.31	-12.13	74.00	22.69	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1174.087	66.22	40.44	-25.78	74.00	33.56	Horizontal	PASS
2	1546.273	65.91	41.42	-24.49	74.00	32.58	Horizontal	PASS
3	1972.486	66.77	46.03	-20.74	74.00	27.97	Horizontal	PASS
4	3627.604	62.91	44.22	-18.69	74.00	29.78	Horizontal	PASS
5	4847.808	69.05	52.71	-16.34	74.00	21.29	Horizontal	PASS
6	7275.712	64.52	51.66	-12.86	74.00	22.34	Horizontal	PASS

Mode:	N40-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1173.086	66.67	40.89	-25.78	74.00	33.11	Horizontal	PASS
2	1499.249	67.20	42.27	-24.93	74.00	31.73	Horizontal	PASS
3	1944.472	65.79	44.81	-20.98	74.00	29.19	Horizontal	PASS
4	3800.133	62.42	44.29	-18.13	74.00	29.71	Horizontal	PASS
5	4880.313	68.74	52.42	-16.32	74.00	21.58	Horizontal	PASS
6	7310.718	64.95	52.00	-12.95	74.00	22.00	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1152.076	66.52	40.69	-25.83	74.00	33.31	Vertical	PASS
2	1499.249	66.86	41.93	-24.93	74.00	32.07	Vertical	PASS
3	1907.453	65.54	44.30	-21.24	74.00	29.70	Vertical	PASS
4	3337.556	63.55	44.46	-19.09	74.00	29.54	Vertical	PASS
5	4872.812	68.25	51.93	-16.32	74.00	22.07	Vertical	PASS
6	7310.718	64.12	51.17	-12.95	74.00	22.83	Vertical	PASS

Mode:	N40-2452
-------	----------


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1210.105	66.07	40.38	-25.69	74.00	33.62	Vertical	PASS
2	1534.267	66.02	41.42	-24.60	74.00	32.58	Vertical	PASS
3	1933.466	65.94	44.88	-21.06	74.00	29.12	Vertical	PASS
4	3555.092	63.39	44.37	-19.02	74.00	29.63	Vertical	PASS
5	4902.817	70.33	54.01	-16.32	74.00	19.99	Vertical	PASS
6	7365.727	65.90	53.23	-12.67	74.00	20.77	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1339.169	66.08	40.94	-25.14	74.00	33.06	Horizontal	PASS
2	1673.336	65.76	42.46	-23.30	74.00	31.54	Horizontal	PASS
3	4902.817	69.48	53.16	-16.32	74.00	20.84	Horizontal	PASS
4	7360.726	67.00	54.32	-12.68	74.00	19.68	Horizontal	PASS
5	10143.69	59.83	51.22	-8.61	74.00	22.78	Horizontal	PASS
6	13409.23	60.35	56.26	-4.09	74.00	17.74	Horizontal	PASS

Appendix J: Conducted emission AC power port

Mode:	BLJ15L190060P-U WLAN LINK
-------	---------------------------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1562	10.25	45.26	65.66	20.40	25.40	55.66	30.26	L	PASS
2	0.1925	10.24	40.16	63.93	23.77	22.79	53.93	31.14	L	PASS
3	0.2396	10.24	39.55	62.11	22.56	24.01	52.11	28.10	L	PASS
4	0.3995	10.24	39.03	57.86	18.83	28.06	47.86	19.80	L	PASS
5	14.0837	10.64	36.09	60.00	23.91	22.21	50.00	27.79	L	PASS
6	23.2727	10.77	34.45	60.00	25.55	24.61	50.00	25.39	L	PASS

Mode:	BLJ15L190060P-U WLAN LINK
-------	---------------------------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1563	10.24	43.88	65.66	21.78	25.01	55.66	30.65	N	PASS
2	0.2224	10.24	39.47	62.73	23.26	26.18	52.73	26.55	N	PASS
3	0.4073	10.25	42.29	57.70	15.41	32.01	47.70	15.69	N	PASS
4	1.1982	10.28	33.24	56.00	22.76	23.02	46.00	22.98	N	PASS
5	7.8893	10.42	30.42	60.00	29.58	21.24	50.00	28.76	N	PASS
6	14.4000	10.61	41.36	60.00	18.64	28.97	50.00	21.03	N	PASS

Mode:	SA182V-190060U WLAN LINK
-------	--------------------------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1520	10.24	55.86	65.89	10.03	34.16	55.89	21.73	N	PASS
2	0.1792	10.24	52.13	64.52	12.39	33.02	54.52	21.50	N	PASS
3	0.2148	10.24	46.93	63.02	16.09	30.22	53.02	22.80	N	PASS
4	0.2488	10.24	42.62	61.80	19.18	26.09	51.80	25.71	N	PASS
5	0.2905	10.25	43.03	60.51	17.48	31.57	50.51	18.94	N	PASS
6	0.3259	10.25	39.98	59.55	19.57	27.07	49.55	22.48	N	PASS
7	0.3648	10.24	36.37	58.62	22.25	20.88	48.62	27.74	N	PASS
8	0.4344	10.26	43.54	57.17	13.63	32.20	47.17	14.97	N	PASS
9	12.2824	10.53	42.93	60.00	17.07	30.72	50.00	19.28	N	PASS

Mode:	SA182V-190060U WLAN LINK
-------	--------------------------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1503	10.25	50.48	65.98	15.50	32.83	55.98	23.15	L	PASS
2	0.1818	10.24	46.07	64.40	18.33	28.23	54.40	26.17	L	PASS
3	0.2194	10.24	41.84	62.84	21.00	26.55	52.84	26.29	L	PASS
4	0.2685	10.25	37.87	61.16	23.29	21.01	51.16	30.15	L	PASS
5	0.4962	10.27	36.25	56.06	19.81	28.67	46.06	17.39	L	PASS
6	12.4952	10.58	42.82	60.00	17.18	29.43	50.00	20.57	L	PASS