

User Manual




Diagram illustrating the components of a magnetic alarm system:

- Magnet**: A small rectangular component with an alignment mark.
- Alarm**: A larger rectangular component with a Set Button, an Indicator light, and an alignment mark.
- alignment mark**: A line indicating the alignment between the Magnet and the Alarm.

1. Install the battery

1 Slide off the battery cover



A schematic diagram of a battery pack. It consists of four rectangular cells arranged in a 2x2 grid. The top-left cell is labeled with a '+' sign on its left side and a '-' sign on its right side. The top-right cell is labeled with a '-' sign on its left side and a '+' sign on its right side. The bottom-left cell is labeled with a '-' sign on its left side and a '+' sign on its right side. The bottom-right cell is labeled with a '+' sign on its left side and a '-' sign on its right side. Wires connect the cells in a series configuration: the right terminal of the top-left cell connects to the left terminal of the top-right cell; the right terminal of the top-right cell connects to the left terminal of the bottom-right cell; the right terminal of the bottom-right cell connects to the left terminal of the bottom-left cell; and the right terminal of the bottom-left cell connects to the left terminal of the top-left cell. There are also external connection points on the left and right sides of the pack.

The diagram illustrates the components of a door and a window. On the left, a door is shown with a handle and a lock. On the right, a window is shown with a handle and a lock.



tuya

User Agreement and Privacy Policy

We understand that importance of privacy, in order to ensure fully protect your collection and use of your personal information, we have created our privacy policy and user agreement details in accordance with the laws and regulations. Where you click [\[Sign Up\]](#), you have fully read, understood and accepted all of the contained Privacy Policy and User Agreement. Please take care not to become familiar with our privacy policy, and if you have any questions, please feel free to contact us.

[Privacy Policy](#) and [User Agreement](#)

[Disagree](#) [Agree](#)

②

Add Manually Auto Scan

Electrical Water Leak Sensor

Lighting

Sensors

Flood Detector (Wi-Fi) Flood Detector (Zigbee) Flood Detector (NB-IoT)

Large Home Appliance Flood Detector (other)

Small

3

Confirm the indicator is blinking slowly.

Next

"Tuya Smart" want to turn on Bluetooth

Cancel Allow



Set button

- Press to activate
- Press for 5 seconds to set light

- Press the set button once to activate the device;
- Press and hold the button for 5 seconds, the indicator light will flash continuous

Cancel » **EZ Mode** »

Reset the device first.

Power on the device and confirm that the indicator is blinking rapidly.

Note: please complete the network distribution within 3 minutes after resetting the device.



Perform net pairing as prompted. >

 Confirm the indicator is blinking rapidly.

Next 

9

Cancel

Added successfully

 **WIFI Water level alarm** 

Device added successfully

Done



Working voltage: DC3V
(LR03AAA*2)
Static current: 30uA
Transmitting current: 35mA
Working environment: -10°C ~ +50°C
WiFi: IEEE 802.11 b 2.4GHz
Alarm output: Low battery warning,
water level alarm

正面

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.