


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2405MHz	2428MHz	2456MHz	2405MHz	2428MHz	2456MHz
	-1.71	-0.84	-0.68	-6.15	-3.70	-2.32
MAX. Gain	-0.68					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	21.03mm					
Manufacture	DONGGUAN SHIJIE TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2405 MHz 2428MHz 2456MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2405	-1.7178	-30.0815	-8.48713
2428	-0.845801	-38.5605	-7.88012
2456	-0.685586	-24.0318	-6.79139

Vertical: 2405 MHz 2428 MHz 2456

MHz Power (dBm) Max: 0 Min: -30

Scale: 5/ div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2405	-6.1530	-24.1420	-13.0295
2428	-3.7054	-26.5836	-10.6700
2456	-2.32122	-30.4301	-9.70536

ANT Test Labs: Attestation of Global Compliance Co., Ltd.