


kSmart auto Wireless CarPlay

Factory direct sales ·
Non-destructive installation ·
Original car upgrade ·
Continuous upgrade service ·




kSmart auto Wireless CarPlay & Android Auto Smart Module

Product Manual For Mercedes Benz NTG5.0

1. Packing List

Factory direct sales · Non-destructive installation · Original car upgrade · Continuous upgrade service



kSMART AUTO Box

Wireless CarPlay Smart Module



① kSmart CarPlay Main Box



② Main harness



③ LVDS Cable



④ USB Cable




⑤ Reversing wiring harness



⑥ Antenna x 2

2. Function introduction



• CarPlay

The iPhone's built-in car-machine interaction system works with the central control knob button to operate the voice control phone, information, navigation, music and Siri voice interaction for more information; supports wireless and wired connections to CarPlay

• CarLife

The car and machine care system developed by Baidu, supports the connection of iPhone and Android devices, voice control of telephone, information, navigation, and music; built-in "Xiaodu" voice control system, supports wireless and wired connections

• AndroidAuto

The original ecological Android car-machine interaction system developed by Google, voice control phone, information, navigation, music built-in voice control system;

• Front/Rear/360

The intelligent module can decode video, and can be equipped with front view, rear view (support display intelligent dynamic trajectory and radar), right view and 360 panoramic view

• Mirroring

Supports wired and wireless screen projection for iPhone and Android phones

• AHD HD video protocol

Added AHD HD rear view/360 video output interface


• USB video

Automatic media playback function, can directly insert U disk to play audio and video media

• DSP Power amplifier chip

Add DSP power amplifier chip to improve sound quality

3. Connection Diagram



4. Main Parameters & Specifications

Operating voltage: 9-16V, 14.4V (rated)	Storage temperature: -30~+85°C
Operating temperature: -30~+75°C	Ambient humidity: ≤98% (at45°C) , 65±5% (rated)
Power consumption current: 1A (rated) , 3A (Max)	Shutdown current: Current: 300mA (Clock is on)
Quiescent current: less than 3mA	
Charging current: ≤2A, when the USB charging current >1A, the host machine should activate the circuit protect function to control the current within 1.5A and avoid products burning	

5. Warranty Terms

Dear user:

Thank you for using our products. In order to make sure customers receive product is good, all our products have been strictly tested in our factory before delivery. And all our products enjoy 1 year warranty.

But following conditions are not covered by warranty:


1. Warranty period over; the appearance with scratches, dirt, deformation.
2. Information on Warranty car and purchase bill inconsistent with product, or modified.
3. There is no bar code or bar code not clearly on host unit.
4. Damage caused by using, disassembling or refitting product not follow the instruction properly.
5. Not our company authorized personnel disassemble, repair or refit to cause human made damage.
6. The product damaged by improper transport or improper use.
7. Damage due to irresistible factors (such as fire, flood, traffic matters, lightning, earthquakes, etc.).

6. Interface introduction

Music: Play local music in USB, formats include: MP3, WMA, AAC, AC3, DTS, OGG, FLAC, APE, AMR.






CarPlay: Support iPhone wired and wireless CarPlay connection (The connection method can be set by yourself)



Bluetooth: You can view the Bluetooth name and pairing code in this interface




Video: Play local video in USB, the format includes: mkv, mp4, avi, wmv, rmvb, rmmmpg, mpeg, ts, dat, asf, flv, vob.



Android Auto: Support Android Auto connection of Android phones
Note: To use CarLife or Android Auto, you need to enter the system setting selection



CarLife: Support Android mobile phone wired and wireless CarLife connection (connection method can be set by yourself)



Setting: System setting interface, setting entrance of system functions

Mirroring: Support mirrored screen projection for iPhone & Android phones

7. Installation Process

Tools you need to prepare

1. 1 * panel remover
2. 1 * T20 screwdriver
3. 1 * T10 screwdriver(some car models need it to dis-assemble the glovebox)
4. Tape and towel-protect the trim and panel, collect harness

Remark : Make Sure Car Engine Off Before The Installation. Open/Close The Driver Side Door ONCE, Wait Centre Screen Turns Black




1. Remove the silver panel on the control board



2. Remove the two screws under the solver panel



3. Pull up the main ACC panel with little strength



4. Remove the two screws on the head unit



5. Take out the head unit and unplug the original 48PIN main cable



16. Enter the original media interface.



17. Select AUX audio.



18. On this interface long press phone-ending button to switch to carplay interface




19. Keep phone WiFi ON, Open phone Bluetooth and searching(Find the Bluetooth name and pairing code of iSmart box).Insert pairing code



20. Click USE Carplay on your phone side. It will keep at searching interface.




6. Remark: there is fiber cable on original car 48PIN main cable on some car models. please MAKE SURE unplug the fiber cable from original car 48PIN cable




7. Unplug the LVDS cable from multimedia box (most time is a blue head)



8. Connect original car LVDS cable with carplay box LVDS cable



9. Plug the CarPlay LVDS cable to the multimedia box.



10. Take out the CarPlay 48PIN cable, plug its female side to the original car 48PIN connector.



1. Enter the original media interface.



2 Select AUX audio.



3. On this interface long press phone-ending button to switch to carplay interface



4. Connect your phone to enjoy wireless CarPlay



1. Enter the original media interface.



2 Select AUX audio.



3. Keep phone WiFi ON, Open phone Bluetooth and searching(Find the Bluetooth name and pairing code of iSmart box).Insert pairing code



4. Click USE Carplay on your phone side. It will keep at searching interface.

5. CarPlay installation is complete, restore the original car layout. It is recommended that the module be placed on the co-pilot's floor

8. Button description




Wake up Siri after setting


*Answer the phone
*Wake up Siri

Long press to switch system interface

Control system volume (Press the button to mute)



9. Wireless CarPlay Connection Method




1. Long press the phone-ending button of the original car to switch to the CarPlay main system interface, find the Bluetooth function option and click to enter



2. Check the Bluetooth name of CarPlay on the "Bluetooth" system interface



3. Turn on the phone WiFi and keep it turned on, then enter the phone Bluetooth interface, click and connect CarPlay Bluetooth




5. CarPlay connection is successful, you can use wireless CarPlay

4. Click on the Bluetooth name beginning with the link "Car Audio-", a pairing request will pop up, just click on pairing; after the Bluetooth pairing is successful, the phone will pop up a request to enable the carplay option, click on confirm.

10. Android auto Connect Method

Before connecting to use Android Auto, you need to download and install Android Auto App on your phone in advance



1. Long press the phone-ending button of the original car to switch to the CarPlay main system interface, find the Bluetooth function option and click to enter




4. Click on the Bluetooth name beginning with the link "Car Audio-", a pairing request will pop up, just click on pairing;



2. In the Bluetooth interface of CarPlay, you can view the Bluetooth name and pairing code of CarPlay; check Auto Connect, the next time you get in the car, the Bluetooth of the phone will automatically connect




3. Turn on the phone WiFi and keep it turned on, then enter the phone Bluetooth interface, click and connect CarPlay Bluetooth



5. After the Bluetooth connection is successful, it will automatically connect to Android Auto. After entering the Android auto page, the system supports the original car touch or knob and other corresponding buttons to seamlessly operate the Android auto page APP

11. iPhone Wireless Mirroring




1. Long press the phone-ending button of the original car to switch to the CarPlay main system interface, find the Mirroring function option and click to enter



4. After the carplay wifi connection is successful, the phone returns to the main interface, opens the shortcut menu bar, selects "Screen mirroring" and opens



2. Select iphone option in Mirroring function




3. Take out the iPhone, find the "Wireless LAN" function option and enter; open the "Wireless LAN" function option, then the carplay-wifi name will appear in the search bar and click on this wifi, the password is 88888888




5. After the mobile phone "Screen mirroring" is turned on, select "Mirroring" to complete the wireless projection


12. Android Wireless Mirroring




1. To use Android wireless mirroring, you need to download a "MLink" software first, and you can obtain the "Android wireless APK software" from the dealer



4. Take out the Android phone, find the "Bluetooth" function option, and find the name starting with "Limcet-Box-" in the Bluetooth search bar, click connect; click the link "Limcet-Box-" starting with the Bluetooth name, a pairing request will pop up, click pairing



2. Long press the phone-ending button of the original car to switch to the CarPlay main system interface, find the Bluetooth function option and click to enter




5. Long press the phone-ending button of the original car to switch to the CarPlay main system interface, find the Mirroring function option and click to enter




3. Check the Bluetooth name on the "Bluetooth" system interface



7. Enter the phone settings function and find "Personal Hotspot";




8. Set the name and password of "Personal Hotspot" to be consistent with the name and password prompted on the "Mirroring" interface. Select "5.0 GHz Band" for the hotspot AP band; (If there is no such option, check the "Show advanced options" first) Then save the setting and turn on the "Personal Hotspot" switch



9. Return to the main interface of the phone and open "MLink" to use wireless mirroring

13. Camera settings

CarPlay System - Setting - Car Setting - Reversing camera




- Please select this if you install a camera
- Please select this if the original car with a camera
- Please select this if you install 360 camera

CarPlay System - Setting - Car Setting - Radar



- The radar is not displayed on the interface of the camera select this option
- The radar is displayed on the interface of the camera select this option


CarPlay System - Setting - Car Setting - Trajectory



- If the camera interface does not display dynamic track, select this option
- If the camera interface display dynamic track, select this option


14. Echo cancellation

CarPlay System - Setting - System



Enter the password "688612"
Click "OK" to enter factory mode



Enter Factory Mode



Call echo cancellation button,
if the call has echo,
please enter this button to
perform echo correction

Analyzing the echo delay finished,
noise accuracy:91%!
Please increase the volume to improve the accuracy
Analysis failed, please try again!

After the steps are completed in sequence,
click the button to return to the left interface
Click the "Reboot" button to restart the system,
wait for the system restart to complete,
the selected settings take effect




When correcting the echo, you must keep:
1. The environment in the car is quiet;
2. The sound channel must be set to the AUX channel
that the system can recognize;
3. Turn the volume to a moderate position,
then click "Start" to start echo correction,

The larger the final correction value, the better,
as shown on the left

15. iPhone / Android Phone Setting

CarPlay System - Setting - System - Factory mode - Factory setting



Kremersino technology ltd

Web: <https://kremersino.com>
Email: sales@kremersino.com
Whatsapp +86 134 2516 3678
Telegram: @MichaelKremersino

FCC Caution.

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warning for Mobile device:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.
