Appendix A

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: business wireless headset

Trade Mark: N/A

Test Model: G6

Environmental Conditions

Temperature:	24.6℃
Relative Humidity:	52.4%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

Contents

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Duty Cycle (%)	1/T (kHz)
1-DH1	2402	31.2	2.63
1-DH1	2441	31.21	2.63
1-DH1	2480	31.2	2.63
2-DH1	2402	32.01	2.56
2-DH1	2441	32	2.56
2-DH1	2480	32	2.56
3-DH1	2402	32	2.56
3-DH1	2441	32.01	2.56
3-DH1	2480	32	2.56

1.2 Test Graphs

Test Graphs
1-DH1 2402MHz



1-DH1 2441MHz



1-DH1 2480MHz



2-DH1 2402MHz



2-DH1 2441MHz



2-DH1 2480MHz



3-DH1 2402MHz



3-DH1 2441MHz



3-DH1 2480MHz



2 Maximum Conducted Peak Output Power

2.1 Test Result

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.28	21	Pass
	MCH	3.25	21	Pass
	HCH	3.1	21	Pass
π/4DQPSK	LCH	2.73	21	Pass
	MCH	3.66	21	Pass
	HCH	3.1	21	Pass
8DPSK	LCH	3.04	21	Pass
	MCH	3.95	21	Pass
	HCH	3.75	21	Pass

2.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 3 MHz
Att 30 dB SWT 1.3 µs VBW 10 MHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] 3.75 dBm
2.480473000 GHz
M1
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
CF 2.48 GHz
10001 pts
Span 10.0 MHz

3 20dB Bandwidth

3.1 Test Result

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.891	Not Specified	Pass
	MCH	0.878	Not Specified	Pass
	HCH	0.886	Not Specified	Pass
π/4DQPSK	LCH	1.421	Not Specified	Pass
	MCH	1.424	Not Specified	Pass
	HCH	1.424	Not Specified	Pass
8DPSK	LCH	1.404	Not Specified	Pass
	MCH	1.431	Not Specified	Pass
	HCH	1.441	Not Specified	Pass

3.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 30 kHz
Att 30 dB SWT 63.2 µs VBW 100 kHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] -0.96 dBm
2.479994200 GHz
M2[1] -21.04 dBm
2.479256000 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
M1
M2
M3
CF 2.48 GHz
10001 pts
Span 2.0 MHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.4799942 GHz -0.96 dBm
M2 1 2.479256 GHz -21.04 dBm
M3 1 2.480697 GHz -20.93 dBm

4 Carrier Frequency Separation

4.1 Test Result

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	MCH	1	0.585	Pass
π/4DQPSK	MCH	1.006	0.949	Pass
8DPSK	MCH	1.002	0.954	Pass

4.2 Test Graphs

Test Graphs	
GFSK/MCH	
π/4DQPSK/MCH	

8DPSK/MCH	 Spectrum Ref Level 20.00 dBm Offset 2.80 dB RBW 30 kHz Att 30 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] -4.74 dBm 2.44091700 GHz M2[1] -4.74 dBm 2.44191900 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.4415 GHz 1001 pts Span 2.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1 2.440917 GHz -4.74 dBm M2 1 2.441919 GHz -4.74 dBm

5 Hopping Channel Number

5.1 Test Result

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

5.2 Test Graphs

Test Graphs	
GFSK/Hop	
π/4DQPSK/Hop	

8DPSK/Hop	 Spectrum Ref Level 20.00 dBm Offset 2.80 dB RBW 100 kHz Att 30 dB SWT 94.8 µs VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] 0.01 dBm 2.4019205 GHz M2[1] -1.58 dBm 2.4804105 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 2.4 GHz 1001 pts Stop 2.4835 GHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1 2.4019205 GHz 0.01 dBm M2 1 2.4804105 GHz -1.58 dBm

6 Dwell Time

6.1 Test Result

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[ms]	Limit [s]	Verdict
GFSK	DH5	MCH	2.885	102	294.27	0.4	Pass
π/4DQPSK	2DH5	MCH	2.889	95	274.46	0.4	Pass
8DPSK	3DH5	MCH	2.892	99	286.308	0.4	Pass

6.2 Test Graphs

Test Graphs	
GFSK_DH5/MCH	 

π/4DQPSK
_2DH5/MCH





8DPSK _3DH5/MCH	 

7 RF Conducted Spurious Emissions

7.1 Test Result

Mode	Channel	Max. Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	-45.58	-20	Pass
	MCH	-47.43	-20	Pass
	HCH	-46.18	-20	Pass
π/4DQPSK	LCH	-44.3	-20	Pass
	MCH	-44.8	-20	Pass
	HCH	-45.92	-20	Pass
8DPSK	LCH	-44.86	-20	Pass
	MCH	-45.21	-20	Pass
	HCH	-44.24	-20	Pass

7.2 Test Graphs

GFSK_LCH_Graphs	
Pref	
Puw	

GFSK_MCH_Graphs	
Pref	
Puw	

GFSK_HCH_Graphs	
Pref	
Puw	

π/4DQPSK_LCH_Graphs	
Pref	
Puw	 Marker Type | Ref | Trc | X-value | Y-value | Function | Function Result M1 | 1 | 2.40207 GHz | -2.89 dBm M2 | 1 | 6.695146 GHz | -43.89 dBm M3 | 1 | 4.987831 GHz | -46.95 dBm M4 | 1 | 7.08249 GHz | -50.03 dBm M5 | 1 | 9.480672 GHz | -50.00 dBm

π/4DQPSK_MCH_Graphs	
Pref	
Puw	

π/4DQPSK_HCH_Graphs	
Pref	
Puw	

8DPSK_LCH_Graphs	
Pref	
Puw	 Marker Type | Ref | Trc | X-value | Y-value | Function | Function Result M1 | 1 | 2.40207 GHz | -1.78 dBm M2 | 1 | 6.98014 GHz | -44.31 dBm M3 | 1 | 4.707249 GHz | -47.23 dBm M4 | 1 | 7.01808 GHz | -50.74 dBm M5 | 1 | 9.485966 GHz | -50.29 dBm

8DPSK_MCH_Graphs	
Pref	
Puw	

8DPSK_HCH_Graphs	
Pref	
Puw	

8 Band-edge for RF Conducted Emissions

8.1 Test Result

Mode	Channel	Carrier Frequency [MHz]	Frequency Hopping	Max Spurious Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	2402	Off	-57.59	-20	Pass
			On	-55.23	-20	Pass
	HCH	2480	Off	-49.65	-20	Pass
			On	-51.01	-20	Pass
π/4DQPSK	LCH	2402	Off	-54.39	-20	Pass
			On	-55.2	-20	Pass
	HCH	2480	Off	-56.92	-20	Pass
			On	-49.44	-20	Pass
8DPSK	LCH	2402	Off	-55.45	-20	Pass
			On	-54.81	-20	Pass
	HCH	2480	Off	-53.71	-20	Pass
			On	-52.74	-20	Pass

8.2 Test Graphs

Test Graphs	
Pref	
GFSK/LCH/No Hop	

Ref	
GFSK/LCH/Hop	

Ref	
GFSK/HCH/No Hop	

Ref.	
GFSK/HCH/Hop	

Ref	
π/4DQPSK/LCH/No Hop	

Ref	
π/4DQPSK/LCH/Hop	

Ref	
π/4DQPSK/HCH/No Hop	

Ref	
π/4DQPSK/HCH/Hop	

Ref	
8DPSK/LCH/No Hop	

Ref	
8DPSK/LCH/Hop	

Ref	
8DPSK/HCH/No Hop	

Ref	
8DPSK/HCH/Hop	

9 Restrict-band band-edge measurements

9.1 Test Result

Test Mode	Hopping	Freq.	Power [dBm]	Gain	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-47.6	2	49.66	PEAK	74	Pass
	Off	2310.0	-56.61	2	40.65	AV	54	Pass
	Off	2349.264	-45.14	2	52.12	PEAK	74	Pass
	Off	2342.16	-53.87	2	43.39	AV	54	Pass
	Off	2390.0	-46.46	2	50.8	PEAK	74	Pass
	Off	2390.0	-56.51	2	40.75	AV	54	Pass
	Off	2483.5	-47.15	2	50.11	PEAK	74	Pass
	Off	2483.5	-54.89	2	42.37	AV	54	Pass
	Off	2487.376	-42.98	2	54.28	PEAK	74	Pass
	Off	2487.184	-54.68	2	42.58	AV	54	Pass
	Off	2500.0	-47.12	2	50.14	PEAK	74	Pass
	Off	2500.0	-56.18	2	41.08	AV	54	Pass
π/4DQPSK	Off	2310.0	-48.67	2	48.59	PEAK	74	Pass
	Off	2310.0	-56.02	2	41.24	AV	54	Pass
	Off	2343.6	-44.76	2	52.5	PEAK	74	Pass
	Off	2341.968	-54.17	2	43.09	AV	54	Pass
	Off	2390.0	-47.27	2	49.99	PEAK	74	Pass
	Off	2390.0	-55.81	2	41.45	AV	54	Pass
	Off	2483.5	-46.95	2	50.31	PEAK	74	Pass
	Off	2483.5	-54.31	2	42.95	AV	54	Pass
	Off	2487.472	-42.15	2	55.11	PEAK	74	Pass
	Off	2484.472	-54.2	2	43.06	AV	54	Pass
	Off	2500.0	-49.23	2	48.03	PEAK	74	Pass
	Off	2500.0	-55.61	2	41.65	AV	54	Pass
8DPSK	Off	2310.0	-48.72	2	48.54	PEAK	74	Pass
	Off	2310.0	-56.14	2	41.12	AV	54	Pass
	Off	2386.992	-45.05	2	52.21	PEAK	74	Pass
	Off	2338.32	-54.25	2	43.01	AV	54	Pass

	Off	2390.0	-46.92	2	50.34	PEAK	74	Pass
	Off	2390.0	-55.91	2	41.35	AV	54	Pass
	Off	2483.5	-46.88	2	50.38	PEAK	74	Pass
	Off	2483.5	-53.73	2	43.53	AV	54	Pass
	Off	2492.176	-45.36	2	51.9	PEAK	74	Pass
	Off	2484.448	-52.99	2	44.27	AV	54	Pass
	Off	2500.0	-47.21	2	50.05	PEAK	74	Pass
	Off	2500.0	-56.21	2	41.05	AV	54	Pass

9.2 Test Graphs

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)



---The End---