





BT Motor Control operation Guidance


1. Instal the Casambi app version 3.7.6 Casambi_3.7.6_apkcombo.com.apk.
2. Open Casambi App
3. Press on “My networks”
4. Press on the “Create a network” button



5. Press on “Evolution” button in the pop-up:




6. Input network name. “Testnetwork” for example
7. Select “Not shared” under the sharing option. There will be a warning but this can be ignored by pressing “OK” (screen should now look like the picture below)




8. Press “Done” in the top right corner (see the picture above). This concludes the network creation part of the process. This only needs to be done once. Next time you can select the created network.


9. The screen should now look like this. Press “More” in the lower right corner.




10. Locate the SO! V4 Test AGC CERT Module and press on it.



11. Click on the “Add to ‘chosen network name’”. This will add the device to the network.



12. Long press on the circle in the middle of the screen. The control interface should look like the picture below.



13. Press the “Toggle Button” to control the module (see picture above). When clicked you should hear a click coming from the module. After a couple of seconds the “Toggle Button” should return to the off position.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.