


USER MANUAL



Fully Customizable / Hot Swappable / RGB Lights

Factory Product Name: Mechanical Keyboard

Factory Keyboard Model: V83Max

Support System: (Win/Android/Mac/ios)



Base Material:ABS

Switch Support: Magnetic switch /Mechanical switch

Power Cable Support:USB Type-C


Keyboard Backlight : All keys RGB luminous

1. System switching / Working mode switching




2. Bluetooth pairing / 2.4G pairing

FN+1/2/3 Long press pairing and short press to switch channels




FN+4 Long press pairing and short press to switch channels




3. Lamp efficiency Mode switching /Restoring factory settings

FN+BACKSPACE Lamp efficiency Mode switching



FN+BACKSPACE


Press FN+ ESC key for 3 seconds to restore all backlit red lights flashing 3 times



FN+ESC


4. Adjustment of backlight chromaticity

Adjust chromaticity by FN+ [(in static mode



FN+PGUP


Adjust chromaticity by FN+] PgDn in static mode




FN+PGDN

5. The breathing speed of backlight lamp effect

FN + Direction left = Backlight breathing speed decrease




FN+ Direction right = Backlight breathing speed increase




6. Backlight brightness adjustment

FN+ UP = Backlight brightness increase




FN+ DN = Backlight brightness decrease




7. Adjustment of backlight saturation

FN+ short press the knob to turn off the backlight
FN+ Encoder rotation counterclockwise
Backlight brightness decrease




FN+ Encoder rotates clockwise
Backlight brightness increase




8. Volume adjustment

Short press on the knob to turn off the sound
Encoder rotates volume clockwise increase




Encoder rotates counterclockwise volume decrease




9. Adjustment of backlight saturation

FN+Z= Side light effect switch



FN+Z


FN+X= Color adjustment of side lights



FN+X


10. Volume adjustment

FN+C= Side light brightness adjustment



FN+C


FN+V= Side light speed adjustment




FN+V

11.LED status overview


Keyboard uppercase state This key is always red light
Lowercase status follows the backlight



The SPACE button blinking red indicates that the battery is low
The SPACE key lights up red while the keyboard is charging




In wireless mode, press FN+SPACE
The green light on the digital key indicates the percentage of battery power



FN+SPACE

FN+WIN= Lock the WIN key



FN+WIN

12. Description of multimedia combination

Source button (Press first)	Combine key (Then press)	Multimedia function (WIN)	Multimedia function (MAC Default)
FN+	F1	Scr-	Scr-
	F2	Scr+	Scr+
	F3	Mail	
	F4	Search	
	F5	calculator	Bright -
	F6	Music	Bright +
	F7	Last one	Last one
	F8	Pause / play	Pause / play
	F9	Next one	Next one
	F10	Mute	Mute
	F11	Volume decrease	Volume decrease
	F12	Volume increase	Volume increase

13 . Support wireless mode switching/pairing

Bluetooth :

FN+ 1/ 2/3 (short press to switch, long press to pair)

The Corresponding key light indicates that it flashes quickly when pairing, and flashes slowly when reconnecting. After the connection was successful, the key light stays on for 2 seconds and then returns to the overall backlight effect. If the pair cannot be paired within 1 minute, it will automatically enter the sleep state;

When connecting back, if the connection is not successful within 20 seconds, it will automatically enter sleep.

2.4G :

FN+4 (short press to switch, long press to pair)

14. Sleep mode

If there is no action in the wireless state for 2 minutes, the keyboard automatically enters the first level sleep. At this time, the light is off, the Bluetooth or 2.4G is in the connected state, and there is key output at the same time. When the keyboard does not work for 30 minutes, it enters the second-level hibernation state. At this time, the wireless of the keyboard is disconnected. No code will be sent when the keyboard is pressed for the first time, When the keyboard is automatically connected after waking up, there will be key output after the connection is normal.

15. Battery indicator:

Lithium battery (3.7V): When the battery voltage is lower than 3.5V, the red indicator light of the space key on the keyboard flashes, and when charging, the red indicator light of the space key is always on; When fully charged, the space key will follow the backlight, and the keyboard will automatically shut down when it is lower than 3.0V. After automatic shutdown, the key is invalid, and the low battery indicator lights up, indicating that charging is required at this time.

16. Lithium battery power query

In the wireless state, press FN+space key, and digital key 1-0 will turn on the green light to display the percentage of battery power: 1 key indicates 10% battery power, 2 keys indicate 20% battery power

17. Technical Specifications

Keyboard size: 332.8*141.4*45.6mm
Maximum brightness operating current: < 350 mA
Working distance: 8-10m
Lithium battery capacity: 4000 mAh
Working voltage: 3.7V
Charger specifications: 5V --- 1A

18. Keyboard driver

Driver download and installation

Download it from the official website. Adaptation system: Windows

Download method

1. Open the official website, click the driver, and find the driver corresponding to the model.
2. Decompress the downloaded driver package and click the exe file to install it
3. After the installation is complete, connect the computer in wired mode, and the driver will automatically recognize the keyboard.
4. After the connection is complete, start using the driver.

Driver update

Open the driver and click Update driver in the lower right corner to get the latest version of the driver.

19. Keyboard features

- Tri modes:Wired/Bluetooth/2.4G
- 83 key minimalist style
- Removable Power Cable
- Built-in large capacity lithium battery
- A full keyboard RGB cool lighting effect
- Independent metal knob adjust volume

20. Restore factory settings

What if the keyboard fails, or if you want to go back to your original state after modifying the key code and light effect?

1. Press fn+ESC in order (wait 3 seconds); restore factory settings.
2. Download the correct firmware for your keyboard from our website, and then unplug the data line from the keyboard.
3. Unplug the space bar key cap and find the reset point of the PCB
4. Short-circuit the reset point for a long time, insert the keyboard data cable at the same time, and then disconnect the reset point, and the keyboard enters DFU mode.
5. You can then use the toolbox to refresh the firmware.
6. After pulling out the keyboard again, reinsert the keyboard and it can be used normally.
7. This device supports the sharing of mechanical switches and magnetic switches. If there is a replacement switch, please use tools for calibration

21. FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

What's in the Package?

- **1x83-Keys Tri model Mechanical keyboard**
- **1x USB Receiver**
- **1x USB Type-C Cable**
- **1x User Manual**
- **1x Quick Start Guide**
- **1x 2-in-1 Keycap puller switch puller**

Note:

Do not place the accessories and packaging parts of this product in contact with children in order to prevent asphyxiation caused by accidents.

Do not expose the product to extreme temperatures below -10 °C (5 °F) or above 50 °C (131 °F) to maintain the service life of the keyboard.