



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: AAWireless Mini


Test Model: AMP

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.978	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.954	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.005	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.31	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.291	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.298	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.303	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.37	21	Pass
NVNT	1-DH5	2441	Ant1	-0.03	21	Pass
NVNT	1-DH5	2480	Ant1	-1.16	21	Pass
NVNT	2-DH5	2402	Ant1	0.21	21	Pass
NVNT	2-DH5	2441	Ant1	0.65	21	Pass
NVNT	2-DH5	2480	Ant1	-0.76	21	Pass
NVNT	3-DH5	2402	Ant1	0.58	21	Pass
NVNT	3-DH5	2441	Ant1	0.89	21	Pass
NVNT	3-DH5	2480	Ant1	-0.13	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.998	2403.03	1.032	0.670	Pass
NVNT	2-DH5	Ant1	2402.026	2403.16	1.134	0.873	Pass
NVNT	3-DH5	Ant1	2402.004	2403.008	1.004	0.869	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	293.91	101	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	310.086	107	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	298.391	103	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1






Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.6	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.63	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-47.66	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.64	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.69	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.71	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-53.67	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.07	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-50.76	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.87	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.82	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.06	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.07	-20	Pass
NVNT	1-DH5	2441	Ant1	-53.86	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.26	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.72	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.02	-20	Pass
NVNT	2-DH5	2480	Ant1	-49.34	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.63	-20	Pass
NVNT	3-DH5	2441	Ant1	-45.64	-20	Pass
NVNT	3-DH5	2480	Ant1	-43.55	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1





Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.57	2.70	-	46.39	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.23	2.70	1.1	39.83	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2324.304	-47.38	2.70	-	50.58	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2377.584	-57.59	2.70	1.1	41.47	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.06	2.70	-	47.90	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.15	2.70	1.1	40.91	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.42	2.70	-	47.54	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.58	2.70	1.1	41.48	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.872	-45.67	2.70	-	52.29	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2487.016	-56.86	2.70	1.1	42.20	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.29	2.70	-	47.67	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.04	2.70	1.1	41.02	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.03	2.70	-	46.93	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.02	2.70	1.12	41.06	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2382.576	-46.34	2.70	-	51.62	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2378.352	-57.3	2.70	1.12	41.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.22	2.70	-	47.74	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.32	2.70	1.12	40.76	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.31	2.70	-	49.65	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.27	2.70	1.12	41.81	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2486.848	-45.5	2.70	-	52.46	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.536	-56.94	2.70	1.12	42.14	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.18	2.70	-	48.78	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.06	2.70	1.12	41.02	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.21	2.70	-	46.75	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.57	2.70	1.12	40.51	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2320.848	-47.18	2.70	-	50.78	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2362.224	-57.58	2.70	1.12	41.50	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.13	2.70	-	47.83	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.67	2.70	1.12	40.41	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.1	2.70	-	47.86	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.91	2.70	1.12	41.17	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.064	-44.58	2.70	-	53.38	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.56	-57.24	2.70	1.12	41.84	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.09	2.70	-	47.87	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.29	2.70	1.12	40.79	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

