

Test Data for Bluetooth

Product Name: Unigear Bombing Wireless Bluetooth Earpiece

Test Model: bombing

1. Bandwidth

1.1 OBW

1.1.1 Test Result

Left earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	0.901	Pass
		2441	DH5	1	0.872	Pass
		2480	DH5	1	0.872	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.203	Pass
		2441	2DH5	1	1.204	Pass
		2480	2DH5	1	1.203	Pass
8DPSK	SISO	2402	3DH5	1	1.208	Pass
		2441	3DH5	1	1.208	Pass
		2480	3DH5	1	1.207	Pass

Right earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	0.901	Pass
		2441	DH5	1	0.901	Pass
		2480	DH5	1	0.900	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.203	Pass
		2441	2DH5	1	1.203	Pass
		2480	2DH5	1	1.203	Pass
8DPSK	SISO	2402	3DH5	1	1.207	Pass
		2441	3DH5	1	1.208	Pass
		2480	3DH5	1	1.207	Pass

1.1.2 Test Graph


Left earpiece




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTNV




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTNV




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




Right earpiece


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN



8DPSK 3DH5 HCH 2480MHz Ant1 NTN



1.2 20dB BW

1.2.1 Test Result

Left earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	1.029	Pass
		2441	DH5	1	0.962	Pass
		2480	DH5	1	0.964	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.379	Pass
		2441	2DH5	1	1.380	Pass
		2480	2DH5	1	1.381	Pass
8DPSK	SISO	2402	3DH5	1	1.360	Pass
		2441	3DH5	1	1.358	Pass
		2480	3DH5	1	1.361	Pass


Right earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	1.028	Pass
		2441	DH5	1	1.028	Pass
		2480	DH5	1	0.965	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.382	Pass
		2441	2DH5	1	1.380	Pass
		2480	2DH5	1	1.381	Pass
8DPSK	SISO	2402	3DH5	1	1.359	Pass
		2441	3DH5	1	1.362	Pass
		2480	3DH5	1	1.360	Pass


1.2.2 Test Graph

Left earpiece


GFSK DH5 LCH 2402MHz Ant1 NTN




GFSK_DH5_MCH_2441MHz_Ant1_NTN




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTNV




Pi/4DQPSK 2DH5_HCH 2480MHz Ant1 NTNV




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5 MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




Right earpiece


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN



8DPSK 3DH5 HCH 2480MHz Ant1 NTN



2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

Left earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	4.51	<=20.97	Pass
		2441	DH5	5.48	<=20.97	Pass
		2480	DH5	5.21	<=20.97	Pass
Pi/4DQPSK	SISO	2402	2DH5	5.21	<=20.97	Pass
		2441	2DH5	4.43	<=20.97	Pass
		2480	2DH5	4.28	<=20.97	Pass
8DPSK	SISO	2402	3DH5	5.68	<=20.97	Pass
		2441	3DH5	4.80	<=20.97	Pass
		2480	3DH5	4.63	<=20.97	Pass

Right earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	4.39	<=20.97	Pass
		2441	DH5	4.89	<=20.97	Pass
		2480	DH5	4.69	<=20.97	Pass
Pi/4DQPSK	SISO	2402	2DH5	4.06	<=20.97	Pass
		2441	2DH5	4.07	<=20.97	Pass
		2480	2DH5	4.24	<=20.97	Pass
8DPSK	SISO	2402	3DH5	4.02	<=20.97	Pass
		2441	3DH5	4.61	<=20.97	Pass
		2480	3DH5	4.26	<=20.97	Pass

2.1.2 Test Graph


Left earpiece




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




Right earpiece


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN



8DPSK 3DH5 HCH 2480MHz Ant1 NTN



3. Carrier Frequency Separation

3.1 Ant1

3.1.1 Test Result

Left earpiece


Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	0.964	≥ 0.964	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.008	1.381	≥ 0.921	Pass
8DPSK	SISO	HOPP	3DH5	0.986	1.361	≥ 0.907	Pass

Right earpiece

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	1.028	≥ 0.685	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	0.979	1.382	≥ 0.921	Pass
8DPSK	SISO	HOPP	3DH5	0.960	1.362	≥ 0.908	Pass


3.1.2 Test Graph

Left earpiece




FCC ID: 2A8BL-BOMBING

8DPSK 3DH5 HOPP Ant1 NTNV




Right earpiece

GFSK_DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV



FCC ID: 2A8BL-BOMBING

8DPSK 3DH5 HOPP Ant1 NTN



4. Number of Hopping Frequencies

4.1 HoppNum

4.1.1 Test Result

Left earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass

Right earpiece


Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass

4.1.2 Test Graph

Left earpiece




8DPSK 3DH5 HOPP Ant1 NTN




Right earpiece


GFSK_DH5_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK 3DH5 HOPP Ant1 NTN



5. Time of Occupancy (Dwell Time)

5.1 Ant1

5.1.1 Test Result

Left earpiece


Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.388	31.600	319	123.772	<=400	Pass
			DH3	1.650	31.600	156	257.400	<=400	Pass
			DH5	2.892	31.600	96	277.632	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.396	31.600	319	126.324	<=400	Pass
			2DH3	1.654	31.600	166	274.564	<=400	Pass
			2DH5	2.904	31.600	102	296.208	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.396	31.600	320	126.720	<=400	Pass
			3DH3	1.648	31.600	170	280.160	<=400	Pass
			3DH5	2.906	31.600	115	334.190	<=400	Pass

Right earpiece


Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.388	31.600	320	124.160	<=400	Pass
			DH3	1.642	31.600	150	246.300	<=400	Pass
			DH5	2.898	31.600	108	312.984	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.404	31.600	320	129.280	<=400	Pass
			2DH3	1.654	31.600	160	264.640	<=400	Pass
			2DH5	2.904	31.600	115	333.960	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.394	31.600	317	124.898	<=400	Pass
			3DH3	1.654	31.600	164	271.256	<=400	Pass
			3DH5	2.906	31.600	101	293.506	<=400	Pass

5.1.2 Test Graph


Left earpiece




GFSK DH3 HOPP Ant1 NTN




GFSK_DH3_HOPP_Ant1_NTNV




GFSK DH5 HOPP Ant1 NTN




GFSK_DH5_HOPP_Ant1_NTNV




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV




Pi/4DQPSK 2DH3 HOPP Ant1 NTN




Pi/4DQPSK_2DH3_HOPP_Ant1_NTN




Pi/4DQPSK 2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




8DPSK 3DH1 HOPP Ant1 NTNV




8DPSK_3DH1_HOPP_Ant1_NTNV




8DPSK 3DH3 HOPP Ant1 NTN




8DPSK_3DH3_HOPP_Ant1_NTN



8DPSK 3DH5 HOPP Ant1 NTN




8DPSK_3DH5_HOPP_Ant1_NTN




Right earpiece


GFSK_DH1_HOPP_Ant1_NTNV




GFSK_DH1_HOPP_Ant1_NTNV




GFSK DH3 HOPP Ant1 NTN




GFSK_DH3_HOPP_Ant1_NTNV




GFSK DH5 HOPP Ant1 NTN




GFSK_DH5_HOPP_Ant1_NTNV




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




Pi/4DQPSK_2DH5_HOPP_Ant1_NTN




8DPSK 3DH1 HOPP Ant1 NTN




8DPSK_3DH1_HOPP_Ant1 NTN




8DPSK 3DH3 HOPP Ant1 NTN




8DPSK_3DH3_HOPP_Ant1 NTN



8DPSK 3DH5 HOPP Ant1 NTN



8DPSK_3DH5_HOPP_Ant1_NTN



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Ref

6.1.1 Test Result

Left earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	2.19
		2441	DH5	1	5.32
		2480	DH5	1	5.24
Pi/4DQPSK	SISO	2402	2DH5	1	0.88
		2441	2DH5	1	0.16
		2480	2DH5	1	0.03
8DPSK	SISO	2402	3DH5	1	0.84
		2441	3DH5	1	-0.01
		2480	3DH5	1	-0.16

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.
Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.


Right earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	3.56
		2441	DH5	1	4.66
		2480	DH5	1	4.88
Pi/4DQPSK	SISO	2402	2DH5	1	2.28
		2441	2DH5	1	3.67
		2480	2DH5	1	3.84
8DPSK	SISO	2402	3DH5	1	2.18
		2441	3DH5	1	3.62
		2480	3DH5	1	3.77

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


6.1.2 Test Graph

Left earpiece




FCC ID: 2A8BL-BOMBING

GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




FCC ID: 2A8BL-BOMBING

Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




FCC ID: 2A8BL-BOMBING


8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5_MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




Right earpiece


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





6.2 CSE

6.2.1 Test Result

Left earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	5.32	-14.68	Pass
		2441	DH5	1	5.32	-14.68	Pass
		2480	DH5	1	5.32	-14.68	Pass
		HOPP	DH5	1	5.32	-14.68	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	0.88	-19.12	Pass
		2441	2DH5	1	0.88	-19.12	Pass
		2480	2DH5	1	0.88	-19.12	Pass
		HOPP	2DH5	1	0.88	-19.12	Pass
8DPSK	SISO	2402	3DH5	1	0.84	-19.16	Pass
		2441	3DH5	1	0.84	-19.16	Pass
		2480	3DH5	1	0.84	-19.16	Pass
		HOPP	3DH5	1	0.84	-19.16	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.							
Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.							


Right earpiece

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	4.88	-15.12	Pass
		2441	DH5	1	4.88	-15.12	Pass
		2480	DH5	1	4.88	-15.12	Pass
		HOPP	DH5	1	4.88	-15.12	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	3.84	-16.16	Pass
		2441	2DH5	1	3.84	-16.16	Pass
		2480	2DH5	1	3.84	-16.16	Pass
		HOPP	2DH5	1	3.84	-16.16	Pass
8DPSK	SISO	2402	3DH5	1	3.77	-16.23	Pass
		2441	3DH5	1	3.77	-16.23	Pass
		2480	3DH5	1	3.77	-16.23	Pass
		HOPP	3DH5	1	3.77	-16.23	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.							


6.2.2 Test Graph

Left earpiece


GFSK DH5 LCH 2402MHz Ant1 NTN




GFSK DH5 LCH 2402MHz Ant1 NTN




GFSK DH5 MCH 2441MHz Ant1 NTNV




GFSK DH5 HCH 2480MHz Ant1 NTNV




GFSK DH5 HCH 2480MHz Ant1 NTN




GFSK_DH5_HOPP_Ant1_NTNV




GFSK DH5 HOPP Ant1 NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTN




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




FCC ID: 2A8BL-BOMBING


8DPSK 3DH5 LCH 2402MHz Ant1 NTN




8DPSK_3DH5_LCH_2402MHz_Ant1_NTN




8DPSK 3DH5 MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN



8DPSK_3DH5_HOPP_Ant1 NTN




8DPSK 3DH5 HOPP Ant1 NTNV




Right earpiece


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV

