

RinFire Somatosensory Controller User Manual

Controller Diagram

Buttons

Connecting to Xbox

Connecting to PlayStation

Connecting to Switch

Connecting to PC >

Controller Diagram



Buttons

PlayStation:



Xbox:



Switch:



PC:

PC edition can customize all buttons with RinFire Assistant software.
Each button can be set as a computer keyboard key.



Connecting to Xbox

Xbox 360 / Xbox One / Xbox One S / Xbox One X / Xbox Series S / Xbox Series X :

1. Turn on the console.
2. Connect the Converter to the **Control Center** and the original Controller as shown in the picture below, then connect the Converter to the Xbox console.



3. After waiting for a few seconds, the indicator light on the converter will flash with a breathing light, which means the connection is successful. At this time, you can use the gaming gun to control the Xbox console.
4. Launch and enter the game.
5. After entering the game, point the USB interface of the controller to the Reticle of the screen, then press and hold the **Reticle Calibration** button on the controller, at this time **Control Center** will make a beep sound, wait for the sound to end, release the **Reticle Calibration** button, and you can use the controller.

Connecting to PlayStation

PlayStation3 / PlayStation4 / PlayStation4 Slim / PlayStation4 Pro :

1. Turn on the console.
2. Connect the Converter to the **Control Center** and the original Controller as shown in the picture below, then connect the Converter to the PlayStation console.




3. After waiting for a few seconds, the indicator light on the converter will flash with a breathing light, which means the connection is successful. At this time, you can use the gaming gun to control the PlayStation console.
4. Launch and enter the game.
5. After entering the game, point the USB interface of the controller to the Reticle of the screen, then press and hold the **Reticle Calibration** button on the controller, at this time **Control Center** will make a beep sound, wait for the sound to end, release the **Reticle Calibration** button, and you can use the controller.

Connecting to Switch

Switch / Switch Lite :

1. Turn on the Switch and Make sure the **Pro Controller Wired Communication** of Switch is on.
The settings are as follows:
System Settings → Controllers and Sensors → Pro Controller Wired Communication → On



2. Connect the Converter to the Control Center in the picture below, then connect the Converter to the Switch console.

When connecting the Switch Lite, you need to purchase an additional USB to Type-C OTG adapter.



3. After waiting for a few seconds, the indicator light on the converter will flash with a breathing light, which means the connection is successful. At this time, you can use the gaming gun to control the Switch console.
4. Launch and enter the game.
5. After entering the game, point the USB interface of the controller to the Reticle of the screen, then press and hold the **Reticle Calibration** button on the controller, at this time **Control Center** will make a beep sound, wait for the sound to end, release the **Reticle Calibration** button, and you can use the controller.


Connecting to PC

1. Go to www.rinfire.com and **download** the **RinFire Assistant**.
2. Install **RinFire Assistant** on your computer.
3. Plug the **Control Center** into the USB port of your computer.



Control Center

4. Run RinFire Assistant and select the game platform. Most games select PC, but some PC games, such as The House of the Dead, select LIGHT GUN 1.



5. Click on **CONTROLLER PROFILE**.
6. Set the mapping between the gaming gun buttons and keyboard keys as needed.
7. Once the settings are complete, click **SYNC TO CONTROLLER**. (Before clicking, make sure the is powered off)

8. Launch and enter the game.

9. After entering the game, point the USB interface of the controller to the Reticle of the screen, then press and hold the **Reticle Calibration** button on the controller, at this time **Control Center** will make a beep sound, wait for the sound to end, release the **Reticle Calibration** button, and you can use the controller.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.

ISED Statement

- English: This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

- French: Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement. L'appareil numérique du CIEM conforme canadien peut - 3 (b) / nmb - 3 (b).

This device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS 102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

cet appareil est conforme à l'exemption des limites d'évaluation courante dans la section 2.5 du cnr - 102 et conformité avec rss 102 de l'exposition aux rf, les utilisateurs peuvent obtenir des données canadiennes sur l'exposition aux champs rf et la conformité.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 0cm between the radiator & your body.

Cet équipement est conforme Canada limites d'exposition aux radiations dans un environnement non contrôlé.

Cet équipement doit être installé et utilisé avec une distance minimale de 0 cm entre le radiateur et votre corps.