



11AC20SI SO	Ant0	Low	5500	AV	5460.000	-56.51	≤-41.20	42.04	≤54	PASS
				AV	5468.660	-56.3	≤-41.20	42.25	≤54	PASS
				AV	5470.000	-56.45	≤-41.20	42.10	≤54	PASS
				Peak	5460.000	-48.87	≤-21.20	49.68	≤68.2	PASS
				Peak	5464.460	-47.54	≤-21.20	51.01	≤68.2	PASS
				Peak	5470.000	-52.27	≤-21.20	46.28	≤68.2	PASS
		High	5700	AV	5725.000	-56.22	≤-41.20	42.33	≤54	PASS
				AV	5731.160	-55.84	≤-41.20	42.71	≤54	PASS
				AV	5735.000	-56.16	≤-41.20	42.39	≤54	PASS
				Peak	5725.000	-50.58	≤-21.20	47.97	≤68.2	PASS
				Peak	5725.280	-47.22	≤-21.20	51.33	≤68.2	PASS
Peak	5735.000			-51.06	≤-21.20	47.49	≤68.2	PASS		
11AC40SI SO	Ant0	Low	5510	AV	5460.000	-56.48	≤-41.20	42.07	≤54	PASS
				AV	5467.640	-55.66	≤-41.20	42.89	≤54	PASS
				AV	5470.000	-55.63	≤-41.20	42.92	≤54	PASS
				Peak	5460.000	-50.9	≤-21.20	47.65	≤68.2	PASS
				Peak	5466.170	-48.03	≤-21.20	50.52	≤68.2	PASS
				Peak	5470.000	-51.68	≤-21.20	46.87	≤68.2	PASS
		High	5670	AV	5725.000	-56.08	≤-41.20	42.47	≤54	PASS
				AV	5727.100	-55.78	≤-41.20	42.77	≤54	PASS
				AV	5735.000	-56.28	≤-41.20	42.27	≤54	PASS
				Peak	5725.000	-49.51	≤-21.20	49.04	≤68.2	PASS
				Peak	5730.900	-47.5	≤-21.20	51.05	≤68.2	PASS
Peak	5735.000			-51.79	≤-21.20	46.76	≤68.2	PASS		
11AC80SI SO	Ant0	Low	5530	AV	5460.000	-55.63	≤-41.20	42.92	≤54	PASS
				AV	5469.630	-53.47	≤-41.20	45.08	≤54	PASS
				AV	5470.000	-54.01	≤-41.20	44.54	≤54	PASS
				Peak	5460.000	-49.33	≤-21.20	49.22	≤68.2	PASS
				Peak	5465.340	-45.34	≤-21.20	53.21	≤68.2	PASS
				Peak	5470.000	-49.81	≤-21.20	48.74	≤68.2	PASS
		High	5610	AV	5725.000	-56.29	≤-41.20	42.26	≤54	PASS
				AV	5732.200	-55.67	≤-41.20	42.88	≤54	PASS
				AV	5735.000	-56.04	≤-41.20	42.51	≤54	PASS
				Peak	5725.000	-52.94	≤-21.20	45.61	≤68.2	PASS
				Peak	5728.800	-49.02	≤-21.20	49.53	≤68.2	PASS
Peak	5735.000			-51.02	≤-21.20	47.53	≤68.2	PASS		



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Ant1

TestMode	Antenna	ChName	Frequency [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5500	AV	5460.000	-56.59	≤-41.20	41.96	≤54	PASS
				AV	5468.660	-56.27	≤-41.20	42.28	≤54	PASS
				AV	5470.000	-56.33	≤-41.20	42.22	≤54	PASS
				Peak	5460.000	-52.24	≤-21.20	46.31	≤68.2	PASS
				Peak	5464.040	-48.14	≤-21.20	50.41	≤68.2	PASS
				Peak	5470.000	-51.86	≤-21.20	46.69	≤68.2	PASS
		High	5700	AV	5725.000	-56.31	≤-41.20	42.24	≤54	PASS
				AV	5732.000	-55.99	≤-41.20	42.56	≤54	PASS
				AV	5735.000	-56.12	≤-41.20	42.43	≤54	PASS
				Peak	5725.000	-53.47	≤-21.20	45.08	≤68.2	PASS
				Peak	5728.460	-48.1	≤-21.20	50.45	≤68.2	PASS
				Peak	5735.000	-52.09	≤-21.20	46.46	≤68.2	PASS
11N20SISO	Ant1	Low	5500	AV	5460.000	-56.59	≤-41.20	41.96	≤54	PASS
				AV	5462.120	-56.11	≤-41.20	42.44	≤54	PASS
				AV	5470.000	-56.55	≤-41.20	42.00	≤54	PASS
				Peak	5460.000	-52.12	≤-21.20	46.43	≤68.2	PASS
				Peak	5460.680	-47.07	≤-21.20	51.48	≤68.2	PASS
				Peak	5470.000	-50.66	≤-21.20	47.89	≤68.2	PASS
		High	5700	AV	5725.000	-56.09	≤-41.20	42.46	≤54	PASS
				AV	5725.820	-56.04	≤-41.20	42.51	≤54	PASS
				AV	5735.000	-56.43	≤-41.20	42.12	≤54	PASS
				Peak	5725.000	-52.54	≤-21.20	46.01	≤68.2	PASS
				Peak	5731.280	-46.86	≤-21.20	51.69	≤68.2	PASS
				Peak	5735.000	-49.6	≤-21.20	48.95	≤68.2	PASS
11N40SISO	Ant1	Low	5510	AV	5460.000	-56.51	≤-41.20	42.04	≤54	PASS
				AV	5469.320	-55.57	≤-41.20	42.98	≤54	PASS
				AV	5470.000	-55.69	≤-41.20	42.86	≤54	PASS
				Peak	5460.000	-50.76	≤-21.20	47.79	≤68.2	PASS
				Peak	5461.620	-47	≤-21.20	51.55	≤68.2	PASS
				Peak	5470.000	-51.12	≤-21.20	47.43	≤68.2	PASS
		High	5670	AV	5725.000	-55.77	≤-41.20	42.78	≤54	PASS
				AV	5732.100	-55.71	≤-41.20	42.84	≤54	PASS
				AV	5735.000	-56.1	≤-41.20	42.45	≤54	PASS
				Peak	5725.000	-51.8	≤-21.20	46.75	≤68.2	PASS
				Peak	5725.400	-47.72	≤-21.20	50.83	≤68.2	PASS
				Peak	5735.000	-50.54	≤-21.20	48.01	≤68.2	PASS
11AC20SISO	Ant1	Low	5500	AV	5460.000	-56.58	≤-41.20	41.97	≤54	PASS
				AV	5466.320	-56.31	≤-41.20	42.24	≤54	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



				AV	5470.000	-56.41	≤-41.20	42.14	≤54	PASS
				Peak	5460.000	-50.89	≤-21.20	47.66	≤68.2	PASS
				Peak	5463.440	-47.55	≤-21.20	51.00	≤68.2	PASS
				Peak	5470.000	-49.69	≤-21.20	48.86	≤68.2	PASS
		High	5700	AV	5725.000	-55.76	≤-41.20	42.79	≤54	PASS
				AV	5725.220	-55.66	≤-41.20	42.89	≤54	PASS
				AV	5735.000	-56.01	≤-41.20	42.54	≤54	PASS
				Peak	5725.000	-52.63	≤-21.20	45.92	≤68.2	PASS
				Peak	5727.380	-47.68	≤-21.20	50.87	≤68.2	PASS
				Peak	5735.000	-52.57	≤-21.20	45.98	≤68.2	PASS
11AC40SI SO	Ant1	Low	5510	AV	5460.000	-56.34	≤-41.20	42.21	≤54	PASS
				AV	5469.040	-55.47	≤-41.20	43.08	≤54	PASS
				AV	5470.000	-55.68	≤-41.20	42.87	≤54	PASS
				Peak	5460.000	-51.99	≤-21.20	46.56	≤68.2	PASS
				Peak	5467.850	-47.58	≤-21.20	50.97	≤68.2	PASS
				Peak	5470.000	-50.26	≤-21.20	48.29	≤68.2	PASS
		High	5670	AV	5725.000	-56.16	≤-41.20	42.39	≤54	PASS
				AV	5734.200	-55.72	≤-41.20	42.83	≤54	PASS
				AV	5735.000	-55.84	≤-41.20	42.71	≤54	PASS
				Peak	5725.000	-49.52	≤-21.20	49.03	≤68.2	PASS
				Peak	5731.200	-46.04	≤-21.20	52.51	≤68.2	PASS
11AC80SI SO	Ant1	Low	5530	Peak	5735.000	-51.16	≤-21.20	47.39	≤68.2	PASS
				AV	5460.000	-55.61	≤-41.20	42.94	≤54	PASS
				AV	5469.760	-53.68	≤-41.20	44.87	≤54	PASS
				AV	5470.000	-53.75	≤-41.20	44.80	≤54	PASS
				Peak	5460.000	-52.21	≤-21.20	46.34	≤68.2	PASS
				Peak	5468.720	-47.46	≤-21.20	51.09	≤68.2	PASS
				Peak	5470.000	-47.84	≤-21.20	50.71	≤68.2	PASS
		High	5610	AV	5725.000	-55.56	≤-41.20	39.64	≤54	PASS
				AV	5729.400	-55.29	≤-41.20	39.91	≤54	PASS
				AV	5735.000	-56.1	≤-41.20	39.10	≤54	PASS
				Peak	5725.000	-51.76	≤-21.20	43.44	≤68.2	PASS
				Peak	5733.600	-48.46	≤-21.20	46.74	≤68.2	PASS
				Peak	5735.000	-51.32	≤-21.20	43.88	≤68.2	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)			E (dBuV/m)	Detec tor	Limit (dBuV/m)	Verdict
				Ant0	Ant1	Ant0+Ant 1				
NVNT	n20	5500	5460.000	-56.54	-56.59	-53.55	48.00	AV	≤54	Pass
NVNT	n20	5500	5467.940	-55.93	-56.11	-53.01	48.55	AV	≤54	Pass
NVNT	n20	5500	5470.000	-56.4	-56.55	-53.46	48.09	AV	≤54	Pass
NVNT	n20	5500	5460.000	-51.36	-52.12	-48.71	52.84	Peak	≤68.2	Pass
NVNT	n20	5500	5466.500	-47.98	-47.07	-44.49	57.07	Peak	≤68.2	Pass
NVNT	n20	5500	5470.000	-51.9	-50.66	-48.23	53.33	Peak	≤68.2	Pass
NVNT	n20	5700	5725.000	-56.14	-56.09	-53.10	48.45	AV	≤54	Pass
NVNT	n20	5700	5726.000	-55.9	-56.04	-52.96	48.60	AV	≤54	Pass
NVNT	n20	5700	5735.000	-56.25	-56.43	-53.33	48.23	AV	≤54	Pass
NVNT	n20	5700	5725.000	-48.8	-52.54	-47.27	54.29	Peak	≤68.2	Pass
NVNT	n20	5700	5734.820	-45.71	-46.86	-43.24	58.32	Peak	≤68.2	Pass
NVNT	n20	5700	5735.000	-49.89	-49.6	-46.73	54.83	Peak	≤68.2	Pass
NVNT	n40	5510	5460.000	-56.38	-56.51	-53.43	48.12	AV	≤54	Pass
NVNT	n40	5510	5468.480	-55.6	-55.57	-52.57	48.98	AV	≤54	Pass
NVNT	n40	5510	5470.000	-55.85	-55.69	-52.76	48.80	AV	≤54	Pass
NVNT	n40	5510	5460.000	-50.51	-50.76	-47.62	53.93	Peak	≤68.2	Pass
NVNT	n40	5510	5467.010	-47.45	-47	-44.21	57.35	Peak	≤68.2	Pass
NVNT	n40	5510	5470.000	-51.41	-51.12	-48.25	53.31	Peak	≤68.2	Pass
NVNT	n40	5670	5725.000	-56.09	-55.77	-52.92	48.64	AV	≤54	Pass
NVNT	n40	5670	5728.600	-55.61	-55.71	-52.65	48.91	AV	≤54	Pass
NVNT	n40	5670	5735.000	-56	-56.1	-53.04	48.52	AV	≤54	Pass
NVNT	n40	5670	5725.000	-51.15	-51.8	-48.45	53.11	Peak	≤68.2	Pass
NVNT	n40	5670	5732.000	-48.11	-47.72	-44.90	56.66	Peak	≤68.2	Pass
NVNT	n40	5670	5735.000	-53.6	-50.54	-48.80	52.76	Peak	≤68.2	Pass
NVNT	ac20	5500	5460.000	-56.51	-56.58	-53.53	48.02	AV	≤54	Pass
NVNT	ac20	5500	5468.660	-56.3	-56.31	-53.29	48.26	AV	≤54	Pass
NVNT	ac20	5500	5470.000	-56.45	-56.41	-53.42	48.14	AV	≤54	Pass
NVNT	ac20	5500	5460.000	-48.87	-50.89	-46.75	54.80	Peak	≤68.2	Pass
NVNT	ac20	5500	5464.460	-47.54	-47.55	-44.53	57.02	Peak	≤68.2	Pass
NVNT	ac20	5500	5470.000	-52.27	-49.69	-47.78	53.78	Peak	≤68.2	Pass
NVNT	ac20	5700	5725.000	-56.22	-55.76	-52.97	48.58	AV	≤54	Pass
NVNT	ac20	5700	5731.160	-55.84	-55.66	-52.74	48.82	AV	≤54	Pass
NVNT	ac20	5700	5735.000	-56.16	-56.01	-53.07	48.48	AV	≤54	Pass
NVNT	ac20	5700	5725.000	-50.58	-52.63	-48.47	53.08	Peak	≤68.2	Pass
NVNT	ac20	5700	5725.280	-47.22	-47.68	-44.43	57.12	Peak	≤68.2	Pass
NVNT	ac20	5700	5735.000	-51.06	-52.57	-48.74	52.82	Peak	≤68.2	Pass
NVNT	ac40	5510	5460.000	-56.48	-56.34	-53.40	48.16	AV	≤54	Pass
NVNT	ac40	5510	5467.640	-55.66	-55.47	-52.55	49.00	AV	≤54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5510	5470.000	-55.63	-55.68	-52.64	48.91	AV	≤54	Pass
NVNT	ac40	5510	5460.000	-50.9	-51.99	-48.40	53.16	Peak	≤68.2	Pass
NVNT	ac40	5510	5466.170	-48.03	-47.58	-44.79	56.77	Peak	≤68.2	Pass
NVNT	ac40	5510	5470.000	-51.68	-50.26	-47.90	53.66	Peak	≤68.2	Pass
NVNT	ac40	5670	5725.000	-56.08	-56.16	-53.11	48.45	AV	≤54	Pass
NVNT	ac40	5670	5727.100	-55.78	-55.72	-52.74	48.82	AV	≤54	Pass
NVNT	ac40	5670	5735.000	-56.28	-55.84	-53.04	48.51	AV	≤54	Pass
NVNT	ac40	5670	5725.000	-49.51	-49.52	-46.50	55.05	Peak	≤68.2	Pass
NVNT	ac40	5670	5730.900	-47.5	-46.04	-43.70	57.86	Peak	≤68.2	Pass
NVNT	ac40	5670	5735.000	-51.79	-51.16	-48.45	53.10	Peak	≤68.2	Pass
NVNT	ac80	5530	5460.000	-55.63	-55.61	-52.61	48.95	AV	≤54	Pass
NVNT	ac80	5530	5469.630	-53.47	-53.68	-50.56	50.99	AV	≤54	Pass
NVNT	ac80	5530	5470.000	-54.01	-53.75	-50.87	50.69	AV	≤54	Pass
NVNT	ac80	5530	5460.000	-49.33	-52.21	-47.53	54.03	Peak	≤68.2	Pass
NVNT	ac80	5530	5465.340	-45.34	-47.46	-43.26	58.30	Peak	≤68.2	Pass
NVNT	ac80	5530	5470.000	-49.81	-47.84	-45.70	55.85	Peak	≤68.2	Pass
NVNT	ac80	5610	5725.000	-56.29	-55.56	-52.90	48.66	AV	≤54	Pass
NVNT	ac80	5610	5732.200	-55.67	-55.29	-52.47	49.09	AV	≤54	Pass
NVNT	ac80	5610	5735.000	-56.04	-56.1	-53.06	48.50	AV	≤54	Pass
NVNT	ac80	5610	5725.000	-52.94	-51.76	-49.30	52.26	Peak	≤68.2	Pass
NVNT	ac80	5610	5728.800	-49.02	-48.46	-45.72	55.84	Peak	≤68.2	Pass
NVNT	ac80	5610	5735.000	-51.02	-51.32	-48.16	53.40	Peak	≤68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs

Ant0

11A_Ant0_Low_5500_AV



11A_Ant0_Low_5500_Peak



11A_Ant0_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11A_Ant0_High_5700_Peak



11N20SISO_Ant0_Low_5500_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N20SISO_Ant0_Low_5500_Peak



11N20SISO_Ant0_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N20SISO_Ant0_High_5700_Peak



11N40SISO_Ant0_Low_5510_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SISO_Ant0_Low_5510_Peak



11N40SISO_Ant0_High_5670_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SISO_Ant0_High_5670_Peak



11AC20SISO_Ant0_Low_5500_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20SISO_Ant0_Low_5500_Peak



11AC20SISO_Ant0_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20SISO_Ant0_High_5700_Peak



11AC40SISO_Ant0_Low_5510_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SISO_Ant0_Low_5510_Peak



11AC40SISO_Ant0_High_5670_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SISO_Ant0_High_5670_Peak



11AC80SISO_Ant0_Low_5530_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC80SISO_Ant0_Low_5530_Peak



11AC80SISO_Ant0_High_5610_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Ant1

11A_Ant1_Low_5500_AV



11A_Ant1_Low_5500_Peak



11A_Ant1_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11A_Ant1_High_5700_Peak



11N20SISO_Ant1_Low_5500_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N20SISO_Ant1_Low_5500_Peak



11N20SISO_Ant1_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N20SISO_Ant1_High_5700_Peak



11N40SISO_Ant1_Low_5510_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SISO_Ant1_Low_5510_Peak



11N40SISO_Ant1_High_5670_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SISO_Ant1_High_5670_Peak



11AC20SISO_Ant1_Low_5500_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20SISO_Ant1_Low_5500_Peak



11AC20SISO_Ant1_High_5700_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20SISO_Ant1_High_5700_Peak



11AC40SISO_Ant1_Low_5510_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SISO_Ant1_Low_5510_Peak



11AC40SISO_Ant1_High_5670_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SISO_Ant1_High_5670_Peak



11AC80SISO_Ant1_Low_5530_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC80SISO_Ant1_Low_5530_Peak



11AC80SISO_Ant1_High_5610_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC80SISO_Ant1_High_5610_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



F.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Frequenc y[MHz]	Voltage [Vdc]	Tempera ture (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant0	5500	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
		5580	NV	NT	20000	3.584229	20	PASS
			LV	NT	20000	3.584229	20	PASS
			HV	NT	-40000	-7.168459	20	PASS
		5700	NV	NT	0	0	20	PASS
			LV	NT	20000	3.508772	20	PASS
			HV	NT	0	0	20	PASS
11N20SIS O	Ant0	5500	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.272727	20	PASS
		5580	NV	NT	0	0	20	PASS
			LV	NT	60000	10.752688	20	PASS
			HV	NT	0	0	20	PASS
		5700	NV	NT	20000	3.508772	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
11N40SIS O	Ant0	5510	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
		5550	NV	NT	0	0	20	PASS
			LV	NT	40000	7.207207	20	PASS
			HV	NT	0	0	20	PASS
		5670	NV	NT	40000	7.054674	20	PASS
			LV	NT	40000	7.054674	20	PASS
			HV	NT	0	0	20	PASS
11AC20SI SO	Ant0	5500	NV	NT	20000	3.636364	20	PASS
			LV	NT	40000	7.272727	20	PASS
			HV	NT	40000	7.272727	20	PASS
		5580	NV	NT	20000	3.584229	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.584229	20	PASS
		5700	NV	NT	20000	3.508772	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.508772	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40Si SO	Ant0	5510	NV	NT	-40000	-7.259528	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
		5550	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
		5670	NV	NT	40000	7.054674	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.054674	20	PASS
11AC80Si SO	Ant0	5530	NV	NT	80000	14.466546	20	PASS
			LV	NT	80000	14.466546	20	PASS
			HV	NT	0	0	20	PASS
		5610	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-80000	-14.26025	20	PASS

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant0	5500	NV	-30	20000	3.636364	20	PASS
			NV	-20	20000	3.636364	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.272727	20	PASS
			NV	20	20000	3.636364	20	PASS
			NV	30	20000	3.636364	20	PASS
			NV	40	0	0	20	PASS
			NV	50	40000	7.272727	20	PASS
		5580	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.168459	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.584229	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.584229	20	PASS
		5700	NV	-30	0	0	20	PASS
			NV	-20	20000	3.508772	20	PASS
			NV	-10	-20000	-3.508772	20	PASS
			NV	0	20000	3.508772	20	PASS
			NV	10	-20000	-3.508772	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	20	-20000	-3.508772	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.508772	20	PASS
			NV	50	0	0	20	PASS
11N20SIS O	Ant0	5500	NV	-30	40000	7.272727	20	PASS
			NV	-20	40000	7.272727	20	PASS
			NV	-10	20000	3.636364	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.636364	20	PASS
			NV	40	20000	3.636364	20	PASS
			NV	50	-40000	-7.272727	20	PASS
		5580	NV	-30	20000	3.584229	20	PASS
			NV	-20	20000	3.584229	20	PASS
			NV	-10	20000	3.584229	20	PASS
			NV	0	20000	3.584229	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-20000	-3.584229	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
		5700	NV	-30	-20000	-3.508772	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-20000	-3.508772	20	PASS
			NV	0	40000	7.017544	20	PASS
			NV	10	20000	3.508772	20	PASS
			NV	20	-20000	-3.508772	20	PASS
			NV	30	20000	3.508772	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.017544	20	PASS
11N40SIS O	Ant0	5510	NV	-30	80000	14.519056	20	PASS
			NV	-20	40000	7.259528	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	40000	7.259528	20	PASS
			NV	10	0	0	20	PASS
			NV	20	40000	7.259528	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	40000	7.259528	20	PASS
		5550	NV	-30	40000	7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	-10	40000	7.207207	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.207207	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	7.207207	20	PASS
			NV	40	40000	7.207207	20	PASS
			NV	50	0	0	20	PASS
		5670	NV	-30	40000	7.054674	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	40000	7.054674	20	PASS
			NV	50	40000	7.054674	20	PASS
11AC20SI SO	Ant0	5500	NV	-30	-40000	-7.272727	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.272727	20	PASS
			NV	20	40000	7.272727	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	60000	10.909091	20	PASS
			NV	50	-20000	-3.636364	20	PASS
		5580	NV	-30	0	0	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	60000	10.752688	20	PASS
			NV	0	-20000	-3.584229	20	PASS
			NV	10	20000	3.584229	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
		5700	NV	-30	20000	3.508772	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.508772	20	PASS
			NV	0	-20000	-3.508772	20	PASS
			NV	10	20000	3.508772	20	PASS
			NV	20	20000	3.508772	20	PASS
			NV	30	-20000	-3.508772	20	PASS
			NV	40	20000	3.508772	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SI SO	Ant0	5510	NV	50	0	0	20	PASS
			NV	-30	40000	7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.259528	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
		5550	NV	50	40000	7.259528	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	40000	7.207207	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
		5670	NV	50	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.054674	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	40000	7.054674	20	PASS
			NV	30	0	0	20	PASS
			NV	40	40000	7.054674	20	PASS
11AC80SI SO	Ant0	5530	NV	50	40000	7.054674	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.466546	20	PASS
			NV	-10	80000	14.466546	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	80000	14.466546	20	PASS
			NV	40	0	0	20	PASS
		5610	NV	50	0	0	20	PASS
			NV	-30	-80000	-14.26025	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	80000	14.26025	20	PASS
			NV	0	0	0	20	PASS
			NV	10	80000	14.26025	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	80000	14.26025	20	PASS
			NV	50	80000	14.26025	20	PASS

Voltage								
TestMode	Antenna	Frequenc y[MHz]	Voltage [Vdc]	Tempera ture (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
		5700	NV	NT	200000.00	35.087719	20	FAIL
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
11N20SIS O	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
		5580	NV	NT	620000.00	111.111111	20	FAIL
			LV	NT	60000.00	10.752688	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	40000.00	7.017544	20	PASS
			LV	NT	20000.00	3.508772	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
11N40SIS O	Ant1	5510	NV	NT	320000.00	58.076225	20	FAIL
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
		5550	NV	NT	160000.00	28.828829	20	FAIL
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
11AC20SI SO	Ant1	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	160000.00	28.673835	20	FAIL
			HV	NT	20000.00	3.584229	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SI SO	Ant1	5510	LV	NT	20000.00	3.508772	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	320000.00	58.076225	20	FAIL
		5550	LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
			NV	NT	200000.00	36.036036	20	FAIL
		5670	LV	NT	0.00	0.000000	20	PASS
			HV	NT	280000.00	50.450450	20	FAIL
			NV	NT	40000.00	7.054674	20	PASS
		5610	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS

11AC80SI SO	Ant1	5530	NV	NT	-80000.00	-14.466546	20	PASS
			LV	NT	960000.00	173.598553	20	FAIL
			HV	NT	320000.00	57.866184	20	FAIL
		5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	240000.00	42.780749	20	FAIL
			HV	NT	-80000.00	-14.260250	20	PASS

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	-30	20000.00	3.636364	20	PASS
			NV	-20	20000.00	3.636364	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.636364	20	PASS
			NV	10	20000.00	3.636364	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
		5580	NV	50	-20000.00	-3.636364	20	PASS
			NV	-30	20000.00	3.584229	20	PASS
			NV	-20	20000.00	3.584229	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	20000.00	3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
		5700	NV	40	40000.00	7.168459	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	20000.00	3.508772	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	20000.00	3.508772	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	20000.00	3.508772	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N20SIS O	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	20000.00	3.636364	20	PASS
			NV	-10	20000.00	3.636364	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	20000.00	3.636364	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5580	NV	-30	40000.00	7.168459	20	PASS
			NV	-20	20000.00	3.584229	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.584229	20	PASS
			NV	10	40000.00	7.168459	20	PASS
			NV	20	20000.00	3.584229	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	20000.00	3.584229	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5700	NV	-30	20000.00	3.508772	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	40000.00	7.017544	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N40SIS O	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	40000.00	7.259528	20	PASS
			NV	-10	-40000.00	-7.259528	20	PASS
			NV	0	320000.00	58.076225	20	FAIL
			NV	10	40000.00	7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-80000.00	-14.519056	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		5550	NV	-30	40000.00	7.207207	20	PASS
			NV	-20	40000.00	7.207207	20	PASS
			NV	-10	120000.00	21.621622	20	FAIL
			NV	0	-120000.00	-21.621622	20	FAIL
			NV	10	160000.00	28.828829	20	FAIL
			NV	20	0.00	0.000000	20	PASS
			NV	30	320000.00	57.657658	20	FAIL
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-160000.00	-28.218695	20	FAIL
			NV	10	40000.00	7.054674	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	320000.00	56.437390	20	FAIL
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
11AC20SI SO	Ant1	5500	NV	-30	20000.00	3.636364	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.636364	20	PASS
			NV	30	60000.00	10.909091	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	40000.00	7.168459	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	20000.00	3.584229	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	40000.00	7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC40SI SO	Ant1		NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-20000.00	-3.508772	20	PASS
		5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	320000.00	58.076225	20	FAIL
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	160000.00	29.038113	20	FAIL
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.259528	20	PASS
			NV	50	40000.00	7.259528	20	PASS
		5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.207207	20	PASS
			NV	-10	40000.00	7.207207	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-120000.00	-21.621622	20	FAIL
		5670	NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-280000.00	-49.382716	20	FAIL
			NV	-10	40000.00	7.054674	20	PASS
			NV	0	320000.00	56.437390	20	FAIL
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	120000.00	21.164021	20	FAIL
			NV	40	40000.00	7.054674	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80SI SO	Ant1	5530	NV	-30	320000.00	57.866184	20	FAIL
			NV	-20	80000.00	14.466546	20	PASS
			NV	-10	240000.00	43.399638	20	FAIL
			NV	0	240000.00	43.399638	20	FAIL
			NV	10	80000.00	14.466546	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	80000.00	14.466546	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	80000.00	14.466546	20	PASS
		5610	NV	-30	-80000.00	-14.260250	20	PASS
			NV	-20	400000.00	71.301248	20	FAIL
			NV	-10	-160000.00	-28.520499	20	FAIL



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	0	240000.00	42.780749	20	FAIL
			NV	10	240000.00	42.780749	20	FAIL
			NV	20	80000.00	14.260250	20	PASS
			NV	30	80000.00	14.260250	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	80000.00	14.260250	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity