


1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ac20	5180	Ant1	0.32	24.95	3.03



Duty Cycle NVNT ac20 5180MHz Ant1

2. Macimum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	Ant1	-13.29	24.95	11.66	24	Pass



Power NVNT ac20 5180MHz Ant1

3. -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	ac20	5180	Ant1	21.197	Pass



-26dB Bandwidth NVNT ac20 5180MHz Ant1

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	16.464



OBW NVNT ac20 5180MHz Ant1

5. Macimum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	Ant1	-19.53	24.95	5.42	11	Pass



PSD NVNT ac20 5180MHz Ant1

6. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Mac Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-33.91	-27	Pass



Band Edge NVNT ac20 5180MHz Low Ant1

7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Mac Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-33.76	-27	Pass



Tx. Spurious NVNT ac20 5180MHz Ant1 Emission