


产 品 规 格 书

PRODUCT SPECIFICATION SHEET

Product Name: 2.4GHz Antenna



RF Antenna Cable Assembly

Specification

1. Electrical Properties

- 1.1 Frequency Range.....2.4GHz-2.5GHz
- 1.2 Impedance.....50 Ω Nominal
- 1.3 VSWR.....1.92:1MAX
- 1.4 Return Loss.....-10dB Max
- 1.5 Gain(peak)2dBi
- 1.6 Cable loss.....0.3dBi Max
- 1.7 Polarization.....Linear Vertical
- 1.8 Admitted Power.....2W
- 1.9 Cable.....O.D 1.13mm
- 1.10 Conn.....IPEX

2. Physical Properties:

- 2.1 Antenna Material..... PCB
- 2.4 Operating Temp.....-20°C- +65°C
- 2.5 Storage Temp.....-30°C- +75°C
- 2.6 Color.....BLACK

RF Antenna Assembly
SPEC:2.4~2.5GHz

1. Standing wave ratio






Frequency(MHZ)	VSWR
2400	1.64
2450	1.48
2500	1.46

2. Efficiency


Frequency	Efficiency (%)	Average GAIN(dB)	Peak GAIN (dBi)
2400	40.43	-4.23	1.33
2450	41.43	-3.85	1.26
2500	39.21	-4.07	1.42

3D pattern

2450.000MHz



2450.000MHz E1



2450.000MHz E2

