








深圳市雨辰科技有限公司


天线尺寸 208*208MM

Frequency ID	1	2	3	4	5	6	7
Frequency (MHz)	900.0	905.0	910.0	915.0	920.0	925.0	930.0
Efficiency (dBi)	-2.14	-1.33	-1.42	-1.47	-1.58	-1.85	-2.20
Gain (dBi)	7.21	7.48	7.88	7.90	8.00	7.93	7.94
Efficiency (%)	61.04	73.60	72.19	71.32	69.54	65.28	60.22
Directivity (dB)	10.35	9.35	9.70	9.87	10.11	10.38	10.45
Peak Gain Position (Theta)	7.00	10.00	11.00	11.00	13.00	15.00	15.00
Peak Gain Position (Phi)	255.00	90.00	90.00	73.00	54.00	43.00	43.00
Efficiency ThetaPol (%)	32.96	37.09	36.65	36.75	34.63	30.74	27.30
Efficiency PhiPol (%)	28.08	36.51	35.54	34.57	34.90	34.54	32.92
Upper Hem. Efficiency (%)	49.83	60.29	60.56	61.31	60.43	57.03	52.72
Lower Hem. Efficiency (%)	11.21	13.31	11.63	10.01	9.11	8.26	7.49
T90(H)圆度	7.59	12.77	15.46	14.14	13.52	14.95	17.72
Gain 15deg (dBi)							
E1(XZ)波瓣宽度	42.00	74.00	71.00	69.00	64.00	57.00	54.00
E1(XZ)前后比	10.54	11.72	12.13	13.44	14.94	16.48	17.58
E2(YZ)波瓣宽度	63.00	55.00	54.00	53.00	49.00	45.00	45.00
E2(YZ)前后比	13.91	13.82	14.27	14.87	15.67	16.65	17.63
最大增益处轴比(P)	3.54	2.86	1.51	1.43	2.12	2.63	2.88
仰角10度最差(大)轴比(P)	30.49	28.76	16.53	56.59	41.48	55.07	28.68
Hc(XY)波瓣宽度	32.00	44.00	41.00	41.00	41.00	42.00	43.00
Hc(XY)前后比	0.00	2.60	3.77	5.58	6.06	5.17	2.99
左旋圆极化效率(%)	57.35	69.32	69.06	68.21	66.12	61.91	56.94
右旋圆极化效率(%)	3.69	4.27	3.13	3.11	3.42	3.38	3.28
Empty							








Antenna picture:




900.0MHz H+V. Eff: 61.0%




Back View




900.0MHz Total(E2-YZ). Max= 7.21dBi





Total(H+V). Max= -5.96dBi. CrD=7.59




905.0MHz H+V. Eff: 76.6%




Back View




905.0MHz Total(E2-YZ). Max= 7.48dBi





Total(H+V). Max= -4.74dBi. CrD=12.77




910.0MHz H+V. Eff: 72.2%




Back View




910.0MHz Total(E2-YZ). Max= 7.89dBi





Total(H+V). Max= -3.94dBi. CrD=15.48




915.0MHz H+V. Eff: 71.3%




Back View




915.0MHz Total(E2-YZ). Max= 7.90dBi





Total(H+V). Max= -2.96dBi. CrD=14.14




920.0MHz H+V. Eff: 69.5%




Back View




920.0MHz Total(E2-YZ). Max= 8.00dBi





Total(H+V). Max= -2.22dBi. CrD=13.52




925.0MHz H+V. Eff: 65.3%




Back View




925.0MHz Total(E2-YZ). Max= 7.99dBi





Total(H+V). Max= -2.22dBi. CrD=14.95




930.0MHz H+V. Eff: 60.2%



Back View



930.0MHz Total(E2-YZ). Max= 7.94dBi



Total(H+V). Max= -2.62dBi. CrD=17.72

