




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0







Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010878825	-49.67	-13
2	0.15	30	10	0.15074625	-52.77	-13
3	30	1000	100	534.206	-57.69	-13
4	1000	10000	1000	1695.025	-42.41	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010138575	-50.2	-13
2	0.15	30	10	0.15	-52.83	-13
3	30	1000	100	720.66425	-57.46	-13
4	1000	10000	1000	5488.75	-44.74	-13


Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095217	-49.2	-13
2	0.15	30	10	1.48056375	-44.16	-13
3	30	1000	100	737.3725	-57.05	-13
4	1000	10000	1000	1649.8	-40.57	-13

Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.8	-13
2	0.15	30	10	0.15	-52.1	-13
3	30	1000	100	888.2075	-56.2	-13
4	1000	10000	1000	1673.875	-37.73	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009440625	-48.53	-13
2	0.15	30	10	1.62682875	-44.67	-13
3	30	1000	100	856.343	-56.41	-13
4	1000	10000	1000	1697.05	-31.98	-13

Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094512	-48.88	-13
2	0.15	30	10	0.15223875	-50.68	-13
3	30	1000	100	906.2495	-57.53	-13
4	1000	10000	1000	1675.225	-41.54	-13


Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-49.03	-13
2	0.15	30	10	1.4798175	-44.22	-13
3	30	1000	100	818.19775	-53.45	-13
4	1000	10000	1000	1649.575	-40.17	-13

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010392375	-46.63	-13
2	0.15	30	10	0.152985	-52.86	-13
3	30	1000	100	929.11725	-55.58	-13
4	1000	10000	1000	1674.1	-38.51	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011513325	-48.26	-13
2	0.15	30	10	1.47534	-44.31	-13
3	30	1000	100	854.76675	-54.92	-13
4	1000	10000	1000	1697.5	-34.87	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.69	-13
2	0.15	30	10	1.4768325	-43.95	-13
3	30	1000	100	923.63675	-56.75	-13
4	1000	10000	1000	1660.825	-41.93	-13


Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49	-13
2	0.15	30	10	1.47757875	-44.45	-13
3	30	1000	100	947.25625	-57.31	-13
4	1000	10000	1000	1697.5	-38.57	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.32	-13
2	0.15	30	10	1.50742875	-44.42	-13
3	30	1000	100	961.1515	-57.17	-13
4	1000	10000	1000	1656.1	-41.71	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



FIELD STRENGTH OF SPURIOUS RADIATION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.47	-25.75	7.00	12.93	-31.68	-13.00	-18.68	H
5551.77	-30.48	8.20	17.11	-39.39	-13.00	-26.39	H
7402.46	-22.29	8.10	22.20	-36.39	-13.00	-23.39	H
3701.47	-30.01	7.00	12.93	-35.94	-13.00	-22.94	V
5551.77	-27.92	8.20	17.11	-36.83	-13.00	-23.83	V
7402.46	-30.84	8.10	22.20	-44.94	-13.00	-31.94	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.87	-27.41	12.60	12.93	-27.74	-13.00	-14.74	H
5640.08	-25.64	13.10	17.11	-29.65	-13.00	-16.65	H
7520.03	-27.07	11.50	22.20	-37.77	-13.00	-24.77	H
3759.87	-24.48	12.60	12.93	-24.81	-13.00	-11.81	V
5640.08	-30.22	13.10	17.11	-34.23	-13.00	-21.23	V
7520.03	-24.69	11.50	22.20	-35.39	-13.00	-22.39	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.37	-29.62	7.00	12.93	-35.55	-13.00	-22.55	H
5727.62	-23.55	8.20	17.11	-32.46	-13.00	-19.46	H
7637.02	-24.47	8.10	22.20	-38.57	-13.00	-25.57	H
3818.37	-22.59	7.00	12.93	-28.52	-13.00	-15.52	V
5727.62	-29.97	8.20	17.11	-38.88	-13.00	-25.88	V
7637.02	-30.29	8.10	22.20	-44.39	-13.00	-31.39	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.81	-22.10	7.00	12.93	-28.03	-13.00	-15.03	H
5554.41	-23.55	8.20	17.11	-32.46	-13.00	-19.46	H
7405.69	-23.33	8.10	22.20	-37.43	-13.00	-24.43	H
3702.81	-22.74	7.00	12.93	-28.67	-13.00	-15.67	V
5554.41	-23.64	8.20	17.11	-32.55	-13.00	-19.55	V
7405.69	-24.71	8.10	22.20	-38.81	-13.00	-25.81	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.87	-33.98	7.00	12.93	-39.91	-13.00	-26.91	H
5640.12	-34.89	8.20	17.11	-43.80	-13.00	-30.80	H
7520.22	-33.00	8.10	22.20	-47.10	-13.00	-34.10	H
3759.87	-35.86	7.00	12.93	-41.79	-13.00	-28.79	V
5640.12	-34.35	8.20	17.11	-43.26	-13.00	-30.26	V
7520.22	-31.81	8.10	22.20	-45.91	-13.00	-32.91	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.30	-34.84	7.00	12.93	-40.77	-13.00	-27.77	H
5725.49	-34.61	8.20	17.11	-43.52	-13.00	-30.52	H
7634.27	-32.93	8.10	22.20	-47.03	-13.00	-34.03	H
3817.30	-35.76	7.00	12.93	-41.69	-13.00	-28.69	V
5725.49	-34.39	8.20	17.11	-43.30	-13.00	-30.30	V
7634.27	-31.92	8.10	22.20	-46.02	-13.00	-33.02	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.18	-25.40	7.00	12.93	-31.33	-13.00	-18.33	H
5557.39	-24.48	8.20	17.11	-33.39	-13.00	-20.39	H
7409.85	-31.08	8.10	22.20	-45.18	-13.00	-32.18	H
3705.18	-24.85	7.00	12.93	-30.78	-13.00	-17.78	V
5557.39	-29.69	8.20	17.11	-38.60	-13.00	-25.60	V
7409.85	-30.39	8.10	22.20	-44.49	-13.00	-31.49	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.18	-25.28	7.00	12.93	-31.21	-13.00	-18.21	H
5640.04	-30.05	8.20	17.11	-38.96	-13.00	-25.96	H
7520.09	-31.92	8.10	22.20	-46.02	-13.00	-33.02	H
3760.18	-33.22	7.00	12.93	-39.15	-13.00	-26.15	V
5640.04	-33.28	8.20	17.11	-42.19	-13.00	-29.19	V
7520.09	-28.00	8.10	22.20	-42.10	-13.00	-29.10	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.03	-29.15	7.00	12.93	-35.08	-13.00	-22.08	H
5722.23	-25.01	8.20	17.11	-33.92	-13.00	-20.92	H
7630.17	-25.11	8.10	22.20	-39.21	-13.00	-26.21	H
3815.03	-32.33	7.00	12.93	-38.26	-13.00	-25.26	V
5722.23	-32.27	8.20	17.11	-41.18	-13.00	-28.18	V
7630.17	-33.16	8.10	22.20	-47.26	-13.00	-34.26	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.41	-24.89	7.00	12.93	-30.82	-13.00	-17.82	H
5565.06	-31.04	8.20	17.11	-39.95	-13.00	-26.95	H
7420.05	-27.78	8.10	22.20	-41.88	-13.00	-28.88	H
3710.41	-28.82	7.00	12.93	-34.75	-13.00	-21.75	V
5565.06	-29.67	8.20	17.11	-38.58	-13.00	-25.58	V
7420.05	-31.39	8.10	22.20	-45.49	-13.00	-32.49	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.88	-24.89	7.00	12.93	-30.82	-13.00	-17.82	H
5640.19	-26.47	8.20	17.11	-35.38	-13.00	-22.38	H
7520.07	-27.20	8.10	22.20	-41.30	-13.00	-28.30	H
3759.88	-30.92	7.00	12.93	-36.85	-13.00	-23.85	V
5640.19	-24.09	8.20	17.11	-33.00	-13.00	-20.00	V
7520.07	-25.14	8.10	22.20	-39.24	-13.00	-26.24	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.10	-28.50	7.00	12.93	-34.43	-13.00	-21.43	H
5714.74	-33.37	8.20	17.11	-42.28	-13.00	-29.28	H
7620.27	-32.25	8.10	22.20	-46.35	-13.00	-33.35	H
3810.10	-24.46	7.00	12.93	-30.39	-13.00	-17.39	V
5714.74	-29.29	8.20	17.11	-38.20	-13.00	-25.20	V
7620.27	-30.07	8.10	22.20	-44.17	-13.00	-31.17	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.14	-25.18	7.00	12.93	-31.11	-13.00	-18.11	H
5572.46	-24.36	8.20	17.11	-33.27	-13.00	-20.27	H
7430.82	-27.34	8.10	22.20	-41.44	-13.00	-28.44	H
3715.14	-31.16	7.00	12.93	-37.09	-13.00	-24.09	V
5572.46	-25.39	8.20	17.11	-34.30	-13.00	-21.30	V
7430.82	-30.71	8.10	22.20	-44.81	-13.00	-31.81	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.95	-25.02	7.00	12.93	-30.95	-13.00	-17.95	H
5640.05	-29.68	8.20	17.11	-38.59	-13.00	-25.59	H
7519.89	-25.56	8.10	22.20	-39.66	-13.00	-26.66	H
3759.95	-30.42	7.00	12.93	-36.35	-13.00	-23.35	V
5640.05	-27.31	8.20	17.11	-36.22	-13.00	-23.22	V
7519.89	-28.70	8.10	22.20	-42.80	-13.00	-29.80	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.00	-25.48	7.00	12.93	-31.41	-13.00	-18.41	H
5707.46	-28.37	8.20	17.11	-37.28	-13.00	-24.28	H
7609.89	-26.20	8.10	22.20	-40.30	-13.00	-27.30	H
3805.00	-24.75	7.00	12.93	-30.68	-13.00	-17.68	V
5707.46	-30.95	8.20	17.11	-39.86	-13.00	-26.86	V
7609.89	-24.63	8.10	22.20	-38.73	-13.00	-25.73	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.03	-28.63	7.00	12.93	-34.56	-13.00	-21.56	H
5580.08	-31.31	8.20	17.11	-40.22	-13.00	-27.22	H
7439.86	-31.65	8.10	22.20	-45.75	-13.00	-32.75	H
3720.03	-29.11	7.00	12.93	-35.04	-13.00	-22.04	V
5580.08	-27.69	8.20	17.11	-36.60	-13.00	-23.60	V
7439.86	-32.80	8.10	22.20	-46.90	-13.00	-33.90	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-27.73	7.00	12.93	-33.66	-13.00	-20.66	H
5640.01	-32.27	8.20	17.11	-41.18	-13.00	-28.18	H
7520.25	-32.93	8.10	22.20	-47.03	-13.00	-34.03	H
3760.00	-26.12	7.00	12.93	-32.05	-13.00	-19.05	V
5640.01	-27.16	8.20	17.11	-36.07	-13.00	-23.07	V
7520.25	-26.42	8.10	22.20	-40.52	-13.00	-27.52	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.05	-22.49	7.00	12.93	-28.42	-13.00	-15.42	H
5700.05	-26.21	8.20	17.11	-35.12	-13.00	-22.12	H
7599.90	-22.67	8.10	22.20	-36.77	-13.00	-23.77	H
3800.05	-22.30	7.00	12.93	-28.23	-13.00	-15.23	V
5700.05	-21.96	8.20	17.11	-30.87	-13.00	-17.87	V
7599.90	-31.34	8.10	22.20	-45.44	-13.00	-32.44	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.04	-33.88	7.20	12.56	-39.24	-13.00	-26.24	H
5135.84	-34.36	8.10	16.32	-42.58	-13.00	-29.58	H
6848.71	-32.48	8.00	21.13	-45.61	-13.00	-32.61	H
3424.04	-35.99	7.20	12.56	-41.35	-13.00	-28.35	V
5135.84	-34.55	8.10	16.32	-42.77	-13.00	-29.77	V
6848.71	-33.02	8.00	21.13	-46.15	-13.00	-33.15	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.68	-33.84	7.20	12.56	-39.20	-13.00	-26.20	H
5196.88	-34.67	8.10	16.32	-42.89	-13.00	-29.89	H
6929.82	-33.00	8.00	21.13	-46.13	-13.00	-33.13	H
3464.68	-35.36	7.20	12.56	-40.72	-13.00	-27.72	V
5196.88	-34.70	8.10	16.32	-42.92	-13.00	-29.92	V
6929.82	-32.31	8.00	21.13	-45.44	-13.00	-32.44	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.32	-33.81	7.20	12.56	-39.17	-13.00	-26.17	H
5262.33	-35.44	8.10	16.32	-43.66	-13.00	-30.66	H
7015.74	-33.03	8.00	21.13	-46.16	-13.00	-33.16	H
3508.32	-34.82	7.20	12.56	-40.18	-13.00	-27.18	V
5262.33	-35.07	8.10	16.32	-43.29	-13.00	-30.29	V
7015.74	-32.38	8.00	21.13	-45.51	-13.00	-32.51	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.08	-34.48	7.20	12.56	-39.84	-13.00	-26.84	H
5131.90	-35.39	8.10	16.32	-43.61	-13.00	-30.61	H
6842.60	-32.74	8.00	21.13	-45.87	-13.00	-32.87	H
3421.08	-35.42	7.20	12.56	-40.78	-13.00	-27.78	V
5131.90	-34.17	8.10	16.32	-42.39	-13.00	-29.39	V
6842.60	-32.46	8.00	21.13	-45.59	-13.00	-32.59	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.75	-34.39	7.20	12.56	-39.75	-13.00	-26.75	H
5196.64	-35.32	8.10	16.32	-43.54	-13.00	-30.54	H
6929.71	-33.55	8.00	21.13	-46.68	-13.00	-33.68	H
3464.75	-34.65	7.20	12.56	-40.01	-13.00	-27.01	V
5196.64	-34.43	8.10	16.32	-42.65	-13.00	-29.65	V
6929.71	-32.09	8.00	21.13	-45.22	-13.00	-32.22	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.15	-34.54	7.20	12.56	-39.90	-13.00	-26.90	H
5261.56	-34.04	8.10	16.32	-42.26	-13.00	-29.26	H
7012.58	-33.51	8.00	21.13	-46.64	-13.00	-33.64	H
3506.15	-35.51	7.20	12.56	-40.87	-13.00	-27.87	V
5261.56	-34.39	8.10	16.32	-42.61	-13.00	-29.61	V
7012.58	-32.49	8.00	21.13	-45.62	-13.00	-32.62	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.03	-34.10	7.20	12.56	-39.46	-13.00	-26.46	H
5137.09	-34.70	8.10	16.32	-42.92	-13.00	-29.92	H
6849.70	-32.60	8.00	21.13	-45.73	-13.00	-32.73	H
3425.03	-35.11	7.20	12.56	-40.47	-13.00	-27.47	V
5137.09	-34.29	8.10	16.32	-42.51	-13.00	-29.51	V
6849.70	-32.42	8.00	21.13	-45.55	-13.00	-32.55	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.39	-34.69	7.20	12.56	-40.05	-13.00	-27.05	H
5196.97	-34.29	8.10	16.32	-42.51	-13.00	-29.51	H
6929.70	-33.26	8.00	21.13	-46.39	-13.00	-33.39	H
3464.39	-35.38	7.20	12.56	-40.74	-13.00	-27.74	V
5196.97	-34.68	8.10	16.32	-42.90	-13.00	-29.90	V
6929.70	-32.09	8.00	21.13	-45.22	-13.00	-32.22	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.14	-33.49	7.20	12.56	-38.85	-13.00	-25.85	H
5256.76	-35.11	8.10	16.32	-43.33	-13.00	-30.33	H
7010.03	-33.40	8.00	21.13	-46.53	-13.00	-33.53	H
3505.14	-35.95	7.20	12.56	-41.31	-13.00	-28.31	V
5256.76	-34.07	8.10	16.32	-42.29	-13.00	-29.29	V
7010.03	-32.67	8.00	21.13	-45.80	-13.00	-32.80	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.74	-34.04	7.20	12.56	-39.40	-13.00	-26.40	H
5145.04	-34.23	8.10	16.32	-42.45	-13.00	-29.45	H
6860.42	-33.23	8.00	21.13	-46.36	-13.00	-33.36	H
3429.74	-35.48	7.20	12.56	-40.84	-13.00	-27.84	V
5145.04	-34.04	8.10	16.32	-42.26	-13.00	-29.26	V
6860.42	-32.90	8.00	21.13	-46.03	-13.00	-33.03	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.70	-33.77	7.20	12.56	-39.13	-13.00	-26.13	H
5196.79	-34.68	8.10	16.32	-42.90	-13.00	-29.90	H
6929.82	-33.62	8.00	21.13	-46.75	-13.00	-33.75	H
3464.70	-35.63	7.20	12.56	-40.99	-13.00	-27.99	V
5196.79	-34.66	8.10	16.32	-42.88	-13.00	-29.88	V
6929.82	-32.42	8.00	21.13	-45.55	-13.00	-32.55	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.44	-33.54	7.20	12.56	-38.90	-13.00	-25.90	H
5250.34	-34.49	8.10	16.32	-42.71	-13.00	-29.71	H
6999.90	-32.24	8.00	21.13	-45.37	-13.00	-32.37	H
3500.44	-34.81	7.20	12.56	-40.17	-13.00	-27.17	V
5250.34	-33.91	8.10	16.32	-42.13	-13.00	-29.13	V
6999.90	-32.71	8.00	21.13	-45.84	-13.00	-32.84	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.61	-34.90	7.20	12.56	-40.26	-13.00	-27.26	H
5152.53	-34.06	8.10	16.32	-42.28	-13.00	-29.28	H
6870.35	-33.56	8.00	21.13	-46.69	-13.00	-33.69	H
3434.61	-34.64	7.20	12.56	-40.00	-13.00	-27.00	V
5152.53	-34.75	8.10	16.32	-42.97	-13.00	-29.97	V
6870.35	-32.25	8.00	21.13	-45.38	-13.00	-32.38	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.87	-34.59	7.20	12.56	-39.95	-13.00	-26.95	H
5196.63	-34.36	8.10	16.32	-42.58	-13.00	-29.58	H
6930.14	-32.16	8.00	21.13	-45.29	-13.00	-32.29	H
3464.87	-34.74	7.20	12.56	-40.10	-13.00	-27.10	V
5196.63	-34.49	8.10	16.32	-42.71	-13.00	-29.71	V
6930.14	-32.51	8.00	21.13	-45.64	-13.00	-32.64	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.47	-34.72	7.20	12.56	-40.08	-13.00	-27.08	H
5242.09	-35.17	8.10	16.32	-43.39	-13.00	-30.39	H
6990.25	-32.63	8.00	21.13	-45.76	-13.00	-32.76	H
3495.47	-35.18	7.20	12.56	-40.54	-13.00	-27.54	V
5242.09	-34.53	8.10	16.32	-42.75	-13.00	-29.75	V
6990.25	-31.84	8.00	21.13	-44.97	-13.00	-31.97	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.34	-33.73	7.20	12.56	-39.09	-13.00	-26.09	H
5160.20	-34.46	8.10	16.32	-42.68	-13.00	-29.68	H
6880.51	-33.63	8.00	21.13	-46.76	-13.00	-33.76	H
3440.34	-35.68	7.20	12.56	-41.04	-13.00	-28.04	V
5160.20	-34.93	8.10	16.32	-43.15	-13.00	-30.15	V
6880.51	-31.72	8.00	21.13	-44.85	-13.00	-31.85	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.87	-33.92	7.20	12.56	-39.28	-13.00	-26.28	H
5196.70	-34.16	8.10	16.32	-42.38	-13.00	-29.38	H
6929.55	-32.66	8.00	21.13	-45.79	-13.00	-32.79	H
3464.87	-34.75	7.20	12.56	-40.11	-13.00	-27.11	V
5196.70	-34.61	8.10	16.32	-42.83	-13.00	-29.83	V
6929.55	-32.32	8.00	21.13	-45.45	-13.00	-32.45	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.43	-34.13	7.20	12.56	-39.49	-13.00	-26.49	H
5235.19	-34.08	8.10	16.32	-42.30	-13.00	-29.30	H
6979.66	-33.46	8.00	21.13	-46.59	-13.00	-33.59	H
3490.43	-36.00	7.20	12.56	-41.36	-13.00	-28.36	V
5235.19	-34.66	8.10	16.32	-42.88	-13.00	-29.88	V
6979.66	-32.90	8.00	21.13	-46.03	-13.00	-33.03	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.71	-34.87	7.40	9.72	-37.19	-13.00	-24.19	H
2473.59	-34.68	8.25	10.86	-37.29	-13.00	-24.29	H
3298.47	-33.52	7.20	11.57	-37.89	-13.00	-24.89	H
1648.71	-35.53	7.40	9.72	-37.85	-13.00	-24.85	V
2473.59	-34.92	8.25	10.86	-37.53	-13.00	-24.53	V
3298.47	-32.24	7.20	11.57	-36.61	-13.00	-23.61	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.64	-33.66	7.40	9.72	-35.98	-13.00	-22.98	H
2509.39	-34.52	8.25	10.86	-37.13	-13.00	-24.13	H
3345.42	-32.82	7.20	11.57	-37.19	-13.00	-24.19	H
1672.64	-35.47	7.40	9.72	-37.79	-13.00	-24.79	V
2509.39	-34.19	8.25	10.86	-36.80	-13.00	-23.80	V
3345.42	-33.06	7.20	11.57	-37.43	-13.00	-24.43	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.01	-34.71	7.40	9.72	-37.03	-13.00	-24.03	H
2544.49	-34.33	8.25	10.86	-36.94	-13.00	-23.94	H
3393.08	-33.22	7.20	11.57	-37.59	-13.00	-24.59	H
1696.01	-34.82	7.40	9.72	-37.14	-13.00	-24.14	V
2544.49	-34.05	8.25	10.86	-36.66	-13.00	-23.66	V
3393.08	-32.14	7.20	11.57	-36.51	-13.00	-23.51	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.19	-34.65	7.40	9.72	-36.97	-13.00	-23.97	H
2475.72	-34.62	8.25	10.86	-37.23	-13.00	-24.23	H
3301.40	-32.89	7.20	11.57	-37.26	-13.00	-24.26	H
1650.19	-35.09	7.40	9.72	-37.41	-13.00	-24.41	V
2475.72	-33.90	8.25	10.86	-36.51	-13.00	-23.51	V
3301.40	-33.09	7.20	11.57	-37.46	-13.00	-24.46	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.15	-33.50	7.40	9.72	-35.82	-13.00	-22.82	H
2509.01	-34.19	8.25	10.86	-36.80	-13.00	-23.80	H
3345.62	-32.16	7.20	11.57	-36.53	-13.00	-23.53	H
1672.15	-35.69	7.40	9.72	-38.01	-13.00	-25.01	V
2509.01	-34.28	8.25	10.86	-36.89	-13.00	-23.89	V
3345.62	-33.19	7.20	11.57	-37.56	-13.00	-24.56	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.29	-34.46	7.40	9.72	-36.78	-13.00	-23.78	H
2542.06	-34.86	8.25	10.86	-37.47	-13.00	-24.47	H
3389.26	-32.79	7.20	11.57	-37.16	-13.00	-24.16	H
1694.29	-35.60	7.40	9.72	-37.92	-13.00	-24.92	V
2542.06	-34.30	8.25	10.86	-36.91	-13.00	-23.91	V
3389.26	-33.05	7.20	11.57	-37.42	-13.00	-24.42	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.32	-34.83	9.56	9.72	-34.99	-13.00	-21.99	H
2478.91	-34.34	10.50	10.86	-34.70	-13.00	-21.70	H
3305.57	-32.43	12.78	11.57	-31.22	-13.00	-18.22	H
1652.32	-35.05	9.56	9.72	-35.21	-13.00	-22.21	V
2478.91	-34.03	10.50	10.86	-34.39	-13.00	-21.39	V
3305.57	-32.77	12.78	11.57	-31.56	-13.00	-18.56	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.45	-34.58	7.40	9.72	-36.90	-13.00	-23.90	H
2508.58	-35.18	8.25	10.86	-37.79	-13.00	-24.79	H
3345.27	-33.62	7.20	11.57	-37.99	-13.00	-24.99	H
1672.45	-34.91	7.40	9.72	-37.23	-13.00	-24.23	V
2508.58	-34.01	8.25	10.86	-36.62	-13.00	-23.62	V
3345.27	-32.25	7.20	11.57	-36.62	-13.00	-23.62	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.21	-34.85	7.40	9.72	-37.17	-13.00	-24.17	H
2538.98	-35.08	8.25	10.86	-37.69	-13.00	-24.69	H
3385.84	-33.42	7.20	11.57	-37.79	-13.00	-24.79	H
1692.21	-34.68	7.40	9.72	-37.00	-13.00	-24.00	V
2538.98	-34.14	8.25	10.86	-36.75	-13.00	-23.75	V
3385.84	-32.87	7.20	11.57	-37.24	-13.00	-24.24	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.63	-34.15	7.40	9.72	-36.47	-13.00	-23.47	H
2486.25	-35.27	8.25	10.86	-37.88	-13.00	-24.88	H
3315.29	-32.74	7.20	11.57	-37.11	-13.00	-24.11	H
1657.63	-35.18	7.40	9.72	-37.50	-13.00	-24.50	V
2486.25	-33.77	8.25	10.86	-36.38	-13.00	-23.38	V
3315.29	-32.93	7.20	11.57	-37.30	-13.00	-24.30	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.47	-33.45	7.40	9.72	-35.77	-13.00	-22.77	H
2508.78	-35.04	8.25	10.86	-37.65	-13.00	-24.65	H
3345.50	-32.83	7.20	11.57	-37.20	-13.00	-24.20	H
1672.47	-35.29	7.40	9.72	-37.61	-13.00	-24.61	V
2508.78	-34.69	8.25	10.86	-37.30	-13.00	-24.30	V
3345.50	-32.01	7.20	11.57	-36.38	-13.00	-23.38	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.58	-33.59	7.40	9.72	-35.91	-13.00	-22.91	H
2531.65	-34.51	8.25	10.86	-37.12	-13.00	-24.12	H
3375.40	-33.18	7.20	11.57	-37.55	-13.00	-24.55	H
1687.58	-35.08	7.40	9.72	-37.40	-13.00	-24.40	V
2531.65	-34.54	8.25	10.86	-37.15	-13.00	-24.15	V
3375.40	-31.91	7.20	11.57	-36.28	-13.00	-23.28	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.30	-33.90	8.00	15.86	-41.76	-25.00	-16.76	H
7507.78	-34.63	8.10	19.28	-45.81	-25.00	-20.81	H
10010.21	-32.60	8.10	23.19	-47.69	-25.00	-22.69	H
5005.30	-34.52	8.00	15.86	-42.38	-25.00	-17.38	V
7507.78	-34.03	8.10	19.28	-45.21	-25.00	-20.21	V
10010.21	-32.30	8.10	23.19	-47.39	-25.00	-22.39	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.85	-33.92	8.00	15.86	-41.78	-25.00	-16.78	H
7604.76	-34.78	8.10	19.28	-45.96	-25.00	-20.96	H
10140.02	-33.39	8.10	23.19	-48.48	-25.00	-23.48	H
5069.85	-35.49	8.00	15.86	-43.35	-25.00	-18.35	V
7604.76	-33.77	8.10	19.28	-44.95	-25.00	-19.95	V
10140.02	-32.55	8.10	23.19	-47.64	-25.00	-22.64	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.54	-34.54	8.00	15.86	-42.40	-25.00	-17.40	H
7701.17	-34.13	8.10	19.28	-45.31	-25.00	-20.31	H
10268.03	-32.38	8.10	23.19	-47.47	-25.00	-22.47	H
5133.54	-34.62	8.00	15.86	-42.48	-25.00	-17.48	V
7701.17	-34.26	8.10	19.28	-45.44	-25.00	-20.44	V
10268.03	-31.71	8.10	23.19	-46.80	-25.00	-21.80	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.30	-33.90	8.00	15.86	-41.76	-25.00	-16.76	H
7507.78	-34.63	8.10	19.28	-45.81	-25.00	-20.81	H
10010.21	-32.60	8.10	23.19	-47.69	-25.00	-22.69	H
5005.30	-34.52	8.00	15.86	-42.38	-25.00	-17.38	V
7507.78	-34.03	8.10	19.28	-45.21	-25.00	-20.21	V
10010.21	-32.30	8.10	23.19	-47.39	-25.00	-22.39	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.85	-33.92	8.00	15.86	-41.78	-25.00	-16.78	H
7604.76	-34.78	8.10	19.28	-45.96	-25.00	-20.96	H
10140.02	-33.39	8.10	23.19	-48.48	-25.00	-23.48	H
5069.85	-35.49	8.00	15.86	-43.35	-25.00	-18.35	V
7604.76	-33.77	8.10	19.28	-44.95	-25.00	-19.95	V
10140.02	-32.55	8.10	23.19	-47.64	-25.00	-22.64	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.54	-34.54	8.00	15.86	-42.40	-25.00	-17.40	H
7701.17	-34.13	8.10	19.28	-45.31	-25.00	-20.31	H
10268.03	-32.38	8.10	23.19	-47.47	-25.00	-22.47	H
5133.54	-34.62	8.00	15.86	-42.48	-25.00	-17.48	V
7701.17	-34.26	8.10	19.28	-45.44	-25.00	-20.44	V
10268.03	-31.71	8.10	23.19	-46.80	-25.00	-21.80	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.10	-34.56	8.00	15.86	-42.42	-25.00	-17.42	H
7515.39	-35.21	8.10	19.28	-46.39	-25.00	-21.39	H
10020.71	-33.21	8.10	23.19	-48.30	-25.00	-23.30	H
5010.10	-35.17	8.00	15.86	-43.03	-25.00	-18.03	V
7515.39	-34.34	8.10	19.28	-45.52	-25.00	-20.52	V
10020.71	-32.87	8.10	23.19	-47.96	-25.00	-22.96	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.90	-34.46	8.00	15.86	-42.32	-25.00	-17.32	H
7604.82	-34.92	8.10	19.28	-46.10	-25.00	-21.10	H
10139.56	-32.96	8.10	23.19	-48.05	-25.00	-23.05	H
5069.90	-35.57	8.00	15.86	-43.43	-25.00	-18.43	V
7604.82	-35.06	8.10	19.28	-46.24	-25.00	-21.24	V
10139.56	-32.99	8.10	23.19	-48.08	-25.00	-23.08	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.28	-34.77	8.00	15.86	-42.63	-25.00	-17.63	H
7694.12	-34.26	8.10	19.28	-45.44	-25.00	-20.44	H
10258.59	-32.75	8.10	23.19	-47.84	-25.00	-22.84	H
5129.28	-34.58	8.00	15.86	-42.44	-25.00	-17.44	V
7694.12	-34.08	8.10	19.28	-45.26	-25.00	-20.26	V
10258.59	-31.90	8.10	23.19	-46.99	-25.00	-21.99	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.66	-34.62	8.00	15.86	-42.48	-25.00	-17.48	H
7523.84	-34.11	8.10	19.28	-45.29	-25.00	-20.29	H
10031.77	-32.45	8.10	23.19	-47.54	-25.00	-22.54	H
5015.66	-35.25	8.00	15.86	-43.11	-25.00	-18.11	V
7523.84	-34.14	8.10	19.28	-45.32	-25.00	-20.32	V
10031.77	-33.15	8.10	23.19	-48.24	-25.00	-23.24	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.04	-34.71	8.00	15.86	-42.57	-25.00	-17.57	H
7605.08	-35.33	8.10	19.28	-46.51	-25.00	-21.51	H
10139.63	-33.13	8.10	23.19	-48.22	-25.00	-23.22	H
5070.04	-35.63	8.00	15.86	-43.49	-25.00	-18.49	V
7605.08	-34.69	8.10	19.28	-45.87	-25.00	-20.87	V
10139.63	-33.01	8.10	23.19	-48.10	-25.00	-23.10	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.50	-33.62	8.00	15.86	-41.48	-25.00	-16.48	H
7523.89	-34.41	8.10	19.28	-45.59	-25.00	-20.59	H
10032.08	-33.48	8.10	23.19	-48.57	-25.00	-23.57	H
5123.50	-34.76	8.00	15.86	-42.62	-25.00	-17.62	V
7523.89	-34.20	8.10	19.28	-45.38	-25.00	-20.38	V
10032.08	-31.91	8.10	23.19	-47.00	-25.00	-22.00	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.06	-33.90	8.00	15.86	-41.76	-25.00	-16.76	H
7530.98	-34.81	8.10	19.28	-45.99	-25.00	-20.99	H
10258.95	-33.35	8.10	23.19	-48.44	-25.00	-23.44	H
5021.06	-35.24	8.00	15.86	-43.10	-25.00	-18.10	V
7530.98	-35.07	8.10	19.28	-46.25	-25.00	-21.25	V
10258.95	-32.92	8.10	23.19	-48.01	-25.00	-23.01	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.93	-34.53	8.00	15.86	-42.39	-25.00	-17.39	H
7604.71	-34.19	8.10	19.28	-45.37	-25.00	-20.37	H
10140.05	-32.21	8.10	23.19	-47.30	-25.00	-22.30	H
5069.93	-35.19	8.00	15.86	-43.05	-25.00	-18.05	V
7604.71	-34.54	8.10	19.28	-45.72	-25.00	-20.72	V
10140.05	-32.64	8.10	23.19	-47.73	-25.00	-22.73	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.61	-33.97	8.00	15.86	-41.83	-25.00	-16.83	H
7678.08	-35.26	8.10	19.28	-46.44	-25.00	-21.44	H
10237.64	-33.09	8.10	23.19	-48.18	-25.00	-23.18	H
5118.61	-35.93	8.00	15.86	-43.79	-25.00	-18.79	V
7678.08	-35.00	8.10	19.28	-46.18	-25.00	-21.18	V
10237.64	-32.49	8.10	23.19	-47.58	-25.00	-22.58	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.14	-34.75	8.17	9.34	-35.92	-13.00	-22.92	H
2120.66	-35.25	9.53	10.42	-36.14	-13.00	-23.14	H
2826.64	-32.62	11.27	11.12	-32.47	-13.00	-19.47	H
1413.14	-35.87	8.17	9.34	-37.04	-13.00	-24.04	V
2120.66	-33.94	9.53	10.42	-34.83	-13.00	-21.83	V
2826.64	-31.83	11.27	11.12	-31.68	-13.00	-18.68	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.88	-33.64	8.17	9.34	-34.81	-13.00	-21.81	H
2130.07	-35.13	9.53	10.42	-36.02	-13.00	-23.02	H
2839.85	-32.90	11.27	11.12	-32.75	-13.00	-19.75	H
1419.88	-35.05	8.17	9.34	-36.22	-13.00	-23.22	V
2130.07	-33.82	9.53	10.42	-34.71	-13.00	-21.71	V
2839.85	-32.44	11.27	11.12	-32.29	-13.00	-19.29	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1425.95	-34.77	8.17	9.34	-35.94	-13.00	-22.94	H
2139.12	-34.75	9.53	10.42	-35.64	-13.00	-22.64	H
2852.70	-33.10	11.27	11.12	-32.95	-13.00	-19.95	H
1425.95	-35.81	8.17	9.34	-36.98	-13.00	-23.98	V
2139.12	-33.86	9.53	10.42	-34.75	-13.00	-21.75	V
2852.70	-32.74	11.27	11.12	-32.59	-13.00	-19.59	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.15	-34.69	8.17	9.34	-35.86	-13.00	-22.86	H
2127.31	-34.99	9.53	10.42	-35.88	-13.00	-22.88	H
2836.81	-32.83	11.27	11.12	-32.68	-13.00	-19.68	H
1418.15	-35.72	8.17	9.34	-36.89	-13.00	-23.89	V
2127.31	-34.68	9.53	10.42	-35.57	-13.00	-22.57	V
2836.81	-31.96	11.27	11.12	-31.81	-13.00	-18.81	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.19	-34.51	8.17	9.34	-35.68	-13.00	-22.68	H
2130.17	-34.87	9.53	10.42	-35.76	-13.00	-22.76	H
2839.83	-33.22	11.27	11.12	-33.07	-13.00	-20.07	H
1420.19	-34.72	8.17	9.34	-35.89	-13.00	-22.89	V
2130.17	-34.36	9.53	10.42	-35.25	-13.00	-22.25	V
2839.83	-31.81	11.27	11.12	-31.66	-13.00	-18.66	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.38	-33.57	8.17	9.34	-34.74	-13.00	-21.74	H
2132.07	-34.56	9.53	10.42	-35.45	-13.00	-22.45	H
2842.82	-33.48	11.27	11.12	-33.33	-13.00	-20.33	H
1421.38	-35.76	8.17	9.34	-36.93	-13.00	-23.93	V
2132.07	-35.08	9.53	10.42	-35.97	-13.00	-22.97	V
2842.82	-33.03	11.27	11.12	-32.88	-13.00	-19.88	V

*****END OF THE REPORT*****