



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: Tea Pro Magnetic Headphone Amplifier

Test Model: K1017

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.945	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.957	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.957	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.329	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.323	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.336	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.331	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.301	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District,
Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	1.30	21	Pass
NVNT	1-DH5	2441	Ant1	1.07	21	Pass
NVNT	1-DH5	2480	Ant1	0.81	21	Pass
NVNT	2-DH5	2402	Ant1	3.67	21	Pass
NVNT	2-DH5	2441	Ant1	3.47	21	Pass
NVNT	2-DH5	2480	Ant1	3.19	21	Pass
NVNT	3-DH5	2402	Ant1	4.25	21	Pass
NVNT	3-DH5	2441	Ant1	4.07	21	Pass
NVNT	3-DH5	2480	Ant1	3.77	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.174	2403.006	0.832	0.63	Pass
NVNT	2-DH5	Ant1	2401.85	2403.162	1.312	0.886	Pass
NVNT	3-DH5	Ant1	2402.192	2403.164	0.972	0.025	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.886	308.802	107	31600	400	Pass
NVNT	2-DH5	2402	Ant1	1.525	167.75	110	31600	400	Pass
NVNT	3-DH5	2402	Ant1	1.068	105.732	99	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District,
Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District,
Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-52.78	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.99	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-50.33	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.77	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.14	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-52.94	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-56.65	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.64	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-56.24	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.59	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-57.25	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.64	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District,
Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.84	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.18	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.62	-20	Pass
NVNT	2-DH5	2402	Ant1	-56.1	-20	Pass
NVNT	2-DH5	2441	Ant1	-55.55	-20	Pass
NVNT	2-DH5	2480	Ant1	-55.89	-20	Pass
NVNT	3-DH5	2402	Ant1	-56.1	-20	Pass
NVNT	3-DH5	2441	Ant1	-56.33	-20	Pass
NVNT	3-DH5	2480	Ant1	-55.7	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.09	1.13	0.35
NVNT	1-DH5	2441	Ant1	77.07	1.13	0.35
NVNT	1-DH5	2480	Ant1	77.09	1.13	0.35
NVNT	2-DH5	2402	Ant1	40.75	3.9	0.65
NVNT	2-DH5	2441	Ant1	40.8	3.89	0.65
NVNT	2-DH5	2480	Ant1	40.75	3.9	0.65
NVNT	3-DH5	2402	Ant1	28.59	5.44	0.93
NVNT	3-DH5	2441	Ant1	28.59	5.44	0.93
NVNT	3-DH5	2480	Ant1	28.59	5.44	0.93




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District,
Shenzhen, 518000, P.R.C.
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.16	2	-	48.1	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.62	2	1.13	39.77	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2321.712	-47.8	2	-	49.46	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.872	-56.93	2	1.13	41.46	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.66	2	-	47.6	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.18	2	1.13	41.21	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.94	2	-	48.32	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-56.32	2	1.13	42.07	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.584	-40.71	2	-	56.55	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.016	-55.2	2	1.13	43.19	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.79	2	-	47.47	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.17	2	1.13	40.22	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.6	2	-	45.66	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.18	2	3.9	41.98	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2337.36	-47.27	2	-	49.99	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2389.68	-57.27	2	3.9	43.89	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.36	2	-	46.9	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.61	2	3.9	43.55	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.04	2	-	48.22	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.31	2	3.9	44.85	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.56	-45.45	2	-	51.81	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.64	-56.06	2	3.9	45.1	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.07	2	-	49.19	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.99	2	3.9	43.17	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-48.6	2	-	48.66	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.93	2	5.44	43.77	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2389.968	-47.32	2	-	49.94	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2383.824	-57.69	2	5.44	45.01	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-47.32	2	-	49.94	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.1	2	5.44	44.6	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-42.88	2	-	54.38	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-56.07	2	5.44	46.63	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.584	-41.56	2	-	55.7	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.752	-55.54	2	5.44	47.16	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.84	2	-	48.42	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.01	2	5.44	44.69	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei Shajing Street, Baoan District, Shenzhen, 518000, P.R.C.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity