

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.47	1.90	24.37	<=33.01	Pass
			2	22.55	1.90	24.45	<=33.01	Pass
			5	22.44	1.90	24.34	<=33.01	Pass
		3	0	22.52	1.90	24.42	<=33.01	Pass
			2	22.53	1.90	24.43	<=33.01	Pass
			3	22.47	1.90	24.37	<=33.01	Pass
		6	0	21.52	1.90	23.42	<=33.01	Pass
	1882.5	1	0	22.70	1.90	24.60	<=33.01	Pass
			2	22.76	1.90	24.66	<=33.01	Pass
			5	22.83	1.90	24.73	<=33.01	Pass
		3	0	22.88	1.90	24.78	<=33.01	Pass
			2	22.92	1.90	24.82	<=33.01	Pass
			3	22.87	1.90	24.77	<=33.01	Pass
		6	0	21.94	1.90	23.84	<=33.01	Pass
	1914.3	1	0	23.26	1.90	25.16	<=33.01	Pass
			2	23.26	1.90	25.16	<=33.01	Pass
			5	23.26	1.90	25.16	<=33.01	Pass
		3	0	23.27	1.90	25.17	<=33.01	Pass
			2	23.38	1.90	25.28	<=33.01	Pass
			3	23.31	1.90	25.21	<=33.01	Pass
		6	0	22.29	1.90	24.19	<=33.01	Pass
16QAM	1850.7	1	0	21.61	1.90	23.51	<=33.01	Pass
			2	21.58	1.90	23.48	<=33.01	Pass
			5	21.58	1.90	23.48	<=33.01	Pass
		3	0	21.50	1.90	23.40	<=33.01	Pass
			2	21.43	1.90	23.33	<=33.01	Pass
			3	21.32	1.90	23.22	<=33.01	Pass
		6	0	20.57	1.90	22.47	<=33.01	Pass
	1882.5	1	0	21.56	1.90	23.46	<=33.01	Pass
			2	22.09	1.90	23.99	<=33.01	Pass
			5	22.11	1.90	24.01	<=33.01	Pass
		3	0	21.92	1.90	23.82	<=33.01	Pass
			2	21.95	1.90	23.85	<=33.01	Pass
			3	21.98	1.90	23.88	<=33.01	Pass
		6	0	21.02	1.90	22.92	<=33.01	Pass
	1914.3	1	0	22.50	1.90	24.40	<=33.01	Pass
			2	22.11	1.90	24.01	<=33.01	Pass
			5	22.26	1.90	24.16	<=33.01	Pass
		3	0	22.38	1.90	24.28	<=33.01	Pass
			2	22.32	1.90	24.22	<=33.01	Pass
			3	22.19	1.90	24.09	<=33.01	Pass
		6	0	21.36	1.90	23.26	<=33.01	Pass
64QAM	1850.7	1	0	20.68	1.90	22.58	<=33.01	Pass
			2	20.59	1.90	22.49	<=33.01	Pass
			5	20.44	1.90	22.34	<=33.01	Pass
		3	0	20.61	1.90	22.51	<=33.01	Pass
			2	20.57	1.90	22.47	<=33.01	Pass
			3	20.52	1.90	22.42	<=33.01	Pass
		6	0	19.49	1.90	21.39	<=33.01	Pass

	1882.5	1	0	20.87	1.90	22.77	<=33.01	Pass
			2	20.88	1.90	22.78	<=33.01	Pass
			5	20.87	1.90	22.77	<=33.01	Pass
		3	0	20.97	1.90	22.87	<=33.01	Pass
			2	21.02	1.90	22.92	<=33.01	Pass
			3	21.13	1.90	23.03	<=33.01	Pass
		6	0	19.92	1.90	21.82	<=33.01	Pass
	1914.3	1	0	21.08	1.90	22.98	<=33.01	Pass
			2	21.07	1.90	22.97	<=33.01	Pass
			5	21.40	1.90	23.30	<=33.01	Pass
		3	0	21.34	1.90	23.24	<=33.01	Pass
			2	21.47	1.90	23.37	<=33.01	Pass
			3	21.45	1.90	23.35	<=33.01	Pass
		6	0	20.23	1.90	22.13	<=33.01	Pass
256QAM	1850.7	1	0	17.66	1.90	19.56	<=33.01	Pass
			2	17.78	1.90	19.68	<=33.01	Pass
			5	17.70	1.90	19.60	<=33.01	Pass
		3	0	17.82	1.90	19.72	<=33.01	Pass
			2	17.77	1.90	19.67	<=33.01	Pass
			3	17.79	1.90	19.69	<=33.01	Pass
		6	0	17.66	1.90	19.56	<=33.01	Pass
	1882.5	1	0	17.84	1.90	19.74	<=33.01	Pass
			2	17.90	1.90	19.80	<=33.01	Pass
			5	17.88	1.90	19.78	<=33.01	Pass
		3	0	17.94	1.90	19.84	<=33.01	Pass
			2	17.94	1.90	19.84	<=33.01	Pass
			3	17.99	1.90	19.89	<=33.01	Pass
		6	0	17.84	1.90	19.74	<=33.01	Pass
	1914.3	1	0	18.73	1.90	20.63	<=33.01	Pass
			2	18.75	1.90	20.65	<=33.01	Pass
			5	18.62	1.90	20.52	<=33.01	Pass
		3	0	18.55	1.90	20.45	<=33.01	Pass
			2	18.72	1.90	20.62	<=33.01	Pass
			3	18.75	1.90	20.65	<=33.01	Pass
		6	0	18.60	1.90	20.50	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	16.15	1.90	18.05	<=33.01	Pass
			7	22.55	1.90	24.45	<=33.01	Pass
			14	21.26	1.90	23.16	<=33.01	Pass
		8	0	16.07	1.90	17.97	<=33.01	Pass
			4	21.44	1.90	23.34	<=33.01	Pass
			7	21.48	1.90	23.38	<=33.01	Pass
		15	0	21.49	1.90	23.39	<=33.01	Pass
	1882.5	1	0	23.92	1.90	25.82	<=33.01	Pass
			7	24.15	1.90	26.05	<=33.01	Pass
			14	24.09	1.90	25.99	<=33.01	Pass
		8	0	23.10	1.90	25.00	<=33.01	Pass
			4	23.11	1.90	25.01	<=33.01	Pass
			7	23.15	1.90	25.05	<=33.01	Pass
		15	0	23.15	1.90	25.05	<=33.01	Pass
	1913.5	1	0	24.03	1.90	25.93	<=33.01	Pass

		8	7	23.75	1.90	25.65	<=33.01	Pass
			14	24.00	1.90	25.90	<=33.01	Pass
			0	23.06	1.90	24.96	<=33.01	Pass
			4	23.07	1.90	24.97	<=33.01	Pass
			7	23.04	1.90	24.94	<=33.01	Pass
		15	0	23.04	1.90	24.94	<=33.01	Pass
16QAM	1851.5	1	0	21.56	1.90	23.46	<=33.01	Pass
			7	21.51	1.90	23.41	<=33.01	Pass
			14	21.68	1.90	23.58	<=33.01	Pass
		8	0	20.46	1.90	22.36	<=33.01	Pass
			4	20.55	1.90	22.45	<=33.01	Pass
			7	20.58	1.90	22.48	<=33.01	Pass
		15	0	20.46	1.90	22.36	<=33.01	Pass
	1882.5	1	0	23.09	1.90	24.99	<=33.01	Pass
			7	23.22	1.90	25.12	<=33.01	Pass
			14	23.19	1.90	25.09	<=33.01	Pass
		8	0	22.17	1.90	24.07	<=33.01	Pass
			4	22.25	1.90	24.15	<=33.01	Pass
			7	22.23	1.90	24.13	<=33.01	Pass
		15	0	22.16	1.90	24.06	<=33.01	Pass
	1913.5	1	0	23.01	1.90	24.91	<=33.01	Pass
			7	22.30	1.90	24.20	<=33.01	Pass
			14	22.85	1.90	24.75	<=33.01	Pass
		8	0	22.19	1.90	24.09	<=33.01	Pass
			4	22.14	1.90	24.04	<=33.01	Pass
			7	22.15	1.90	24.05	<=33.01	Pass
		15	0	22.15	1.90	24.05	<=33.01	Pass
64QAM	1851.5	1	0	20.25	1.90	22.15	<=33.01	Pass
			7	20.61	1.90	22.51	<=33.01	Pass
			14	20.73	1.90	22.63	<=33.01	Pass
		8	0	19.54	1.90	21.44	<=33.01	Pass
			4	19.56	1.90	21.46	<=33.01	Pass
			7	19.53	1.90	21.43	<=33.01	Pass
		15	0	19.49	1.90	21.39	<=33.01	Pass
	1882.5	1	0	21.67	1.90	23.57	<=33.01	Pass
			7	21.65	1.90	23.55	<=33.01	Pass
			14	21.87	1.90	23.77	<=33.01	Pass
		8	0	21.22	1.90	23.12	<=33.01	Pass
			4	21.16	1.90	23.06	<=33.01	Pass
			7	21.21	1.90	23.11	<=33.01	Pass
		15	0	21.11	1.90	23.01	<=33.01	Pass
	1913.5	1	0	21.84	1.90	23.74	<=33.01	Pass
			7	21.82	1.90	23.72	<=33.01	Pass
			14	21.81	1.90	23.71	<=33.01	Pass
		8	0	21.18	1.90	23.08	<=33.01	Pass
			4	21.17	1.90	23.07	<=33.01	Pass
			7	21.06	1.90	22.96	<=33.01	Pass
		15	0	21.08	1.90	22.98	<=33.01	Pass
256QAM	1851.5	1	0	17.76	1.90	19.66	<=33.01	Pass
			7	17.73	1.90	19.63	<=33.01	Pass
			14	17.60	1.90	19.50	<=33.01	Pass
		8	0	17.72	1.90	19.62	<=33.01	Pass
			4	17.69	1.90	19.59	<=33.01	Pass
			7	17.31	1.90	19.21	<=33.01	Pass
		15	0	17.62	1.90	19.52	<=33.01	Pass
	1882.5	1	0	19.20	1.90	21.10	<=33.01	Pass
			7	18.86	1.90	20.76	<=33.01	Pass
			14	18.93	1.90	20.83	<=33.01	Pass
		8	0	19.13	1.90	21.03	<=33.01	Pass

			4	19.07	1.90	20.97	<=33.01	Pass
			7	19.01	1.90	20.91	<=33.01	Pass
		15	0	19.09	1.90	20.99	<=33.01	Pass
	1913.5	1	0	19.41	1.90	21.31	<=33.01	Pass
			7	19.34	1.90	21.24	<=33.01	Pass
			14	19.35	1.90	21.25	<=33.01	Pass
		8	0	19.50	1.90	21.40	<=33.01	Pass
			4	19.43	1.90	21.33	<=33.01	Pass
			7	19.41	1.90	21.31	<=33.01	Pass
		15	0	19.36	1.90	21.26	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	24.15	1.90	26.05	<=33.01	Pass
			13	24.09	1.90	25.99	<=33.01	Pass
			24	24.07	1.90	25.97	<=33.01	Pass
		12	0	23.00	1.90	24.90	<=33.01	Pass
			6	23.09	1.90	24.99	<=33.01	Pass
			13	23.09	1.90	24.99	<=33.01	Pass
		25	0	23.10	1.90	25.00	<=33.01	Pass
	1882.5	1	0	24.04	1.90	25.94	<=33.01	Pass
			13	24.27	1.90	26.17	<=33.01	Pass
			24	24.18	1.90	26.08	<=33.01	Pass
		12	0	23.15	1.90	25.05	<=33.01	Pass
			6	23.16	1.90	25.06	<=33.01	Pass
			13	23.12	1.90	25.02	<=33.01	Pass
		25	0	23.15	1.90	25.05	<=33.01	Pass
	1912.5	1	0	24.02	1.90	25.92	<=33.01	Pass
			13	23.96	1.90	25.86	<=33.01	Pass
			24	23.97	1.90	25.87	<=33.01	Pass
		12	0	23.10	1.90	25.00	<=33.01	Pass
			6	23.12	1.90	25.02	<=33.01	Pass
			13	23.08	1.90	24.98	<=33.01	Pass
		25	0	23.08	1.90	24.98	<=33.01	Pass
16QAM	1852.5	1	0	22.94	1.90	24.84	<=33.01	Pass
			13	22.95	1.90	24.85	<=33.01	Pass
			24	23.28	1.90	25.18	<=33.01	Pass
		12	0	22.03	1.90	23.93	<=33.01	Pass
			6	21.99	1.90	23.89	<=33.01	Pass
			13	21.97	1.90	23.87	<=33.01	Pass
		25	0	22.10	1.90	24.00	<=33.01	Pass
	1882.5	1	0	23.12	1.90	25.02	<=33.01	Pass
			13	22.65	1.90	24.55	<=33.01	Pass
			24	23.30	1.90	25.20	<=33.01	Pass
		12	0	22.03	1.90	23.93	<=33.01	Pass
			6	22.16	1.90	24.06	<=33.01	Pass
			13	22.17	1.90	24.07	<=33.01	Pass
		25	0	22.16	1.90	24.06	<=33.01	Pass
	1912.5	1	0	23.36	1.90	25.26	<=33.01	Pass
			13	23.15	1.90	25.05	<=33.01	Pass
			24	23.05	1.90	24.95	<=33.01	Pass
		12	0	22.09	1.90	23.99	<=33.01	Pass
			6	22.06	1.90	23.96	<=33.01	Pass

			13	22.05	1.90	23.95	<=33.01	Pass	
		25	0	22.11	1.90	24.01	<=33.01	Pass	
64QAM	1852.5	1	0	22.21	1.90	24.11	<=33.01	Pass	
			13	21.78	1.90	23.68	<=33.01	Pass	
			24	22.27	1.90	24.17	<=33.01	Pass	
			0	21.11	1.90	23.01	<=33.01	Pass	
		12	6	21.11	1.90	23.01	<=33.01	Pass	
			13	21.12	1.90	23.02	<=33.01	Pass	
			25	0	21.12	1.90	23.02	<=33.01	Pass
		1882.5	1	0	22.20	1.90	24.10	<=33.01	Pass
				13	22.25	1.90	24.15	<=33.01	Pass
				24	22.19	1.90	24.09	<=33.01	Pass
	0			21.17	1.90	23.07	<=33.01	Pass	
	12		6	21.16	1.90	23.06	<=33.01	Pass	
			13	21.18	1.90	23.08	<=33.01	Pass	
			25	0	21.14	1.90	23.04	<=33.01	Pass
	1912.5		1	0	22.15	1.90	24.05	<=33.01	Pass
		13		21.80	1.90	23.70	<=33.01	Pass	
		24		21.93	1.90	23.83	<=33.01	Pass	
		0		21.19	1.90	23.09	<=33.01	Pass	
		12	6	21.17	1.90	23.07	<=33.01	Pass	
			13	21.11	1.90	23.01	<=33.01	Pass	
			25	0	21.07	1.90	22.97	<=33.01	Pass
		256QAM	1852.5	1	0	19.34	1.90	21.24	<=33.01
	13				19.28	1.90	21.18	<=33.01	Pass
24	19.34				1.90	21.24	<=33.01	Pass	
12	0			19.27	1.90	21.17	<=33.01	Pass	
	6			19.27	1.90	21.17	<=33.01	Pass	
	13			19.33	1.90	21.23	<=33.01	Pass	
25	0			19.28	1.90	21.18	<=33.01	Pass	
1882.5	1		0	19.18	1.90	21.08	<=33.01	Pass	
			13	19.12	1.90	21.02	<=33.01	Pass	
			24	18.99	1.90	20.89	<=33.01	Pass	
	12		0	19.03	1.90	20.93	<=33.01	Pass	
			6	19.04	1.90	20.94	<=33.01	Pass	
			13	19.01	1.90	20.91	<=33.01	Pass	
	25		0	19.09	1.90	20.99	<=33.01	Pass	
1912.5	1		0	19.43	1.90	21.33	<=33.01	Pass	
			13	19.38	1.90	21.28	<=33.01	Pass	
			24	19.40	1.90	21.30	<=33.01	Pass	
	12		0	19.43	1.90	21.33	<=33.01	Pass	
			6	19.38	1.90	21.28	<=33.01	Pass	
			13	19.35	1.90	21.25	<=33.01	Pass	
	25		0	19.35	1.90	21.25	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	24.08	1.90	25.98	<=33.01	Pass
			25	24.10	1.90	26.00	<=33.01	Pass
			49	24.26	1.90	26.16	<=33.01	Pass
		25	0	23.09	1.90	24.99	<=33.01	Pass
			13	23.09	1.90	24.99	<=33.01	Pass
			25	23.10	1.90	25.00	<=33.01	Pass

		50	0	23.08	1.90	24.98	<=33.01	Pass
		1882.5	1	0	24.04	1.90	25.94	<=33.01
				25	24.21	1.90	26.11	<=33.01
				49	24.07	1.90	25.97	<=33.01
			25	0	23.12	1.90	25.02	<=33.01
				13	23.13	1.90	25.03	<=33.01
				25	23.12	1.90	25.02	<=33.01
		50	0	23.14	1.90	25.04	<=33.01	Pass
		1910	1	0	24.03	1.90	25.93	<=33.01
				25	24.00	1.90	25.90	<=33.01
				49	24.03	1.90	25.93	<=33.01
			25	0	23.16	1.90	25.06	<=33.01
				13	23.13	1.90	25.03	<=33.01
				25	23.05	1.90	24.95	<=33.01
		50	0	23.12	1.90	25.02	<=33.01	Pass
16QAM	1855	1	0	23.03	1.90	24.93	<=33.01	Pass
			25	23.27	1.90	25.17	<=33.01	Pass
			49	23.22	1.90	25.12	<=33.01	Pass
			0	22.05	1.90	23.95	<=33.01	Pass
		25	13	22.08	1.90	23.98	<=33.01	Pass
			25	22.11	1.90	24.01	<=33.01	Pass
		50	0	22.08	1.90	23.98	<=33.01	Pass
	1882.5	1	0	23.25	1.90	25.15	<=33.01	Pass
			25	23.30	1.90	25.20	<=33.01	Pass
			49	23.22	1.90	25.12	<=33.01	Pass
			0	22.14	1.90	24.04	<=33.01	Pass
		25	13	22.14	1.90	24.04	<=33.01	Pass
			25	22.13	1.90	24.03	<=33.01	Pass
		50	0	22.12	1.90	24.02	<=33.01	Pass
	1910	1	0	22.98	1.90	24.88	<=33.01	Pass
			25	23.14	1.90	25.04	<=33.01	Pass
			49	23.01	1.90	24.91	<=33.01	Pass
			0	22.16	1.90	24.06	<=33.01	Pass
		25	13	22.16	1.90	24.06	<=33.01	Pass
			25	22.09	1.90	23.99	<=33.01	Pass
		50	0	22.12	1.90	24.02	<=33.01	Pass
64QAM	1855	1	0	21.71	1.90	23.61	<=33.01	Pass
			25	21.78	1.90	23.68	<=33.01	Pass
			49	21.84	1.90	23.74	<=33.01	Pass
			0	21.05	1.90	22.95	<=33.01	Pass
		25	13	21.08	1.90	22.98	<=33.01	Pass
			25	21.10	1.90	23.00	<=33.01	Pass
		50	0	21.09	1.90	22.99	<=33.01	Pass
	1882.5	1	0	22.20	1.90	24.10	<=33.01	Pass
			25	21.85	1.90	23.75	<=33.01	Pass
			49	21.96	1.90	23.86	<=33.01	Pass
			0	21.11	1.90	23.01	<=33.01	Pass
		25	13	21.12	1.90	23.02	<=33.01	Pass
			25	21.13	1.90	23.03	<=33.01	Pass
		50	0	21.11	1.90	23.01	<=33.01	Pass
	1910	1	0	21.74	1.90	23.64	<=33.01	Pass
			25	21.92	1.90	23.82	<=33.01	Pass
			49	21.99	1.90	23.89	<=33.01	Pass
			0	21.10	1.90	23.00	<=33.01	Pass
		25	13	21.15	1.90	23.05	<=33.01	Pass
			25	21.07	1.90	22.97	<=33.01	Pass
		50	0	21.10	1.90	23.00	<=33.01	Pass
256QAM	1855	1	0	19.36	1.90	21.26	<=33.01	Pass
			25	19.27	1.90	21.17	<=33.01	Pass

			49	19.49	1.90	21.39	<=33.01	Pass
		25	0	19.24	1.90	21.14	<=33.01	Pass
			13	19.27	1.90	21.17	<=33.01	Pass
			25	19.29	1.90	21.19	<=33.01	Pass
			50	0	19.24	1.90	21.14	<=33.01
	1882.5	1	0	19.21	1.90	21.11	<=33.01	Pass
			25	19.05	1.90	20.95	<=33.01	Pass
			49	19.02	1.90	20.92	<=33.01	Pass
		25	0	19.12	1.90	21.02	<=33.01	Pass
			13	19.06	1.90	20.96	<=33.01	Pass
			25	18.98	1.90	20.88	<=33.01	Pass
		50	0	19.02	1.90	20.92	<=33.01	Pass
		1910	1	0	19.19	1.90	21.09	<=33.01
	25			19.21	1.90	21.11	<=33.01	Pass
	49			19.54	1.90	21.44	<=33.01	Pass
	25		0	19.25	1.90	21.15	<=33.01	Pass
			13	19.32	1.90	21.22	<=33.01	Pass
			25	19.31	1.90	21.21	<=33.01	Pass
	50		0	19.30	1.90	21.20	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	24.02	1.90	25.92	<=33.01	Pass
			38	24.14	1.90	26.04	<=33.01	Pass
			74	24.32	1.90	26.22	<=33.01	Pass
		36	0	23.09	1.90	24.99	<=33.01	Pass
			18	23.13	1.90	25.03	<=33.01	Pass
			39	23.19	1.90	25.09	<=33.01	Pass
		75	0	23.17	1.90	25.07	<=33.01	Pass
	1882.5	1	0	23.97	1.90	25.87	<=33.01	Pass
			38	24.16	1.90	26.06	<=33.01	Pass
			74	24.08	1.90	25.98	<=33.01	Pass
		36	0	23.16	1.90	25.06	<=33.01	Pass
			18	23.19	1.90	25.09	<=33.01	Pass
			39	23.18	1.90	25.08	<=33.01	Pass
		75	0	23.17	1.90	25.07	<=33.01	Pass
	1907.5	1	0	23.90	1.90	25.80	<=33.01	Pass
			38	24.09	1.90	25.99	<=33.01	Pass
			74	23.94	1.90	25.84	<=33.01	Pass
		36	0	23.11	1.90	25.01	<=33.01	Pass
			18	23.13	1.90	25.03	<=33.01	Pass
			39	23.11	1.90	25.01	<=33.01	Pass
		75	0	23.17	1.90	25.07	<=33.01	Pass
16QAM	1857.5	1	0	23.22	1.90	25.12	<=33.01	Pass
			38	22.82	1.90	24.72	<=33.01	Pass
			74	23.32	1.90	25.22	<=33.01	Pass
		36	0	22.08	1.90	23.98	<=33.01	Pass
			18	22.11	1.90	24.01	<=33.01	Pass
			39	22.17	1.90	24.07	<=33.01	Pass
		75	0	22.17	1.90	24.07	<=33.01	Pass
	1882.5	1	0	23.01	1.90	24.91	<=33.01	Pass
			38	23.25	1.90	25.15	<=33.01	Pass
			74	23.21	1.90	25.11	<=33.01	Pass

		36	0	22.16	1.90	24.06	<=33.01	Pass
			18	22.16	1.90	24.06	<=33.01	Pass
			39	22.16	1.90	24.06	<=33.01	Pass
		75	0	22.14	1.90	24.04	<=33.01	Pass
	1907.5	1	0	23.09	1.90	24.99	<=33.01	Pass
			38	23.21	1.90	25.11	<=33.01	Pass
			74	23.23	1.90	25.13	<=33.01	Pass
		36	0	22.13	1.90	24.03	<=33.01	Pass
			18	22.16	1.90	24.06	<=33.01	Pass
			39	22.12	1.90	24.02	<=33.01	Pass
		75	0	22.12	1.90	24.02	<=33.01	Pass
64QAM	1857.5	1	0	21.95	1.90	23.85	<=33.01	Pass
			38	21.86	1.90	23.76	<=33.01	Pass
			74	22.01	1.90	23.91	<=33.01	Pass
		36	0	21.11	1.90	23.01	<=33.01	Pass
			18	21.19	1.90	23.09	<=33.01	Pass
			39	21.19	1.90	23.09	<=33.01	Pass
		75	0	21.14	1.90	23.04	<=33.01	Pass
	1882.5	1	0	22.11	1.90	24.01	<=33.01	Pass
			38	22.11	1.90	24.01	<=33.01	Pass
			74	21.95	1.90	23.85	<=33.01	Pass
		36	0	21.20	1.90	23.10	<=33.01	Pass
			18	21.18	1.90	23.08	<=33.01	Pass
			39	21.20	1.90	23.10	<=33.01	Pass
		75	0	21.13	1.90	23.03	<=33.01	Pass
	1907.5	1	0	22.22	1.90	24.12	<=33.01	Pass
			38	21.59	1.90	23.49	<=33.01	Pass
			74	21.98	1.90	23.88	<=33.01	Pass
		36	0	21.15	1.90	23.05	<=33.01	Pass
			18	21.16	1.90	23.06	<=33.01	Pass
			39	21.15	1.90	23.05	<=33.01	Pass
		75	0	21.14	1.90	23.04	<=33.01	Pass
256QAM	1857.5	1	0	19.35	1.90	21.25	<=33.01	Pass
			38	19.39	1.90	21.29	<=33.01	Pass
			74	19.40	1.90	21.30	<=33.01	Pass
		36	0	19.24	1.90	21.14	<=33.01	Pass
			18	19.26	1.90	21.16	<=33.01	Pass
			39	19.32	1.90	21.22	<=33.01	Pass
		75	0	19.29	1.90	21.19	<=33.01	Pass
	1882.5	1	0	19.02	1.90	20.92	<=33.01	Pass
			38	19.16	1.90	21.06	<=33.01	Pass
			74	18.97	1.90	20.87	<=33.01	Pass
		36	0	19.13	1.90	21.03	<=33.01	Pass
			18	19.02	1.90	20.92	<=33.01	Pass
			39	19.00	1.90	20.90	<=33.01	Pass
		75	0	19.04	1.90	20.94	<=33.01	Pass
	1907.5	1	0	19.12	1.90	21.02	<=33.01	Pass
			38	19.28	1.90	21.18	<=33.01	Pass
			74	19.39	1.90	21.29	<=33.01	Pass
		36	0	19.16	1.90	21.06	<=33.01	Pass
			18	19.22	1.90	21.12	<=33.01	Pass
			39	19.32	1.90	21.22	<=33.01	Pass
		75	0	19.19	1.90	21.09	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1860	1	0	24.03	1.90	25.93	<=33.01	Pass		
			50	24.19	1.90	26.09	<=33.01	Pass		
			99	24.12	1.90	26.02	<=33.01	Pass		
		50	0	23.10	1.90	25.00	<=33.01	Pass		
			25	23.18	1.90	25.08	<=33.01	Pass		
			50	23.18	1.90	25.08	<=33.01	Pass		
		100	0	23.17	1.90	25.07	<=33.01	Pass		
		1882.5	1	0	23.95	1.90	25.85	<=33.01	Pass	
				50	24.11	1.90	26.01	<=33.01	Pass	
	99			24.01	1.90	25.91	<=33.01	Pass		
	50		0	23.16	1.90	25.06	<=33.01	Pass		
			25	23.19	1.90	25.09	<=33.01	Pass		
			50	23.17	1.90	25.07	<=33.01	Pass		
	100	0	23.17	1.90	25.07	<=33.01	Pass			
	1905	1	0	23.97	1.90	25.87	<=33.01	Pass		
			50	23.99	1.90	25.89	<=33.01	Pass		
			99	24.06	1.90	25.96	<=33.01	Pass		
		50	0	23.15	1.90	25.05	<=33.01	Pass		
			25	23.16	1.90	25.06	<=33.01	Pass		
			50	23.06	1.90	24.96	<=33.01	Pass		
		100	0	23.11	1.90	25.01	<=33.01	Pass		
		16QAM	1860	1	0	23.22	1.90	25.12	<=33.01	Pass
					50	23.24	1.90	25.14	<=33.01	Pass
	99				23.19	1.90	25.09	<=33.01	Pass	
50	0			22.03	1.90	23.93	<=33.01	Pass		
	25			22.07	1.90	23.97	<=33.01	Pass		
	50			22.09	1.90	23.99	<=33.01	Pass		
100	0			22.08	1.90	23.98	<=33.01	Pass		
1882.5	1		0	23.13	1.90	25.03	<=33.01	Pass		
			50	23.32	1.90	25.22	<=33.01	Pass		
			99	23.19	1.90	25.09	<=33.01	Pass		
	50		0	22.20	1.90	24.10	<=33.01	Pass		
			25	22.21	1.90	24.11	<=33.01	Pass		
			50	22.18	1.90	24.08	<=33.01	Pass		
100	0		22.16	1.90	24.06	<=33.01	Pass			
1905	1		0	23.36	1.90	25.26	<=33.01	Pass		
			50	23.03	1.90	24.93	<=33.01	Pass		
			99	23.10	1.90	25.00	<=33.01	Pass		
	50		0	22.13	1.90	24.03	<=33.01	Pass		
			25	22.07	1.90	23.97	<=33.01	Pass		
			50	22.06	1.90	23.96	<=33.01	Pass		
	100		0	22.01	1.90	23.91	<=33.01	Pass		
	64QAM		1860	1	0	22.18	1.90	24.08	<=33.01	Pass
					50	22.34	1.90	24.24	<=33.01	Pass
99					22.06	1.90	23.96	<=33.01	Pass	
50		0		21.12	1.90	23.02	<=33.01	Pass		
		25		21.22	1.90	23.12	<=33.01	Pass		
		50		21.13	1.90	23.03	<=33.01	Pass		
100		0		21.11	1.90	23.01	<=33.01	Pass		
1882.5		1	0	22.16	1.90	24.06	<=33.01	Pass		
			50	22.29	1.90	24.19	<=33.01	Pass		
			99	22.06	1.90	23.96	<=33.01	Pass		
		50	0	21.20	1.90	23.10	<=33.01	Pass		
			25	21.19	1.90	23.09	<=33.01	Pass		
			50	21.19	1.90	23.09	<=33.01	Pass		
		100	0	21.18	1.90	23.08	<=33.01	Pass		

	1905	1	0	22.12	1.90	24.02	<=33.01	Pass		
			50	22.08	1.90	23.98	<=33.01	Pass		
			99	22.01	1.90	23.91	<=33.01	Pass		
		50	0	21.18	1.90	23.08	<=33.01	Pass		
			25	21.19	1.90	23.09	<=33.01	Pass		
			50	21.09	1.90	22.99	<=33.01	Pass		
		100	0	21.11	1.90	23.01	<=33.01	Pass		
		256QAM	1860	1	0	19.30	1.90	21.20	<=33.01	Pass
					50	19.30	1.90	21.20	<=33.01	Pass
99	19.41				1.90	21.31	<=33.01	Pass		
50	0			19.26	1.90	21.16	<=33.01	Pass		
	25			19.32	1.90	21.22	<=33.01	Pass		
	50			19.29	1.90	21.19	<=33.01	Pass		
100	0			19.29	1.90	21.19	<=33.01	Pass		
1882.5	1			0	19.31	1.90	21.21	<=33.01	Pass	
				50	18.94	1.90	20.84	<=33.01	Pass	
			99	19.07	1.90	20.97	<=33.01	Pass		
	50		0	19.19	1.90	21.09	<=33.01	Pass		
			25	19.10	1.90	21.00	<=33.01	Pass		
			50	19.00	1.90	20.90	<=33.01	Pass		
	100		0	19.04	1.90	20.94	<=33.01	Pass		
	1905		1	0	19.07	1.90	20.97	<=33.01	Pass	
				50	19.20	1.90	21.10	<=33.01	Pass	
99				19.52	1.90	21.42	<=33.01	Pass		
50			0	19.06	1.90	20.96	<=33.01	Pass		
			25	19.20	1.90	21.10	<=33.01	Pass		
			50	19.25	1.90	21.15	<=33.01	Pass		
100			0	19.15	1.90	21.05	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	3.8	-5.100	-0.0027	-2.5 to 2.5	Pass
					4	-2.900	-0.0015	-2.5 to 2.5	Pass
					4.2	-3.400	-0.0018	-2.5 to 2.5	Pass
				-30	4	-3.300	-0.0018	-2.5 to 2.5	Pass
				-20	4	-5.900	-0.0031	-2.5 to 2.5	Pass
				-10	4	-3.400	-0.0018	-2.5 to 2.5	Pass
				0	4	-4.200	-0.0022	-2.5 to 2.5	Pass
				10	4	-3.700	-0.0020	-2.5 to 2.5	Pass
				30	4	-2.400	-0.0013	-2.5 to 2.5	Pass
				40	4	-6.600	-0.0035	-2.5 to 2.5	Pass
				50	4	-4.100	-0.0022	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.113	/	Pass
	16QAM	1882.5	6	0	1.114	/	Pass
3	QPSK	1882.5	15	0	2.719	/	Pass
	16QAM	1882.5	15	0	2.714	/	Pass
5	QPSK	1882.5	25	0	4.539	/	Pass
	16QAM	1882.5	25	0	4.537	/	Pass
10	QPSK	1882.5	50	0	9.078	/	Pass
	16QAM	1882.5	50	0	9.029	/	Pass
15	QPSK	1882.5	75	0	13.587	/	Pass
	16QAM	1882.5	75	0	13.577	/	Pass
20	QPSK	1882.5	100	0	18.071	/	Pass
	16QAM	1882.5	100	0	18.091	/	Pass

3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.332	/	Pass
	16QAM	1882.5	6	0	1.330	/	Pass
3	QPSK	1882.5	15	0	3.008	/	Pass
	16QAM	1882.5	15	0	3.030	/	Pass
5	QPSK	1882.5	25	0	5.063	/	Pass
	16QAM	1882.5	25	0	5.044	/	Pass
10	QPSK	1882.5	50	0	9.935	/	Pass
	16QAM	1882.5	50	0	9.919	/	Pass
15	QPSK	1882.5	75	0	15.022	/	Pass
	16QAM	1882.5	75	0	14.940	/	Pass
20	QPSK	1882.5	100	0	19.621	/	Pass
	16QAM	1882.5	100	0	19.709	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTN




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTN




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTN




Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN




3.2.2 Band25_XDB




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV



Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTN



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.30	<=13	Pass
16QAM	1882.5	100	0	6.04	<=13	Pass
64QAM	1882.5	100	0	6.32	<=13	Pass
256QAM	1882.5	100	0	6.59	<=13	Pass

4.2 Test Graph


4.2.1 B25_20MHz



Band25 20MHz 64QAM MCH 1882.5MHz RB 100 0 NTV



Band25 20MHz 256QAM MCH 1882.5MHz RB 100 0 NTV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-32.76	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-34.59	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTV



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.003	-26.57	-13	Pass
1916	1918	1	CHP	2	1916.500	-34.96	-13	Pass

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.025	-25.50	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.26	-13	Pass


5.2.2 B25_3MHz



Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.53	-13	Pass
1849	1850	0.03	/	2	1849.994	-29.63	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV



Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.011	-25.34	-13	Pass
1916	1918	1	CHP	2	1916.500	-33.77	-13	Pass

Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.072	-24.92	-13	Pass
1916	1918	1	CHP	2	1916.500	-17.26	-13	Pass


5.2.3 B25_5MHz



Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-30.04	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-31.43	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTNV



Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.003	-28.92	-13	Pass
1916	1920	1	CHP	2	1916.500	-35.49	-13	Pass

Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.051	CHP	/	/	/	/	/
1915	1916	0.051	CHP	1	1915.010	-27.70	-13	Pass
1916	1920	1	CHP	2	1916.500	-19.24	-13	Pass


5.2.4 B25_10MHz



Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTN




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-30.16	-13	Pass
1849	1850	0.099	CHP	2	1849.992	-36.01	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV



Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 49 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-34.95	-13	Pass
1916	1925	1	CHP	2	1916.501	-38.66	-13	Pass

Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.099	CHP	/	/	/	/	/
1915	1916	0.099	CHP	1	1915.053	-31.52	-13	Pass
1916	1925	1	CHP	2	1916.508	-25.09	-13	Pass

5.2.5 B25_15MHz

