



Annex for BLE

Test Report No.: CTL2410242082-WF02

TABLE OF CONTENTS

1. Duty Cycle	3
1.1 Test Result	3
1.1.1 Ant1	3
1.2 Test Graph.....	4
1.2.1 Ant1	4
2. Bandwidth.....	8
2.1 Test Result	8
2.1.1 OBW	8
2.1.2 6dB BW	8
2.2 Test Graph.....	9
2.2.1 OBW	9
2.2.2 6dB BW	13
3. Maximum Conducted Output Power	17
3.1 Test Result	17
3.1.1 Power	17
3.2 Test Graph.....	18
3.2.1 Power	18
4. Maximum Power Spectral Density	22
4.1 Test Result	22
4.1.1 PSD	22



4.2 Test Graph.....	23
4.2.1 PSD	23
5. Unwanted Emissions In Non-restricted Frequency Bands.....	27
5.1 Test Result	27
5.1.1 Ref.....	27
5.1.2 CSE	27
5.2 Test Graph.....	28
5.2.1 Ref.....	28
5.2.2 CSE	32

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	2.143	2.501	85.69	0.67	0.03
		2440	2.143	2.501	85.69	0.67	0.03
		2480	2.142	2.500	85.68	0.67	0.03
2M	SISO	2402	1.090	2.501	43.58	3.61	0.03
		2440	1.091	2.501	43.62	3.60	0.03
		2480	1.090	2.500	43.60	3.61	0.03

FCCID: 2A8SL-T13L


1.2 Test Graph

1.2.1 Ant1




FCCID: 2A8SL-T13L

1M HCH 2480MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV




FCCID: 2A8SL-T13L

2M MCH 2440MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.051	/	Pass
		2440	1	1.047	/	Pass
		2480	1	1.045	/	Pass
2M	SISO	2402	1	2.045	/	Pass
		2440	1	2.047	/	Pass
		2480	1	2.046	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.686	≥ 0.5	Pass
		2440	1	0.680	≥ 0.5	Pass
		2480	1	0.687	≥ 0.5	Pass
2M	SISO	2402	1	1.180	≥ 0.5	Pass
		2440	1	1.230	≥ 0.5	Pass
		2480	1	1.172	≥ 0.5	Pass

FCCID: 2A8SL-T13L


2.2 Test Graph

2.2.1 OBW




FCCID: 2A8SL-T13L

1M HCH 2480MHz Ant1 NTN




2M LCH 2402MHz Ant1 NTN




FCCID: 2A8SL-T13L

2M MCH 2440MHz Ant1 NTN




2M HCH 2480MHz Ant1 NTN




FCCID: 2A8SL-T13L

2.2.2 6dB BW




FCCID: 2A8SL-T13L




FCCID: 2A8SL-T13L

2M MCH 2440MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN



3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	-3.13	<=30	Pass
		2440	-2.74	<=30	Pass
		2480	-3.67	<=30	Pass
2M	SISO	2402	-2.94	<=30	Pass
		2440	-2.50	<=30	Pass
		2480	-3.43	<=30	Pass
Note1: Antenna Gain: Ant1: 2.78dBi;					

FCCID: 2A8SL-T13L


3.2 Test Graph

3.2.1 Power




FCCID: 2A8SL-T13L

1M HCH 2480MHz Ant1 NTV




2M LCH 2402MHz Ant1 NTV




FCCID: 2A8SL-T13L

2M MCH 2440MHz Ant1 NTNV



2M HCH 2480MHz Ant1 NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-18.83	<=8	Pass
		2440	-18.32	<=8	Pass
		2480	-19.25	<=8	Pass
2M	SISO	2402	-20.99	<=8	Pass
		2440	-20.75	<=8	Pass
		2480	-21.54	<=8	Pass

Note1: Antenna Gain: Ant1: 2.78dBi;


FCCID: 2A8SL-T13L

4.2 Test Graph


4.2.1 PSD



FCCID: 2A8SL-T13L



FCCID: 2A8SL-T13L



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	-3.24
		2440	1	-2.86
		2480	1	-3.82
2M	SISO	2402	1	-3.46
		2440	1	-3.02
		2480	1	-3.96

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	-2.86	-22.86	Pass
		2440	1	-2.86	-22.86	Pass
		2480	1	-2.86	-22.86	Pass
2M	SISO	2402	1	-3.02	-23.02	Pass
		2440	1	-3.02	-23.02	Pass
		2480	1	-3.02	-23.02	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


FCCID: 2A8SL-T13L

5.2 Test Graph

5.2.1 Ref



FCCID: 2A8SL-T13L




FCCID: 2A8SL-T13L




FCCID: 2A8SL-T13L

5.2.2 CSE




FCCID: 2A8SL-T13L

1M MCH 2440MHz Ant1 NTN




1M HCH 2480MHz Ant1 NTN




FCCID: 2A8SL-T13L

1M HCH 2480MHz Ant1 NTV




2M LCH 2402MHz Ant1 NTV




FCCID: 2A8SL-T13L

2M LCH 2402MHz Ant1 NTV




2M MCH 2440MHz Ant1 NTV



FCCID: 2A8SL-T13L

2M HCH 2480MHz Ant1 NTV



2M HCH 2480MHz Ant1 NTV

