


Internal Photograph

(1) EUT Photo




(2) EUT Photo



(3) EUT Photo



(4) EUT Photo



(5) EUT Photo




(6) EUT Photo




(7) EUT Photo




(8) EUT Photo




(9) EUT Photo




(10) EUT Photo




(11) EUT Photo




(12) EUT Photo




(13) EUT Photo




(14) EUT Photo




(15) EUT Photo




(16) EUT Photo



(17) EUT Photo




(18) EUT Photo




The image displays a green PCB, model S1168-DAQ-V2.1.0, which is densely packed with electronic components. Key features include:

- Capacitors:** Four large red electrolytic capacitors are mounted in a horizontal row across the upper half of the board.
- Integrated Circuits (ICs):** Numerous black ICs of various sizes are distributed across the surface, including a large square chip in the lower-left quadrant.
- Passive Components:** The board is covered with a high density of small resistors and surface-mount capacitors.
- Connectors:** Multiple pin headers are visible along the bottom edge, and a circular connector is located on the right side.
- Labels:** The text "S1168-DAQ-V2.1.0" is printed in white on the bottom right, with "94V-0" and a RoHS symbol (a circle with a diagonal line) printed just above it.
- Scale:** The board is positioned next to a metric ruler, showing its dimensions are approximately 100 mm wide and 150 mm high.


(21) EUT Photo




(22) EUT Photo




(23) EUT Photo




(24) EUT Photo




(25) EUT Photo




(26) EUT Photo



(29) EUT Photo




(30) EUT Photo




A photograph of a green printed circuit board (PCB) with various electronic components. The board is rectangular and oriented vertically. It features a large integrated circuit (IC) in the upper right quadrant, several capacitors, and various connectors. A ruler is placed horizontally below the board, showing its width is approximately 100mm. Another ruler is placed vertically to the right of the board, showing its height is approximately 150mm. The board has a yellow rectangular area marked on the left side.


(35) EUT Photo




(36) EUT Photo




(37) EUT Photo




(38) EUT Photo



(39) EUT Photo



(40) EUT Photo



(41) EUT Photo

