

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China Tel: +86-755- 27521059 Fax: +86-755- 27521011 Http://www.sz-ctc.org.cn

TEC:	ГО		NDT
IEO		ニアし	

Report No.: CTC20222120E01

FCC ID-----: 2A8VCK1-A

Applicant....: BeBeauty (Hangzhou) Technology Co.,Ltd.

RM606 Building 1, NO.768 Jianghong Rd, Binjiang District, Address-----:

Hangzhou Zhejiang, 310051

Manufacturer: BeBeauty (Hangzhou) Technology Co.,Ltd.

RM606 Building 1, NO.768 Jianghong Rd, Binjiang District, Address-----:

Hangzhou Zhejiang, 310051

Product Name SONIC ELECTRIC TOOTHBRUSH

Trade Mark------ /

Model/Type reference······ K1-A

K1-B, K2, K3, K4, K5, K6, K7, K8, K9, K10, K11, K12, K13, K14,

Listed Model(s) K15, K16, K17, K18, K19, K20, K21, K22, K23, K24, K25, K26,

K27, K28, K29, K30

Standard....: 47 CFR FCC Part 18

Date of receipt of test sample...: September 25, 2022

Date of testing..... September 25, 2022 to October 05, 2022

Date of issue....: October 05, 2022

Result....: **PASS**

Compiled by:

Zoe Xie (Printed name+signature)

Supervised by:

(Printed name+signature) Miller Ma Zoe Xie Miller Ma Jeanas

Approved by:

Totti Zhao (Printed name+signature)

Testing Laboratory Name.....: CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Address.....

Shenzhen, Guangdong, China

This test report may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by CTC. The test results in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers, reviewer and approver. Any objections must be raised to CTC within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit. The test report merely correspond to the test sample.





		Table of Contents	Page
1.	TEST	SUMMARY	3
1	1.1.	TEST STANDARDS	3
1	1.2.	REPORT VERSION	
1	1.3.	TEST DESCRIPTION	
1		TEST FACILITY	
1		MEASUREMENT UNCERTAINTY	
1	1.6.	ENVIRONMENTAL CONDITIONS	
2.	CENI	ERAL INFORMATION	-
۷.	_		
2		CLIENT INFORMATION	
2		GENERAL DESCRIPTION OF EUT	
2	2.3.	ACCESSORY EQUIPMENT INFORMATION	
2	2.4.	DESCRIPTION OF TEST MODES	
2	2.5.	MEASUREMENT INSTRUMENTS LIST	9
3.	EMC	EMISSION TEST	10
3	3.1.	RADIATED EMISSION	10
-	3.2.	CONDUCTED EMISSION (AC Mains)	15





1. TEST SUMMARY

1.1. Test Standards

The tests were performed according to following standards:

47 CFR FCC Part 18: Industrial, Scientific, and Medical Equipment Unintentional Radiators.

ANSI C63.4: 2014: American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40GHz.

1.2. Report version

Revised No.	Date of issue	Description
01	October 05, 2022	Original





1.3. Test Description

FCC CFR Title 47 FCC Part 18					
Test Item Standard Section Result Test Engineer					
Conducted Emissions Test	18.307(b)	Pass	Eva Feng		
Radiated Emission Test	18.305(b),(c)	Pass	Ice Lu		

Note: "N/A" is no application.

The measurement uncertainty is not included in the test result.





1.4. Test Facility

Address of the report laboratory

CTC Laboratories, Inc.

Add: 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Laboratory accreditation

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5365

CTC Laboratories, Inc. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation. Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

A2LA-Lab Cert. No.: 4340.01

CTC Laboratories, Inc. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC (Registration No.: 951311, Designation Number CN1208)

CTC Laboratories, Inc. EMC Laboratory has been registered and fully described in a report filed with the (F CC) Federal Communications Commission. The acceptance letter from the FCC is maintained inour files. Registration 951311, Aug 26, 2017.

1.5. Measurement Uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to TR-100028-01" Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1" and TR-100028-02 "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2" and is documented in the CTC Laboratories, Inc. quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Below is the best measurement capability for CTC Laboratories, Inc.





Test Measurement Frequency Range U (dB) Note Main Power Port Conducted Emission 9kHz ~ 30MHz 3.08 Radiated Emission 0.009MHz ~ 30MHz 5.03 3m chamber 2 Radiated Emission 30MHz ~ 1000MHz 4.51 3m chamber 2

Note: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

1.6. Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

	ie nere mani are nere a rangeer	
Normal Temperature:	25°C	
Lative Humidity	55 %	
Air Pressure	101kPa	





2. GENERAL INFORMATION

2.1. Client Information

Applicant:	BeBeauty (Hangzhou) Technology Co.,Ltd.
Address:	RM606 Building 1, NO.768 Jianghong Rd, Binjiang District, Hangzhou Zhejiang, 310051
Manufacturer:	BeBeauty (Hangzhou) Technology Co.,Ltd.
Address:	RM606 Building 1, NO.768 Jianghong Rd, Binjiang District, Hangzhou Zhejiang, 310051

2.2. General Description of EUT

Product Name:	SONIC ELECTRIC TOOTHBRUSH
Marketing Name:	/
Model/Type reference:	K1-A,
Listed Model(s):	K1-B, K2, K3, K4, K5, K6, K7, K8, K9, K10, K11, K12, K13, K14, K15, K16, K17, K18, K19, K20, K21, K22, K23, K24, K25, K26, K27, K28, K29, K30
Model Difference:	All these models are identical in the same PCB, Layout and electrical circuit, The only difference is model name
Power Supply:	DC 3.7V from battery
Hardware version:	/
Firmware version:	/
Serial Number:	K1-001
Wireless Charger	
Operation Frequency Range:	110kHz ~ 205kHz
Operation Frequency:	127kHz
Output Power:	5W
Antenna Type:	Coil Antenna, 0dBi





2.3. Accessory Equipment information

Equipment Information					
Name	Model	S/N	Manufacturer		
ELECTRIC TOOTHBRUSH	/		SONIC		
AC/DC Adapter	CD122		UGREEN		
Cable Information	Cable Information				
Name	Shielded Type	Ferrite Core	Length		
/	/	/	/		

2.4. Description of Test Modes

Test mode	Wireless charging (5W)	
1		

Note: ■ is operation mode.





2.5. Measurement Instruments List

Cond	Conducted emission					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Calibrated until	
1	LISN	R&S	ENV216	101112	Dec. 25, 2022	
2	LISN	R&S	ENV216	101113	Dec. 25, 2022	
3	EMI Test Receiver	R&S	ESCS30	100353	Dec. 25, 2022	
4	ISN CAT6	Schwarzbeck	NTFM 8158	8158-0046	Dec. 25, 2022	

Radia	Radiated emission(3m chamber 2)				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Calibrated Until
1	Trilog-Broadband Antenna	Schwarzbeck	VULB 9168	9168-1013	Jan. 12, 2023
2	Horn Antenna	Schwarzbeck	BBHA 9120D	9120D-647	Dec. 24, 2022
3	Loop Antenna	ZHINAN	ZN30900A	/	Dec. 25, 2022
4	Spectrum Analyzer	R&S	FSU26	100105	Dec. 25, 2022
5	Spectrum Analyzer	R&S	FSV40-N	101331	Mar. 15, 2023
6	Pre-Amplifier	SONOMA	310	186194	Dec. 25, 2022
7	Low Noise Pre-Amplifier	EMCI	EMC051835	980075	Dec. 25, 2022
8	Test Receiver	R&S	ESCI7	100967	Dec. 25, 2022
9	3m Chamber	Frankonia	EE025	/	Oct. 23, 2024

Note: The Cal. Interval was one year.

Page 10 of 17

Report No.: CTC20222120E01



3. EMC EMISSION TEST

3.1. Radiated Emission

LIMIT

FCC CFR Title 47 Part 18 Section 18.305(b):

Equipment	Operating frequency	RF Power generated by equipment (watts)	Field strength limit (uV/m)	Distance (meters)
Any type unless otherwise specified (miscellaneous)	Any ISM frequency	Below 500 500 or more	25 25 × SQRT(power/500)	300 ¹ 300
	Any non-ISM frequency	Below 500 500 or more	15 15 × SQRT(power/500)	300 ¹ 300
Industrial heaters and RF stabilized arc welders	On or below 5,725 MHz Above 5,725 MHz	Any Any	10 (²)	1,600 (²)
Medical diathermy	Any ISM frequency Any non-ISM frequency	Any Any	25 15	300 300
Ultrasonic	Below 490 kHz	Below 500 500 or more	2,400/F(kHz) 2,400/F(kHz) × SQRT(power/500)	300 ³ 300
	490 to 1,600 kHz Above 1,600 kHz	Any Any	24,000/F(kHz) 15	30 30
Induction cooking ranges	Below 90 kHz On or above 90 kHz	Any Any	1,500 300	⁴ 30 ⁴ 30

¹Field strength may not exceed 10 μV/m at 1600 meters. Consumer equipment operating below 1000 MHz is not permitted the increase in field strength otherwise permitted here for power over 500 watts.


- 1. This product belongs to non-ISM equipment, the field strength limit is 15uV/m at 300 meter distance.
- 2. Limit: $20\log^{(15\text{uV/m})} + 40\log^{(300/3)} = 23.52 + 80 = 103.52 \text{dBuV/m}$ at 3 meters distance

²Reduced to the greatest extent possible.

³Field strength may not exceed 10 μV/m at 1600 meters. Consumer equipment is not permitted the increase in field strength otherwise permitted here for over 500 watts.

⁴Induction cooking ranges manufactured prior to February 1, 1980, shall be subject to the field strength limits for miscellaneous ISM equipment.

Radiated Emission Test Set-Up Frequency below 30MHz



TEST PROCEDURE

- 1. The EUT was tested according to ANSI C63.4:2014.
- 2. The EUT is placed on a turn table which is 0.8 meter above ground. The turn table is rotated360 degrees to determine the position of the maximum emission level.
- 3. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.
- 4. The antenna is scanned from 1 meter to 4 meters to find out the maximum emission level. This is repeated for both horizontal and vertical polarization of the antenna.
- 5. Use the following spectrum analyzer settings


Span shall wide enough to fully capture the emission being measured;

- 1) 9kHz 150kHz, RBW=200Hz, Sweep=auto, Detector function=peak, Trace=max hold;
- 2) 150kHz 30MHz, RBW=9kHz, Sweep=auto, Detector function=peak, Trace=max hold; If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.

TEST MODE

Please refer to the clause 2.4.


TEST RESULTS



No.	Frequency	Reading	Factor	Level	Limit	Margin	Det.
	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1 *	0.0090	66.17	20.82	86.99	103.50	-16.51	QP
2	0.0171	59.02	20.79	79.81	103.50	-23.69	QP
3	0.0830	44.13	20.79	64.92	103.50	-38.58	QP
4	0.1276	61.92	20.67	82.59	103.50	-20.91	QP
5	0.2565	28.86	20.49	49.35	103.50	-54.15	QP
6	1.1412	28.36	20.52	48.88	103.50	-54.62	QP

Remark:

- 1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor
- 2.Margin value = Level -Limit value
- 3. Measured at antenna position 0 degree and 90 degree, recorded worst case at 0 degree.



No.	Frequency	Reading	Factor	Level	Limit	Margin	Det.
	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	52.7600	45.45	-29.15	16.30	40.00	-23.70	QP
2	90.8554	45.59	-28.90	16.69	43.50	-26.81	QP
3	112.9196	43.67	-28.20	15.47	43.50	-28.03	QP
4	179.3863	49.07	-32.17	16.90	43.50	-26.60	QP
5 *	394.8544	55.61	-25.97	29.64	46.00	-16.36	QP
6	564.6387	43.88	-22.55	21.33	46.00	-24.67	QP


Remark:

- 1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor
- 2.Margin value = Level -Limit value

500

1000.0





No.	Frequency	Reading	Factor	Level	Limit	Margin	Det.
	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	88.9637	46.31	-29.53	16.78	43.50	-26.72	QP
2	180.0164	52.35	-32.16	20.19	43.50	-23.31	QP
3	216.0238	48.01	-30.15	17.86	46.00	-28.14	QP
4	314.3763	53.11	-27.89	25.22	46.00	-20.78	QP
5 *	349.2500	54.41	-27.07	27.34	46.00	-18.66	QP
6	389.3548	48.30	-26.10	22.20	46.00	-23.80	QP

(MHz)

Remark:

30.000

1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor

100

2.Margin value = Level -Limit value

60



3.2. Conducted Emission (AC Mains)


LIMIT

FCC CFR Title 47 Part 18 Section 18.307(b):

Fraguency range (MHz)	Limit (dBuV)				
Frequency range (MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			

^{*} Decreases with the logarithm of the frequency.

TEST CONFIGURATION



Note: 1.Support units were connected to second LISM.

2.Both of LISMs (AMM) are 80 cm from EUT and at least 80

from other units and other metal planes

TEST PROCEDURE

- 1. The EUT was setup according to ANSI C63.4-2014.
- 2. The EUT was placed on a platform of nominal size, 1 m by 1.5 m, raised 80 cm above the conducting ground plane. The vertical conducting plane was located 40 cm to the rear of the EUT. All other surfaces of EUT were at least 80 cm from any other grounded conducting surface.
- 3. The EUT and simulators are connected to the main power through a line impedance stabilization network (LISN). The LISN provides a 50 ohm /50uH coupling impedance for the measuring equipment.
- 4. The peripheral devices are also connected to the main power through a LISN. (Please refer to the block diagram of the test setup and photographs)
- 5. Each current-carrying conductor of the EUT power cord, except the ground (safety) conductor, was individually connected through a LISN to the input power source.
- 6. The excess length of the power cord between the EUT and the LISN receptacle were folded back and forth at the center of the lead to form a bundle not exceeding 40 cm in length.
- 7. Conducted emissions were investigated over the frequency range from 0.15MHz to 30MHzusing a receiver bandwidth of 9 kHz.
- 8. During the above scans, the emissions were maximized by cable manipulation.

TEST MODE

Please refer to the clause 2.4.


TEST RESULTS

30.000



-10 -20

0.150



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dB)	
1	0.5280	27.70	15.59	43.29	56.00	-12.71	QP
2	0.5280	17.06	15.59	32.65	46.00	-13.35	AVG
3	1.7924	27.46	15.18	42.64	56.00	-13.36	QP
4	1.7924	18.64	15.18	33.82	46.00	-12.18	AVG
5	5.1810	29.82	11.17	40.99	60.00	-19.01	QP
6	5.1810	20.80	11.17	31.97	50.00	-18.03	AVG
7	8.9970	26.95	14.58	41.53	60.00	-18.47	QP
8	8.9970	18.12	14.58	32.70	50.00	-17.30	AVG
9	20.6341	32.46	9.97	42.43	60.00	-17.57	QP
10	20.6341	22.71	9.97	32.68	50.00	-17.32	AVG
11	25.8991	42.24	7.30	49.54	60.00	-10.46	QP
12	25.8991	28.49	7.30	35.79	50.00	-14.21	AVG

(MHz)


5.000

Emission Level= Read Level+ Correct Factor

0.500

0.800





No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dB)	
1	0.1853	28.94	17.24	46.18	64.24	-18.06	QP
2	0.1853	18.49	17.24	35.73	54.24	-18.51	AVG
3	0.5947	32.84	15.49	48.33	56.00	-7.67	QP
4	0.5947	18.40	15.49	33.89	46.00	-12.11	AVG
5	2.0331	31.26	15.14	46.40	56.00	-9.60	QP
6	2.0331	23.63	15.14	38.77	46.00	-7.23	AVG
7	2.9933	34.66	13.43	48.09	56.00	-7.91	QP
8	2.9933	25.53	13.43	38.96	46.00	-7.04	AVG
9	20.8137	38.12	9.83	47.95	60.00	-12.05	QP
10	20.8137	27.98	9.83	37.81	50.00	-12.19	AVG
11	25.8638	45.89	7.33	53.22	60.00	-6.78	QP
12	25.8638	32.04	7.33	39.37	50.00	-10.63	AVG

Emission Level= Read Level+ Correct Factor