


NIGHT OWL Quick Setup Guide


What's in the box




Camera




Base



Cable





Installation
Hardware



QSG

Know your camera





Pairing camera

Step 1

Download the Night Owl Protect app.

Note:

You need register a Night Owl account before you can log in.

Ensure that your cell phone is on the Wi-Fi network.

Step 2

Short press the power button to turn on the camera. And the camera give a voice prompt "Device is ready for use".

Step 3

Camera continues to a voice prompt "Camera is in pairing mode". And add a camera according to the app's prompt in Night Owl app.

Step 4

During the network connection, the camera will give a voice prompt "Please be patient as camera connects to WIFI".


Step 5

When camera is successfully connected, the camera will give a voice prompt "Woohoo, setup is now complete".

Step 6

Please name your Night Owl camera and now you can into live view.

Mounting camera



Step 1

Use the provided anchors and screws to mount the wall mount base. If the wall is wooden, you can screw the mount directly.

Step 2

Attach your camera to the camera base and secure it by rotating clockwise.

Step 3

Adjust the camera's view angle to your preferred position.

Note:

1. Avoid installing the camera with the camera lens facing direct sunlight.
2. Mind any plants or objects that may obstruct the view.
3. We suggest you mount the camera within a 30 feet range of your Wi-Fi router. Keep the camera close to the router and camera will have better performance.

Notice

1. Please make sure to fully charge the included battery before use the camera.
2. Extreme weather conditions will affect battery efficiency. We suggest only operating the camera between -4° to 140° Degrees Fahrenheit.

Specification

Operating Temperature: -10°C~50°C / 14°F~122°F

Resolution: 2560×1440

Lens: 105°Wide Angle

Audio: Built-in Mic/Speaker, two-way full duplex

Video Compression: H.265

AI: Human Detection and vehicle detection

Night Vision: Color mode and Black&White mode

Support Platform: Android / iOS

Wi-Fi: 802.11 b/g/n/ax – 2.4GHz, 5.8GHz

Battery Capacity: 18650 5200mAh 3.7V

Weather Resistant: IP65

NEED HELP?

Why call? Our Support Site Has it All!

For system manuals, troubleshooting guides, FAQs, video tutorials and more:

1. Please visit Support.NightOwlISP.com

2. Enter FBWNIP4U into the Search bar.

For more Support Videos, go to www.youtube.com/nightowlsp

FCC RADIATION NORM

FCC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Compliance Statement These limits are designed to provide reasonable protection against frequency interference in residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed or used in accordance with the instructions, may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in television reception, which can be determined by turning the equipment off and on. The user is encouraged to try and correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CAUTION!

The Federal Communications Commission warns the user that changes or modifications to the unit not expressly approved by the party

responsible for compliance could void the user's authority to operate the equipment.

This equipment should be installed and operated with a minimum distance of 8 inches between the radiator and your body.