




























































Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	16.04	0.66	16.70	24	Pass
NVNT	a	5200	16.00	0.66	16.66	24	Pass
NVNT	a	5240	16.07	0.67	16.74	24	Pass
NVNT	n20	5180	14.72	0.70	15.42	24	Pass
NVNT	n20	5200	14.85	0.70	15.55	24	Pass
NVNT	n20	5240	14.83	0.70	15.53	24	Pass
NVNT	n40	5190	11.57	1.00	12.57	24	Pass
NVNT	n40	5230	11.71	1.03	12.74	24	Pass
NVNT	ac20	5180	14.68	0.68	15.36	24	Pass
NVNT	ac20	5200	14.87	0.69	15.56	24	Pass
NVNT	ac20	5240	14.93	0.69	15.62	24	Pass
NVNT	ac40	5190	11.11	1.09	12.20	24	Pass
NVNT	ac40	5230	13.85	1.09	14.94	24	Pass
NVNT	ac80	5210	10.20	1.44	11.64	24	Pass
NVNT	a	5260	15.38	0.66	16.04	24	Pass
NVNT	a	5300	14.45	0.66	15.11	24	Pass
NVNT	a	5320	13.86	0.67	14.53	24	Pass
NVNT	n20	5260	14.04	0.70	14.74	24	Pass
NVNT	n20	5300	13.08	0.71	13.79	24	Pass
NVNT	n20	5320	12.57	0.70	13.27	24	Pass
NVNT	n40	5270	10.37	1.03	11.40	24	Pass
NVNT	n40	5310	9.45	1.03	10.48	24	Pass
NVNT	ac20	5260	14.26	0.69	14.95	24	Pass
NVNT	ac20	5300	13.08	0.69	13.77	24	Pass
NVNT	ac20	5320	12.61	0.69	13.30	24	Pass
NVNT	ac40	5270	9.84	1.09	10.93	24	Pass
NVNT	ac40	5310	7.91	1.09	9.00	24	Pass
NVNT	ac80	5290	8.42	1.44	9.86	24	Pass
NVNT	a	5500	15.35	0.66	16.01	24	Pass
NVNT	a	5600	15.62	0.66	16.28	24	Pass
NVNT	a	5700	14.67	0.66	15.33	24	Pass
NVNT	n20	5500	13.95	0.70	14.65	24	Pass
NVNT	n20	5600	14.37	0.70	15.07	24	Pass
NVNT	n20	5700	13.45	0.70	14.15	24	Pass
NVNT	n40	5510	10.63	1.03	11.66	24	Pass
NVNT	n40	5590	11.10	1.03	12.13	24	Pass
NVNT	n40	5670	10.23	1.03	11.26	24	Pass
NVNT	ac20	5500	14.01	0.68	14.69	24	Pass
NVNT	ac20	5600	14.42	0.68	15.10	24	Pass
NVNT	ac20	5700	10.63	0.69	11.32	24	Pass
NVNT	ac40	5510	12.31	1.09	13.40	24	Pass
NVNT	ac40	5590	9.99	1.09	11.08	24	Pass
NVNT	ac40	5670	9.17	1.09	10.26	24	Pass
NVNT	ac80	5530	9.74	1.44	11.18	24	Pass
NVNT	ac80	5610	9.84	1.44	11.28	24	Pass



NVNT	a	5745	14.32	0.66	14.98	30	Pass
NVNT	a	5785	14.52	0.66	15.18	30	Pass
NVNT	a	5825	14.04	0.67	14.71	30	Pass
NVNT	n20	5745	13.10	0.70	13.80	30	Pass
NVNT	n20	5785	13.27	0.70	13.97	30	Pass
NVNT	n20	5825	12.75	0.70	13.45	30	Pass
NVNT	n40	5755	12.32	1.02	13.34	30	Pass
NVNT	n40	5795	12.68	1.02	13.70	30	Pass
NVNT	ac20	5745	12.96	0.69	13.65	30	Pass
NVNT	ac20	5785	13.39	0.68	14.07	30	Pass
NVNT	ac20	5825	12.84	0.68	13.52	30	Pass
NVNT	ac40	5755	11.38	1.08	12.46	30	Pass
NVNT	ac40	5795	11.62	1.09	12.71	30	Pass
NVNT	ac80	5775	8.91	1.43	10.34	30	Pass











































































































-26dB Bandwidth

Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	21.370	Pass
NVNT	a	5200	21.187	Pass
NVNT	a	5240	21.197	Pass
NVNT	n20	5180	21.574	Pass
NVNT	n20	5200	21.436	Pass
NVNT	n20	5240	21.318	Pass
NVNT	n40	5190	39.604	Pass
NVNT	n40	5230	39.558	Pass
NVNT	ac20	5180	21.586	Pass
NVNT	ac20	5200	21.636	Pass
NVNT	ac20	5240	21.688	Pass
NVNT	ac40	5190	40.126	Pass
NVNT	ac40	5230	40.151	Pass
NVNT	ac80	5210	80.079	Pass
NVNT	a	5260	21.221	Pass
NVNT	a	5300	21.286	Pass
NVNT	a	5320	21.250	Pass
NVNT	n20	5260	21.532	Pass
NVNT	n20	5300	21.479	Pass
NVNT	n20	5320	21.367	Pass
NVNT	n40	5270	39.690	Pass
NVNT	n40	5310	39.449	Pass
NVNT	ac20	5260	21.511	Pass
NVNT	ac20	5300	21.708	Pass
NVNT	ac20	5320	21.513	Pass
NVNT	ac40	5270	40.294	Pass
NVNT	ac40	5310	40.166	Pass
NVNT	ac80	5290	80.375	Pass
NVNT	a	5500	21.340	Pass
NVNT	a	5600	21.276	Pass
NVNT	a	5700	21.308	Pass
NVNT	n20	5500	21.595	Pass
NVNT	n20	5600	21.550	Pass
NVNT	n20	5700	21.481	Pass
NVNT	n40	5510	40.039	Pass
NVNT	n40	5590	39.580	Pass
NVNT	n40	5670	39.808	Pass
NVNT	ac20	5500	21.482	Pass
NVNT	ac20	5600	21.467	Pass
NVNT	ac20	5700	21.499	Pass
NVNT	ac40	5510	40.145	Pass
NVNT	ac40	5590	40.209	Pass
NVNT	ac40	5670	40.174	Pass
NVNT	ac80	5530	80.405	Pass
NVNT	ac80	5610	80.610	Pass

