

Appendix RF Test Data for LTE band 5

Company: : CHIGEE TECHNOLOGY CO., LTD.
EUT : Smart Riding System
FCC ID : 2A95C-AIO-6LTE
Model Number : AIO-6 LTE
Report No. : HTT2024121247F05
Reviewed By : Heber He

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.87	-1.68	20.04	<=38.45	Pass
			2	24.32	-1.68	20.49	<=38.45	Pass
			5	23.40	-1.68	19.57	<=38.45	Pass
		3	0	24.07	-1.68	20.24	<=38.45	Pass
			2	24.21	-1.68	20.38	<=38.45	Pass
			3	23.77	-1.68	19.94	<=38.45	Pass
		6	0	22.50	-1.68	18.67	<=38.45	Pass
	836.5	1	0	23.57	-1.68	19.74	<=38.45	Pass
			2	24.03	-1.68	20.20	<=38.45	Pass
			5	23.40	-1.68	19.57	<=38.45	Pass
		3	0	23.90	-1.68	20.07	<=38.45	Pass
			2	24.08	-1.68	20.25	<=38.45	Pass
			3	23.52	-1.68	19.69	<=38.45	Pass
		6	0	22.60	-1.68	18.77	<=38.45	Pass
	848.3	1	0	23.33	-1.68	19.50	<=38.45	Pass
			2	23.55	-1.68	19.72	<=38.45	Pass
			5	23.89	-1.68	20.06	<=38.45	Pass
		3	0	22.08	-1.68	18.25	<=38.45	Pass
			2	22.01	-1.68	18.18	<=38.45	Pass
			3	21.97	-1.68	18.14	<=38.45	Pass
		6	0	22.07	-1.68	18.24	<=38.45	Pass
16QAM	824.7	1	0	22.71	-1.68	18.88	<=38.45	Pass
			2	23.10	-1.68	19.27	<=38.45	Pass
			5	22.07	-1.68	18.24	<=38.45	Pass
		3	0	22.97	-1.68	19.14	<=38.45	Pass
			2	23.05	-1.68	19.22	<=38.45	Pass
			3	22.55	-1.68	18.72	<=38.45	Pass
		6	0	21.48	-1.68	17.65	<=38.45	Pass
	836.5	1	0	22.50	-1.68	18.67	<=38.45	Pass
			2	23.02	-1.68	19.19	<=38.45	Pass
			5	22.26	-1.68	18.43	<=38.45	Pass
		3	0	22.86	-1.68	19.03	<=38.45	Pass
			2	23.15	-1.68	19.32	<=38.45	Pass
			3	22.64	-1.68	18.81	<=38.45	Pass
		6	0	21.52	-1.68	17.69	<=38.45	Pass
	848.3	1	0	22.03	-1.68	18.20	<=38.45	Pass
			2	22.01	-1.68	18.18	<=38.45	Pass
			5	22.05	-1.68	18.22	<=38.45	Pass
		3	0	22.09	-1.68	18.26	<=38.45	Pass
2			22.08	-1.68	18.25	<=38.45	Pass	
3			22.06	-1.68	18.23	<=38.45	Pass	
6		0	22.04	-1.68	18.21	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.46	-1.68	19.63	<=38.45	Pass
			7	23.98	-1.68	20.15	<=38.45	Pass
			14	22.68	-1.68	18.85	<=38.45	Pass
		8	0	22.49	-1.68	18.66	<=38.45	Pass
			4	22.64	-1.68	18.81	<=38.45	Pass
			7	22.27	-1.68	18.44	<=38.45	Pass
		15	0	22.37	-1.68	18.54	<=38.45	Pass
	836.5	1	0	23.42	-1.68	19.59	<=38.45	Pass
			7	24.13	-1.68	20.30	<=38.45	Pass
			14	23.21	-1.68	19.38	<=38.45	Pass
		8	0	22.58	-1.68	18.75	<=38.45	Pass
			4	22.86	-1.68	19.03	<=38.45	Pass
			7	22.65	-1.68	18.82	<=38.45	Pass
		15	0	22.62	-1.68	18.79	<=38.45	Pass
	847.5	1	0	23.38	-1.68	19.55	<=38.45	Pass
			7	23.94	-1.68	20.11	<=38.45	Pass
			14	23.70	-1.68	19.87	<=38.45	Pass
		8	0	22.21	-1.68	18.38	<=38.45	Pass
			4	22.22	-1.68	18.39	<=38.45	Pass
			7	22.18	-1.68	18.35	<=38.45	Pass
		15	0	22.15	-1.68	18.32	<=38.45	Pass
16QAM	825.5	1	0	22.38	-1.68	18.55	<=38.45	Pass
			7	22.42	-1.68	18.59	<=38.45	Pass
			14	22.38	-1.68	18.55	<=38.45	Pass
		8	0	22.36	-1.68	18.53	<=38.45	Pass
			4	22.46	-1.68	18.63	<=38.45	Pass
			7	22.44	-1.68	18.61	<=38.45	Pass
		15	0	21.30	-1.68	17.47	<=38.45	Pass
	836.5	1	0	23.04	-1.68	19.21	<=38.45	Pass
			7	23.73	-1.68	19.90	<=38.45	Pass
			14	22.61	-1.68	18.78	<=38.45	Pass
		8	0	21.73	-1.68	17.90	<=38.45	Pass
			4	22.02	-1.68	18.19	<=38.45	Pass
			7	21.73	-1.68	17.90	<=38.45	Pass
		15	0	21.61	-1.68	17.78	<=38.45	Pass
	847.5	1	0	22.12	-1.68	18.29	<=38.45	Pass
			7	22.09	-1.68	18.26	<=38.45	Pass
			14	22.07	-1.68	18.24	<=38.45	Pass
		8	0	22.17	-1.68	18.34	<=38.45	Pass
			4	22.16	-1.68	18.33	<=38.45	Pass
			7	22.14	-1.68	18.31	<=38.45	Pass
		15	0	22.13	-1.68	18.30	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.49	-1.68	19.66	<=38.45	Pass
			13	22.98	-1.68	19.15	<=38.45	Pass
			24	22.68	-1.68	18.85	<=38.45	Pass
		12	0	22.64	-1.68	18.81	<=38.45	Pass
			6	22.49	-1.68	18.66	<=38.45	Pass
			13	22.51	-1.68	18.68	<=38.45	Pass

16QAM	836.5	25	0	22.13	-1.68	18.30	<=38.45	Pass
		1	0	23.53	-1.68	19.70	<=38.45	Pass
			13	23.48	-1.68	19.65	<=38.45	Pass
			24	23.65	-1.68	19.82	<=38.45	Pass
		12	0	22.65	-1.68	18.82	<=38.45	Pass
			6	22.69	-1.68	18.86	<=38.45	Pass
			13	22.85	-1.68	19.02	<=38.45	Pass
		25	0	22.61	-1.68	18.78	<=38.45	Pass
	846.5	1	0	23.83	-1.68	20.00	<=38.45	Pass
			13	23.25	-1.68	19.42	<=38.45	Pass
			24	23.67	-1.68	19.84	<=38.45	Pass
		12	0	22.50	-1.68	18.67	<=38.45	Pass
			6	22.45	-1.68	18.62	<=38.45	Pass
			13	22.64	-1.68	18.81	<=38.45	Pass
		25	0	22.25	-1.68	18.42	<=38.45	Pass
	826.5	1	0	22.68	-1.68	18.85	<=38.45	Pass
			13	22.16	-1.68	18.33	<=38.45	Pass
			24	21.85	-1.68	18.02	<=38.45	Pass
		12	0	21.54	-1.68	17.71	<=38.45	Pass
			6	21.52	-1.68	17.69	<=38.45	Pass
			13	21.53	-1.68	17.70	<=38.45	Pass
		25	0	21.22	-1.68	17.39	<=38.45	Pass
	836.5	1	0	22.78	-1.68	18.95	<=38.45	Pass
			13	22.80	-1.68	18.97	<=38.45	Pass
			24	23.02	-1.68	19.19	<=38.45	Pass
		12	0	21.69	-1.68	17.86	<=38.45	Pass
			6	21.76	-1.68	17.93	<=38.45	Pass
			13	21.85	-1.68	18.02	<=38.45	Pass
		25	0	21.59	-1.68	17.76	<=38.45	Pass
	846.5	1	0	23.07	-1.68	19.24	<=38.45	Pass
			13	22.53	-1.68	18.70	<=38.45	Pass
			24	23.06	-1.68	19.23	<=38.45	Pass
		12	0	21.63	-1.68	17.80	<=38.45	Pass
			6	21.60	-1.68	17.77	<=38.45	Pass
			13	21.82	-1.68	17.99	<=38.45	Pass
		25	0	21.36	-1.68	17.53	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.49	-1.68	19.66	<=38.45	Pass
			25	22.28	-1.68	18.45	<=38.45	Pass
			49	22.20	-1.68	18.37	<=38.45	Pass
		25	0	22.16	-1.68	18.33	<=38.45	Pass
			13	22.13	-1.68	18.30	<=38.45	Pass
			25	22.22	-1.68	18.39	<=38.45	Pass
		50	0	22.21	-1.68	18.38	<=38.45	Pass
	836.5	1	0	22.65	-1.68	18.82	<=38.45	Pass
			25	22.63	-1.68	18.80	<=38.45	Pass
			49	22.62	-1.68	18.79	<=38.45	Pass
		25	0	22.74	-1.68	18.91	<=38.45	Pass
			13	22.73	-1.68	18.90	<=38.45	Pass
			25	23.07	-1.68	19.24	<=38.45	Pass
		50	0	22.56	-1.68	18.73	<=38.45	Pass

16QAM	844	1	0	23.01	-1.68	19.18	<=38.45	Pass
			25	23.23	-1.68	19.40	<=38.45	Pass
			49	23.58	-1.68	19.75	<=38.45	Pass
		25	0	22.67	-1.68	18.84	<=38.45	Pass
			13	22.41	-1.68	18.58	<=38.45	Pass
			25	22.66	-1.68	18.83	<=38.45	Pass
		50	0	22.42	-1.68	18.59	<=38.45	Pass
			25	22.42	-1.68	18.59	<=38.45	Pass
			49	22.42	-1.68	18.59	<=38.45	Pass
	829	1	0	22.19	-1.68	18.36	<=38.45	Pass
			25	22.23	-1.68	18.40	<=38.45	Pass
			49	22.27	-1.68	18.44	<=38.45	Pass
		12	0	22.26	-1.68	18.43	<=38.45	Pass
			19	22.24	-1.68	18.41	<=38.45	Pass
			38	22.22	-1.68	18.39	<=38.45	Pass
		27	0	22.21	-1.68	18.38	<=38.45	Pass
			25	22.39	-1.68	18.56	<=38.45	Pass
			49	22.82	-1.68	18.99	<=38.45	Pass
	836.5	1	0	22.74	-1.68	18.91	<=38.45	Pass
			25	22.64	-1.68	18.81	<=38.45	Pass
			49	22.64	-1.68	18.81	<=38.45	Pass
		12	0	22.92	-1.68	19.09	<=38.45	Pass
			19	22.92	-1.68	19.09	<=38.45	Pass
			38	22.91	-1.68	19.08	<=38.45	Pass
		27	0	21.79	-1.68	17.96	<=38.45	Pass
			25	21.79	-1.68	17.96	<=38.45	Pass
			49	21.79	-1.68	17.96	<=38.45	Pass
	844	1	0	22.14	-1.68	18.31	<=38.45	Pass
			25	22.46	-1.68	18.63	<=38.45	Pass
			49	22.65	-1.68	18.82	<=38.45	Pass
		12	0	22.81	-1.68	18.98	<=38.45	Pass
			19	22.38	-1.68	18.55	<=38.45	Pass
			38	22.58	-1.68	18.75	<=38.45	Pass
		27	23	21.78	-1.68	17.95	<=38.45	Pass
			25	21.78	-1.68	17.95	<=38.45	Pass
			49	21.78	-1.68	17.95	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	10.8	0.014	0.0000	-2.5 to 2.5	Pass
					12	-0.615	-0.0007	-2.5 to 2.5	Pass
					19.8	-0.472	-0.0006	-2.5 to 2.5	Pass
				-30	12	-1.187	-0.0014	-2.5 to 2.5	Pass
				-20	12	-1.330	-0.0016	-2.5 to 2.5	Pass
				-10	12	-1.388	-0.0017	-2.5 to 2.5	Pass
				0	12	-1.116	-0.0014	-2.5 to 2.5	Pass
				10	12	-2.046	-0.0025	-2.5 to 2.5	Pass
				30	12	-1.760	-0.0021	-2.5 to 2.5	Pass
				40	12	-1.817	-0.0022	-2.5 to 2.5	Pass
				50	12	-1.717	-0.0021	-2.5 to 2.5	Pass
	836.5	6	0	20	10.8	0.029	0.0000	-2.5 to 2.5	Pass
					12	-1.073	-0.0013	-2.5 to 2.5	Pass
					19.8	-0.687	-0.0008	-2.5 to 2.5	Pass
				-30	12	-1.502	-0.0018	-2.5 to 2.5	Pass
				-20	12	-0.658	-0.0008	-2.5 to 2.5	Pass
				-10	12	-1.359	-0.0016	-2.5 to 2.5	Pass

				0	12	5.021	0.0060	-2.5 to 2.5	Pass
				10	12	-0.300	-0.0004	-2.5 to 2.5	Pass
				30	12	-0.858	-0.0010	-2.5 to 2.5	Pass
				40	12	-0.687	-0.0008	-2.5 to 2.5	Pass
				50	12	-1.302	-0.0016	-2.5 to 2.5	Pass
	848.3	6	0	20	10.8	0.243	0.0003	-2.5 to 2.5	Pass
					12	0.844	0.0010	-2.5 to 2.5	Pass
					19.8	0.114	0.0001	-2.5 to 2.5	Pass
				-30	12	0.429	0.0005	-2.5 to 2.5	Pass
				-20	12	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	12	-0.715	-0.0008	-2.5 to 2.5	Pass
				0	12	-1.130	-0.0013	-2.5 to 2.5	Pass
				10	12	-0.286	-0.0003	-2.5 to 2.5	Pass
				30	12	-0.501	-0.0006	-2.5 to 2.5	Pass
				40	12	-0.515	-0.0006	-2.5 to 2.5	Pass
				50	12	-1.273	-0.0015	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	10.8	-1.259	-0.0015	-2.5 to 2.5	Pass
					12	-1.445	-0.0018	-2.5 to 2.5	Pass
					19.8	-1.101	-0.0013	-2.5 to 2.5	Pass
				-30	12	-1.559	-0.0019	-2.5 to 2.5	Pass
				-20	12	-1.817	-0.0022	-2.5 to 2.5	Pass
				-10	12	-1.187	-0.0014	-2.5 to 2.5	Pass
				0	12	-1.445	-0.0018	-2.5 to 2.5	Pass
				10	12	-1.287	-0.0016	-2.5 to 2.5	Pass
				30	12	-1.087	-0.0013	-2.5 to 2.5	Pass
				40	12	-1.917	-0.0023	-2.5 to 2.5	Pass
				50	12	-1.001	-0.0012	-2.5 to 2.5	Pass
	836.5	6	0	20	10.8	-0.916	-0.0011	-2.5 to 2.5	Pass
					12	-0.343	-0.0004	-2.5 to 2.5	Pass
					19.8	-0.987	-0.0012	-2.5 to 2.5	Pass
				-30	12	-0.801	-0.0010	-2.5 to 2.5	Pass
				-20	12	-0.372	-0.0004	-2.5 to 2.5	Pass
				-10	12	-1.831	-0.0022	-2.5 to 2.5	Pass
				0	12	-0.744	-0.0009	-2.5 to 2.5	Pass
				10	12	-0.815	-0.0010	-2.5 to 2.5	Pass
				30	12	-1.488	-0.0018	-2.5 to 2.5	Pass
				40	12	-1.144	-0.0014	-2.5 to 2.5	Pass
				50	12	-0.887	-0.0011	-2.5 to 2.5	Pass
	848.3	6	0	20	10.8	-0.973	-0.0011	-2.5 to 2.5	Pass
					12	-0.672	-0.0008	-2.5 to 2.5	Pass
					19.8	-0.615	-0.0007	-2.5 to 2.5	Pass
				-30	12	-0.844	-0.0010	-2.5 to 2.5	Pass
				-20	12	-1.674	-0.0020	-2.5 to 2.5	Pass
				-10	12	-1.316	-0.0016	-2.5 to 2.5	Pass
				0	12	-1.073	-0.0013	-2.5 to 2.5	Pass
				10	12	-1.245	-0.0015	-2.5 to 2.5	Pass
				30	12	-0.486	-0.0006	-2.5 to 2.5	Pass
				40	12	-0.715	-0.0008	-2.5 to 2.5	Pass
				50	12	-0.386	-0.0005	-2.5 to 2.5	Pass

2.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	10.8	1.774	0.0021	-2.5 to 2.5	Pass
					12	0.372	0.0005	-2.5 to 2.5	Pass

					19.8	0.157	0.0002	-2.5 to 2.5	Pass
				-30	12	-0.515	-0.0006	-2.5 to 2.5	Pass
				-20	12	-0.443	-0.0005	-2.5 to 2.5	Pass
				-10	12	-0.772	-0.0009	-2.5 to 2.5	Pass
				0	12	-0.758	-0.0009	-2.5 to 2.5	Pass
				10	12	-0.415	-0.0005	-2.5 to 2.5	Pass
				30	12	-1.030	-0.0012	-2.5 to 2.5	Pass
				40	12	-1.101	-0.0013	-2.5 to 2.5	Pass
	50	12	-1.287	-0.0016	-2.5 to 2.5	Pass			
	836.5	15	0	20	10.8	0.873	0.0010	-2.5 to 2.5	Pass
					12	-0.100	-0.0001	-2.5 to 2.5	Pass
					19.8	-0.515	-0.0006	-2.5 to 2.5	Pass
				-30	12	-0.873	-0.0010	-2.5 to 2.5	Pass
				-20	12	-0.844	-0.0010	-2.5 to 2.5	Pass
				-10	12	-0.815	-0.0010	-2.5 to 2.5	Pass
				0	12	7.424	0.0089	-2.5 to 2.5	Pass
				10	12	1.359	0.0016	-2.5 to 2.5	Pass
				30	12	1.001	0.0012	-2.5 to 2.5	Pass
				40	12	0.815	0.0010	-2.5 to 2.5	Pass
	50	12	-0.086	-0.0001	-2.5 to 2.5	Pass			
	847.5	15	0	20	10.8	0.916	0.0011	-2.5 to 2.5	Pass
					12	-0.916	-0.0011	-2.5 to 2.5	Pass
					19.8	-0.386	-0.0005	-2.5 to 2.5	Pass
				-30	12	-0.958	-0.0011	-2.5 to 2.5	Pass
				-20	12	-1.044	-0.0012	-2.5 to 2.5	Pass
				-10	12	-0.501	-0.0006	-2.5 to 2.5	Pass
				0	12	-0.143	-0.0002	-2.5 to 2.5	Pass
				10	12	-0.715	-0.0008	-2.5 to 2.5	Pass
				30	12	-0.529	-0.0006	-2.5 to 2.5	Pass
				40	12	-0.844	-0.0010	-2.5 to 2.5	Pass
	50	12	-0.930	-0.0011	-2.5 to 2.5	Pass			
16QAM	825.5	15	0	20	10.8	-1.345	-0.0016	-2.5 to 2.5	Pass
					12	-1.345	-0.0016	-2.5 to 2.5	Pass
					19.8	-1.388	-0.0017	-2.5 to 2.5	Pass
				-30	12	-1.144	-0.0014	-2.5 to 2.5	Pass
				-20	12	-2.131	-0.0026	-2.5 to 2.5	Pass
				-10	12	-1.431	-0.0017	-2.5 to 2.5	Pass
				0	12	-1.545	-0.0019	-2.5 to 2.5	Pass
				10	12	-1.659	-0.0020	-2.5 to 2.5	Pass
				30	12	-1.230	-0.0015	-2.5 to 2.5	Pass
				40	12	-1.473	-0.0018	-2.5 to 2.5	Pass
	50	12	-1.931	-0.0023	-2.5 to 2.5	Pass			
	836.5	15	0	20	10.8	-0.787	-0.0009	-2.5 to 2.5	Pass
					12	-0.930	-0.0011	-2.5 to 2.5	Pass
					19.8	-0.701	-0.0008	-2.5 to 2.5	Pass
				-30	12	-0.672	-0.0008	-2.5 to 2.5	Pass
				-20	12	-1.159	-0.0014	-2.5 to 2.5	Pass
				-10	12	-1.488	-0.0018	-2.5 to 2.5	Pass
				0	12	-1.588	-0.0019	-2.5 to 2.5	Pass
				10	12	-0.429	-0.0005	-2.5 to 2.5	Pass
				30	12	-1.202	-0.0014	-2.5 to 2.5	Pass
				40	12	-1.788	-0.0021	-2.5 to 2.5	Pass
	50	12	-0.730	-0.0009	-2.5 to 2.5	Pass			
	847.5	15	0	20	10.8	-2.403	-0.0028	-2.5 to 2.5	Pass
					12	-0.858	-0.0010	-2.5 to 2.5	Pass
					19.8	-0.644	-0.0008	-2.5 to 2.5	Pass
				-30	12	5.279	0.0062	-2.5 to 2.5	Pass
				-20	12	1.345	0.0016	-2.5 to 2.5	Pass
-10				12	0.658	0.0008	-2.5 to 2.5	Pass	

				0	12	0.415	0.0005	-2.5 to 2.5	Pass
				10	12	0.386	0.0005	-2.5 to 2.5	Pass
				30	12	0.100	0.0001	-2.5 to 2.5	Pass
				40	12	-0.229	-0.0003	-2.5 to 2.5	Pass
				50	12	-0.172	-0.0002	-2.5 to 2.5	Pass

2.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	10.8	1.874	0.0023	-2.5 to 2.5	Pass
					12	-0.501	-0.0006	-2.5 to 2.5	Pass
					19.8	-0.873	-0.0011	-2.5 to 2.5	Pass
				-30	12	-1.173	-0.0014	-2.5 to 2.5	Pass
				-20	12	-1.059	-0.0013	-2.5 to 2.5	Pass
				-10	12	-1.087	-0.0013	-2.5 to 2.5	Pass
				0	12	-0.944	-0.0011	-2.5 to 2.5	Pass
				10	12	-1.845	-0.0022	-2.5 to 2.5	Pass
				30	12	-1.302	-0.0016	-2.5 to 2.5	Pass
				40	12	-1.516	-0.0018	-2.5 to 2.5	Pass
				50	12	-0.958	-0.0012	-2.5 to 2.5	Pass
	836.5	25	0	20	10.8	1.717	0.0021	-2.5 to 2.5	Pass
					12	0.272	0.0003	-2.5 to 2.5	Pass
					19.8	-0.043	-0.0001	-2.5 to 2.5	Pass
				-30	12	-0.329	-0.0004	-2.5 to 2.5	Pass
				-20	12	-0.415	-0.0005	-2.5 to 2.5	Pass
				-10	12	-0.057	-0.0001	-2.5 to 2.5	Pass
				0	12	-0.515	-0.0006	-2.5 to 2.5	Pass
				10	12	-0.587	-0.0007	-2.5 to 2.5	Pass
				30	12	-0.143	-0.0002	-2.5 to 2.5	Pass
				40	12	-0.486	-0.0006	-2.5 to 2.5	Pass
				50	12	-0.987	-0.0012	-2.5 to 2.5	Pass
	846.5	25	0	20	10.8	2.389	0.0028	-2.5 to 2.5	Pass
					12	1.101	0.0013	-2.5 to 2.5	Pass
					19.8	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	12	-0.629	-0.0007	-2.5 to 2.5	Pass
				-20	12	-0.544	-0.0006	-2.5 to 2.5	Pass
				-10	12	-0.343	-0.0004	-2.5 to 2.5	Pass
				0	12	-0.758	-0.0009	-2.5 to 2.5	Pass
				10	12	-0.429	-0.0005	-2.5 to 2.5	Pass
				30	12	-0.329	-0.0004	-2.5 to 2.5	Pass
				40	12	-0.329	-0.0004	-2.5 to 2.5	Pass
				50	12	-0.987	-0.0012	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	10.8	-2.704	-0.0033	-2.5 to 2.5	Pass
					12	-1.717	-0.0021	-2.5 to 2.5	Pass
					19.8	-1.259	-0.0015	-2.5 to 2.5	Pass
				-30	12	-0.772	-0.0009	-2.5 to 2.5	Pass
				-20	12	-2.074	-0.0025	-2.5 to 2.5	Pass
				-10	12	-1.473	-0.0018	-2.5 to 2.5	Pass
				0	12	-1.316	-0.0016	-2.5 to 2.5	Pass
				10	12	-0.858	-0.0010	-2.5 to 2.5	Pass
				30	12	0.944	0.0011	-2.5 to 2.5	Pass
				40	12	-0.229	-0.0003	-2.5 to 2.5	Pass
				50	12	0.043	0.0001	-2.5 to 2.5	Pass
	836.5	25	0	20	10.8	-1.187	-0.0014	-2.5 to 2.5	Pass
					12	-1.559	-0.0019	-2.5 to 2.5	Pass

					19.8	-0.916	-0.0011	-2.5 to 2.5	Pass
				-30	12	-0.658	-0.0008	-2.5 to 2.5	Pass
				-20	12	-1.073	-0.0013	-2.5 to 2.5	Pass
				-10	12	-0.257	-0.0003	-2.5 to 2.5	Pass
				0	12	-0.429	-0.0005	-2.5 to 2.5	Pass
				10	12	-0.601	-0.0007	-2.5 to 2.5	Pass
				30	12	-0.687	-0.0008	-2.5 to 2.5	Pass
				40	12	-0.029	0.0000	-2.5 to 2.5	Pass
				50	12	-1.230	-0.0015	-2.5 to 2.5	Pass
	846.5	25	0	20	10.8	-1.087	-0.0013	-2.5 to 2.5	Pass
					12	-0.386	-0.0005	-2.5 to 2.5	Pass
					19.8	-0.987	-0.0012	-2.5 to 2.5	Pass
				-30	12	-0.801	-0.0009	-2.5 to 2.5	Pass
				-20	12	-0.486	-0.0006	-2.5 to 2.5	Pass
				-10	12	-0.887	-0.0010	-2.5 to 2.5	Pass
				0	12	-0.715	-0.0008	-2.5 to 2.5	Pass
				10	12	-1.144	-0.0014	-2.5 to 2.5	Pass
				30	12	-1.016	-0.0012	-2.5 to 2.5	Pass
				40	12	-0.715	-0.0008	-2.5 to 2.5	Pass
				50	12	-0.672	-0.0008	-2.5 to 2.5	Pass

2.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	10.8	0.243	0.0003	-2.5 to 2.5	Pass
					12	-0.744	-0.0009	-2.5 to 2.5	Pass
					19.8	-0.644	-0.0008	-2.5 to 2.5	Pass
				-30	12	-1.087	-0.0013	-2.5 to 2.5	Pass
				-20	12	5.264	0.0063	-2.5 to 2.5	Pass
				-10	12	-0.186	-0.0002	-2.5 to 2.5	Pass
				0	12	-0.601	-0.0007	-2.5 to 2.5	Pass
				10	12	-0.243	-0.0003	-2.5 to 2.5	Pass
				30	12	-0.687	-0.0008	-2.5 to 2.5	Pass
				40	12	-1.087	-0.0013	-2.5 to 2.5	Pass
	836.5	50	0	50	12	-1.001	-0.0012	-2.5 to 2.5	Pass
				20	10.8	0.343	0.0004	-2.5 to 2.5	Pass
					12	-0.873	-0.0010	-2.5 to 2.5	Pass
					19.8	-3.262	-0.0039	-2.5 to 2.5	Pass
				-30	12	-1.030	-0.0012	-2.5 to 2.5	Pass
				-20	12	-1.116	-0.0013	-2.5 to 2.5	Pass
				-10	12	5.322	0.0064	-2.5 to 2.5	Pass
				0	12	0.615	0.0007	-2.5 to 2.5	Pass
				10	12	0.143	0.0002	-2.5 to 2.5	Pass
				30	12	-0.072	-0.0001	-2.5 to 2.5	Pass
	844	50	0	40	12	0.043	0.0001	-2.5 to 2.5	Pass
				50	12	0.443	0.0005	-2.5 to 2.5	Pass
				20	10.8	0.300	0.0004	-2.5 to 2.5	Pass
					12	-0.644	-0.0008	-2.5 to 2.5	Pass
					19.8	-1.345	-0.0016	-2.5 to 2.5	Pass
				-30	12	-1.402	-0.0017	-2.5 to 2.5	Pass
				-20	12	-1.073	-0.0013	-2.5 to 2.5	Pass
				-10	12	-1.345	-0.0016	-2.5 to 2.5	Pass
				0	12	5.851	0.0069	-2.5 to 2.5	Pass
				10	12	-0.057	-0.0001	-2.5 to 2.5	Pass
				30	12	0.300	0.0004	-2.5 to 2.5	Pass

16QAM	829	27	0	40	12	-0.129	-0.0002	-2.5 to 2.5	Pass
				50	12	-0.744	-0.0009	-2.5 to 2.5	Pass
				20	10.8	-1.702	-0.0021	-2.5 to 2.5	Pass
					12	-0.916	-0.0011	-2.5 to 2.5	Pass
					19.8	-0.687	-0.0008	-2.5 to 2.5	Pass
				-30	12	-0.544	-0.0007	-2.5 to 2.5	Pass
				-20	12	-1.688	-0.0020	-2.5 to 2.5	Pass
				-10	12	-1.431	-0.0017	-2.5 to 2.5	Pass
				0	12	-1.001	-0.0012	-2.5 to 2.5	Pass
				10	12	-0.772	-0.0009	-2.5 to 2.5	Pass
				30	12	-0.858	-0.0010	-2.5 to 2.5	Pass
				40	12	-1.373	-0.0017	-2.5 to 2.5	Pass
				50	12	-1.502	-0.0018	-2.5 to 2.5	Pass
	836.5	27	0	20	10.8	-0.658	-0.0008	-2.5 to 2.5	Pass
					12	-0.601	-0.0007	-2.5 to 2.5	Pass
					19.8	-0.601	-0.0007	-2.5 to 2.5	Pass
				-30	12	-0.472	-0.0006	-2.5 to 2.5	Pass
				-20	12	-1.130	-0.0014	-2.5 to 2.5	Pass
				-10	12	-1.016	-0.0012	-2.5 to 2.5	Pass
				0	12	-1.059	-0.0013	-2.5 to 2.5	Pass
				10	12	0.043	0.0001	-2.5 to 2.5	Pass
				30	12	-1.173	-0.0014	-2.5 to 2.5	Pass
				40	12	-0.787	-0.0009	-2.5 to 2.5	Pass
				50	12	-1.030	-0.0012	-2.5 to 2.5	Pass
	844	27	23	20	10.8	0.315	0.0004	-2.5 to 2.5	Pass
					12	-0.629	-0.0007	-2.5 to 2.5	Pass
					19.8	-0.143	-0.0002	-2.5 to 2.5	Pass
				-30	12	-1.144	-0.0014	-2.5 to 2.5	Pass
				-20	12	-1.359	-0.0016	-2.5 to 2.5	Pass
				-10	12	-1.001	-0.0012	-2.5 to 2.5	Pass
				0	12	-1.130	-0.0013	-2.5 to 2.5	Pass
				10	12	-1.416	-0.0017	-2.5 to 2.5	Pass
				30	12	-0.858	-0.0010	-2.5 to 2.5	Pass
				40	12	-1.073	-0.0013	-2.5 to 2.5	Pass
				50	12	-0.830	-0.0010	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	27	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B5_1.4MHz




3.2.2 B5_3MHz



3.2.3 B5_5MHz





4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band5_OBW

Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.113	/	Pass
		836.5	6	0	1.113	/	Pass
		848.3	6	0	1.117	/	Pass
	16QAM	824.7	6	0	1.119	/	Pass
		836.5	6	0	1.110	/	Pass
		848.3	6	0	1.114	/	Pass
3	QPSK	825.5	15	0	2.729	/	Pass
		836.5	15	0	2.740	/	Pass
		847.5	15	0	2.737	/	Pass
	16QAM	825.5	15	0	2.722	/	Pass
		836.5	15	0	2.737	/	Pass
		847.5	15	0	2.738	/	Pass
5	QPSK	826.5	25	0	4.531	/	Pass
		836.5	25	0	4.521	/	Pass
		846.5	25	0	4.529	/	Pass
	16QAM	826.5	25	0	4.523	/	Pass
		836.5	25	0	4.529	/	Pass
		846.5	25	0	4.536	/	Pass
10	QPSK	829	50	0	9.028	/	Pass
		836.5	50	0	8.995	/	Pass
		844	50	0	8.994	/	Pass
	16QAM	829	27	0	5.501	/	Pass
		836.5	27	0	5.489	/	Pass
		844	27	23	5.813	/	Pass


4.1.2 Band5_XDB



Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.536	/	Pass
		836.5	6	0	1.512	/	Pass
		848.3	6	0	1.500	/	Pass
	16QAM	824.7	6	0	1.459	/	Pass
		836.5	6	0	1.516	/	Pass
		848.3	6	0	1.545	/	Pass
3	QPSK	825.5	15	0	3.267	/	Pass
		836.5	15	0	3.239	/	Pass
		847.5	15	0	3.287	/	Pass
	16QAM	825.5	15	0	3.251	/	Pass
		836.5	15	0	3.335	/	Pass
		847.5	15	0	3.233	/	Pass
5	QPSK	826.5	25	0	5.169	/	Pass
		836.5	25	0	5.153	/	Pass
		846.5	25	0	5.179	/	Pass



10	16QAM	826.5	25	0	5.174	/	Pass
		836.5	25	0	5.182	/	Pass
		846.5	25	0	5.200	/	Pass
	QPSK	829	50	0	9.863	/	Pass
		836.5	50	0	9.857	/	Pass
		844	50	0	9.799	/	Pass
	16QAM	829	27	0	9.139	/	Pass
		836.5	27	0	8.761	/	Pass
		844	27	23	9.567	/	Pass



4.2 Test Graph



4.2.1 Band5_OBW
















































4.2.2 Band5_XDB






































5. Peak-Average Ratio

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.61	<=13	Pass
	836.5	6	0	5.61	<=13	Pass
	848.3	6	0	5.64	<=13	Pass
16QAM	824.7	6	0	6.54	<=13	Pass
	836.5	6	0	6.40	<=13	Pass
	848.3	6	0	6.47	<=13	Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.62	<=13	Pass
	836.5	15	0	5.55	<=13	Pass
	847.5	15	0	5.51	<=13	Pass
16QAM	825.5	15	0	6.48	<=13	Pass
	836.5	15	0	6.41	<=13	Pass
	847.5	15	0	6.46	<=13	Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.79	<=13	Pass
	836.5	25	0	5.68	<=13	Pass
	846.5	25	0	5.72	<=13	Pass
16QAM	826.5	25	0	6.46	<=13	Pass
	836.5	25	0	6.46	<=13	Pass
	846.5	25	0	6.46	<=13	Pass


5.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.81	<=13	Pass
	836.5	50	0	5.63	<=13	Pass
	844	50	0	5.73	<=13	Pass
16QAM	829	27	0	6.48	<=13	Pass
	836.5	27	0	6.49	<=13	Pass


	844	27	23	6.55	<=13	Pass
--	-----	----	----	------	------	------

5.2 Test Graph

5.2.1 B5_1.4MHz




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV





2025-06-15 15:52:10


Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV







2025-06-15 15:47:46




5.2.2 B5_3MHz












5.2.3 B5_5MHz








5.2.4 B5_10MHz




Band5 10MHz QPSK HCH 844MHz RB 50 0 NTNV





2025-06-15 16:00:59

Band5 10MHz 16QAM LCH 829MHz RB 27 0 NTNV



2025-06-15 15:59:57



6. Spurious Emission

6.1 Test Result

6.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass



6.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	829	1	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass


6.2 Test Graph

6.2.1 B5_1.4MHz







Band5 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTNV





Band5 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-37.20	-13	Pass
823	824	0.015	CHP	2	823.995	-24.11	-13	Pass
824	827	0.015	CHP	/	/	/	/	/











Band5 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-22.90	-13	Pass
850	852	0.1	CHP	2	850.599	-48.72	-13	Pass

Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.015	CHP	/	/	/	/	/
849	850	0.015	CHP	1	849.005	-25.17	-13	Pass
850	852	0.1	CHP	2	850.055	-38.41	-13	Pass

