



1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	81.13	0.91	5.18
NVNT	a	5200	Ant1	81.18	0.91	5.18
NVNT	a	5240	Ant1	81.22	0.9	5.17
NVNT	a	5180	Ant2	81.29	0.9	5.17
NVNT	a	5200	Ant2	81.3	0.9	5.17
NVNT	a	5240	Ant2	81.27	0.9	5.17
NVNT	ac160	5250	Sum	85.9	0.66	3.51
NVNT	ac20	5180	Sum	87.52	0.58	3.11
NVNT	ac20	5200	Sum	87.51	0.58	3.12
NVNT	ac20	5240	Sum	87.51	0.58	3.12
NVNT	ac40	5190	Sum	86.3	0.64	3.32
NVNT	ac40	5230	Sum	86.8	0.61	3.32
NVNT	ac80	5210	Sum	86.02	0.65	3.46
NVNT	ax160	5250	Sum	86.29	0.64	3.34
NVNT	ax20	5180	Sum	91.09	0.41	2.1
NVNT	ax20	5200	Sum	90.88	0.42	2.1
NVNT	ax20	5240	Sum	91.09	0.41	2.1
NVNT	ax40	5190	Sum	86.33	0.64	3.34
NVNT	ax40	5230	Sum	86.64	0.62	3.34
NVNT	ax80	5210	Sum	86.34	0.64	3.34
NVNT	n20	5180	Sum	88.52	0.53	2.83
NVNT	n20	5200	Sum	88.47	0.53	2.83
NVNT	n20	5240	Sum	88.52	0.53	2.83
NVNT	n40	5190	Sum	87.71	0.57	2.93
NVNT	n40	5230	Sum	88.17	0.55	2.93

Duty Cycle NVNT ac80 5210MHz Sum




Duty Cycle NVNT ax160 5250MHz Sum




Duty Cycle NVNT ax20 5180MHz Sum




Duty Cycle NVNT ax20 5200MHz Sum




Duty Cycle NVNT ax40 5230MHz Sum



Duty Cycle NVNT ax80 5210MHz Sum



Duty Cycle NVNT n40 5230MHz Sum



2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.74	0.91	11.65	<=23.98	Pass
NVNT	a	5200	Ant1	10.82	0.91	11.73	<=23.98	Pass
NVNT	a	5240	Ant1	11.19	0.9	12.09	<=23.98	Pass
NVNT	a	5180	Ant2	10.31	0.9	11.21	<=23.98	Pass
NVNT	a	5200	Ant2	10.64	0.9	11.54	<=23.98	Pass
NVNT	a	5240	Ant2	10.8	0.9	11.7	<=23.98	Pass
NVNT	ac160	5250	Ant1	9.68	0.66	10.34	<=23.98	Pass
NVNT	ac160	5250	Ant2	9.71	0.66	10.37	<=23.98	Pass
NVNT	ac160	5250	Sum	12.71	0.66	13.37	<=22.68	Pass
NVNT	ac20	5180	Ant1	11.03	0.58	11.61	<=23.98	Pass
NVNT	ac20	5180	Ant2	10.4	0.58	10.98	<=23.98	Pass
NVNT	ac20	5180	Sum	13.74	0.58	14.32	<=22.68	Pass
NVNT	ac20	5200	Ant1	11.01	0.58	11.59	<=23.98	Pass
NVNT	ac20	5200	Ant2	10.82	0.58	11.4	<=23.98	Pass
NVNT	ac20	5200	Sum	13.93	0.58	14.51	<=22.68	Pass
NVNT	ac20	5240	Ant1	11.34	0.58	11.92	<=23.98	Pass
NVNT	ac20	5240	Ant2	11.09	0.58	11.67	<=23.98	Pass
NVNT	ac20	5240	Sum	14.23	0.58	14.81	<=22.68	Pass
NVNT	ac40	5190	Ant1	12.16	0.64	12.8	<=23.98	Pass
NVNT	ac40	5190	Ant2	11.76	0.64	12.4	<=23.98	Pass
NVNT	ac40	5190	Sum	14.97	0.64	15.61	<=22.68	Pass
NVNT	ac40	5230	Ant1	9.78	0.61	10.39	<=23.98	Pass
NVNT	ac40	5230	Ant2	9.29	0.61	9.9	<=23.98	Pass
NVNT	ac40	5230	Sum	12.55	0.61	13.16	<=22.68	Pass
NVNT	ac80	5210	Ant1	9.16	0.65	9.81	<=23.98	Pass
NVNT	ac80	5210	Ant2	9.14	0.65	9.79	<=23.98	Pass
NVNT	ac80	5210	Sum	12.16	0.65	12.81	<=22.68	Pass
NVNT	ax160	5250	Ant1	9.45	0.64	10.09	<=23.98	Pass
NVNT	ax160	5250	Ant2	9.53	0.64	10.17	<=23.98	Pass
NVNT	ax160	5250	Sum	12.5	0.64	13.14	<=22.68	Pass
NVNT	ax20	5180	Ant1	10.89	0.41	11.3	<=23.98	Pass
NVNT	ax20	5180	Ant2	10.31	0.41	10.72	<=23.98	Pass
NVNT	ax20	5180	Sum	13.62	0.41	14.03	<=22.68	Pass
NVNT	ax20	5200	Ant1	10.91	0.42	11.33	<=23.98	Pass
NVNT	ax20	5200	Ant2	10.61	0.42	11.03	<=23.98	Pass
NVNT	ax20	5200	Sum	13.77	0.42	14.19	<=22.68	Pass
NVNT	ax20	5240	Ant1	11.22	0.41	11.63	<=23.98	Pass
NVNT	ax20	5240	Ant2	10.81	0.41	11.22	<=23.98	Pass
NVNT	ax20	5240	Sum	14.03	0.41	14.44	<=22.68	Pass

Report


NVNT	ax40	5190	Ant1	11.9	0.64	12.54	<=22.68	Pass
NVNT	ax40	5190	Ant2	11.38	0.64	12.02	<=22.68	Pass
NVNT	ax40	5190	Sum	14.66	0.64	15.3	<=22.68	Pass
NVNT	ax40	5230	Ant1	9.42	0.62	10.04	<=22.68	Pass
NVNT	ax40	5230	Ant2	8.85	0.62	9.47	<=22.68	Pass
NVNT	ax40	5230	Sum	12.15	0.62	12.77	<=22.68	Pass
NVNT	ax80	5210	Ant1	8.98	0.64	9.62	<=22.68	Pass
NVNT	ax80	5210	Ant2	9.02	0.64	9.66	<=22.68	Pass
NVNT	ax80	5210	Sum	12.01	0.64	12.65	<=22.68	Pass
NVNT	n20	5180	Ant1	11.13	0.53	11.66	<=22.68	Pass
NVNT	n20	5180	Ant2	10.56	0.53	11.09	<=22.68	Pass
NVNT	n20	5180	Sum	13.86	0.53	14.39	<=22.68	Pass
NVNT	n20	5200	Ant1	11.09	0.53	11.62	<=22.68	Pass
NVNT	n20	5200	Ant2	10.83	0.53	11.36	<=22.68	Pass
NVNT	n20	5200	Sum	13.97	0.53	14.5	<=22.68	Pass
NVNT	n20	5240	Ant1	11.42	0.53	11.95	<=22.68	Pass
NVNT	n20	5240	Ant2	11.02	0.53	11.55	<=22.68	Pass
NVNT	n20	5240	Sum	14.23	0.53	14.76	<=22.68	Pass
NVNT	n40	5190	Ant1	12.26	0.57	12.83	<=22.68	Pass
NVNT	n40	5190	Ant2	11.85	0.57	12.42	<=22.68	Pass
NVNT	n40	5190	Sum	15.07	0.57	15.64	<=22.68	Pass
NVNT	n40	5230	Ant1	9.81	0.55	10.36	<=22.68	Pass
NVNT	n40	5230	Ant2	9.36	0.55	9.91	<=22.68	Pass
NVNT	n40	5230	Sum	12.6	0.55	13.15	<=22.68	Pass

Test Graphs

Power NVNT a 5180MHz Ant1



Power NVNT a 5200MHz Ant1



Power NVNT a 5240MHz Ant1



Power NVNT a 5180MHz Ant2



Power NVNT a 5200MHz Ant2



Power NVNT a 5240MHz Ant2



Power NVNT ac160 5250MHz Ant1



Power NVNT ac160 5250MHz Ant2



Power NVNT ac20 5180MHz Ant1



Power NVNT ac20 5180MHz Ant2



Power NVNT ac20 5200MHz Ant1



Power NVNT ac20 5200MHz Ant2




Power NVNT ac20 5240MHz Ant1



Power NVNT ac20 5240MHz Ant2



Power NVNT ac40 5190MHz Ant1



Power NVNT ac40 5190MHz Ant2



Power NVNT ac40 5230MHz Ant1



Power NVNT ac40 5230MHz Ant2



Power NVNT ac80 5210MHz Ant1



Power NVNT ac80 5210MHz Ant2



Power NVNT ax160 5250MHz Ant1



Power NVNT ax160 5250MHz Ant2



Power NVNT ax20 5180MHz Ant1



Power NVNT ax20 5180MHz Ant2



Power NVNT ax20 5200MHz Ant1



Power NVNT ax20 5200MHz Ant2



Power NVNT ax20 5240MHz Ant1



Power NVNT ax20 5240MHz Ant2



Power NVNT ax40 5190MHz Ant1



Power NVNT ax40 5190MHz Ant2



Power NVNT ax40 5230MHz Ant1



Power NVNT ax40 5230MHz Ant2



Power NVNT ax80 5210MHz Ant1



Power NVNT ax80 5210MHz Ant2




Power NVNT n20 5180MHz Ant1



Power NVNT n20 5180MHz Ant2



Power NVNT n20 5200MHz Ant1



Power NVNT n20 5200MHz Ant2



Power NVNT n20 5240MHz Ant1



Power NVNT n20 5240MHz Ant2



Power NVNT n40 5190MHz Ant1



Power NVNT n40 5190MHz Ant2



Power NVNT n40 5230MHz Ant1



Power NVNT n40 5230MHz Ant2



3. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	22.9413	Pass
NVNT	a	5200	Ant1	21.5985	Pass
NVNT	a	5240	Ant1	23.3407	Pass
NVNT	a	5180	Ant2	22.0024	Pass
NVNT	a	5200	Ant2	21.4792	Pass
NVNT	a	5240	Ant2	22.387	Pass
NVNT	ac160	5250	Ant1	157.2221	Pass
NVNT	ac160	5250	Ant2	162.4587	Pass
NVNT	ac20	5180	Ant1	22.802	Pass
NVNT	ac20	5180	Ant2	23.092	Pass
NVNT	ac20	5200	Ant1	22.3995	Pass
NVNT	ac20	5200	Ant2	23.0589	Pass
NVNT	ac20	5240	Ant1	24.3325	Pass
NVNT	ac20	5240	Ant2	22.8846	Pass
NVNT	ac40	5190	Ant1	40.5698	Pass
NVNT	ac40	5190	Ant2	42.4722	Pass
NVNT	ac40	5230	Ant1	42.123	Pass
NVNT	ac40	5230	Ant2	41.6412	Pass
NVNT	ac80	5210	Ant1	83.7537	Pass
NVNT	ac80	5210	Ant2	81.1112	Pass
NVNT	ax160	5250	Ant1	158.7438	Pass
NVNT	ax160	5250	Ant2	159.4824	Pass
NVNT	ax20	5180	Ant1	23.4206	Pass
NVNT	ax20	5180	Ant2	22.7703	Pass
NVNT	ax20	5200	Ant1	22.7033	Pass
NVNT	ax20	5200	Ant2	21.9237	Pass
NVNT	ax20	5240	Ant1	23.3336	Pass
NVNT	ax20	5240	Ant2	21.7787	Pass
NVNT	ax40	5190	Ant1	40.5385	Pass
NVNT	ax40	5190	Ant2	40.6085	Pass
NVNT	ax40	5230	Ant1	40.8328	Pass
NVNT	ax40	5230	Ant2	42.5363	Pass
NVNT	ax80	5210	Ant1	79.7141	Pass
NVNT	ax80	5210	Ant2	83.0889	Pass
NVNT	n20	5180	Ant1	22.8997	Pass
NVNT	n20	5180	Ant2	22.7909	Pass
NVNT	n20	5200	Ant1	22.7179	Pass
NVNT	n20	5200	Ant2	23.639	Pass
NVNT	n20	5240	Ant1	23.0771	Pass
NVNT	n20	5240	Ant2	22.7595	Pass

Report

NVNT	n40	5190	Ant1	39.7291	Pass
NVNT	n40	5190	Ant2	40.8817	Pass
NVNT	n40	5230	Ant1	42.4698	Pass
NVNT	n40	5230	Ant2	41.193	Pass

Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT a 5180MHz Ant2



-26dB Bandwidth NVNT a 5200MHz Ant2



-26dB Bandwidth NVNT a 5240MHz Ant2



-26dB Bandwidth NVNT ac160 5250MHz Ant1




-26dB Bandwidth NVNT ac160 5250MHz Ant2



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant2



-26dB Bandwidth NVNT ac20 5200MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant2



-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac20 5240MHz Ant2



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant2



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant2




-26dB Bandwidth NVNT ax160 5250MHz Ant1



-26dB Bandwidth NVNT ax160 5250MHz Ant2




-26dB Bandwidth NVNT ax20 5180MHz Ant1



-26dB Bandwidth NVNT ax20 5180MHz Ant2




-26dB Bandwidth NVNT ax20 5200MHz Ant1



-26dB Bandwidth NVNT ax20 5200MHz Ant2



-26dB Bandwidth NVNT ax20 5240MHz Ant1



-26dB Bandwidth NVNT ax20 5240MHz Ant2




-26dB Bandwidth NVNT ax40 5190MHz Ant1



-26dB Bandwidth NVNT ax40 5190MHz Ant2



-26dB Bandwidth NVNT ax40 5230MHz Ant1




-26dB Bandwidth NVNT ax40 5230MHz Ant2



-26dB Bandwidth NVNT ax80 5210MHz Ant1



-26dB Bandwidth NVNT ax80 5210MHz Ant2



-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant2



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant2



-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant2



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant2



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant2



4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.4357
NVNT	a	5200	Ant1	16.4435
NVNT	a	5240	Ant1	16.4567
NVNT	a	5180	Ant2	16.443
NVNT	a	5200	Ant2	16.412
NVNT	a	5240	Ant2	16.4421
NVNT	ac160	5250	Ant1	142.7292
NVNT	ac160	5250	Ant2	152.957
NVNT	ac20	5180	Ant1	17.6119
NVNT	ac20	5180	Ant2	17.6192
NVNT	ac20	5200	Ant1	17.5877
NVNT	ac20	5200	Ant2	17.5805
NVNT	ac20	5240	Ant1	17.6156
NVNT	ac20	5240	Ant2	17.6012
NVNT	ac40	5190	Ant1	35.7248
NVNT	ac40	5190	Ant2	35.9117
NVNT	ac40	5230	Ant1	35.9362
NVNT	ac40	5230	Ant2	36.0047
NVNT	ac80	5210	Ant1	75.0272
NVNT	ac80	5210	Ant2	74.2475
NVNT	ax160	5250	Ant1	143.485
NVNT	ax160	5250	Ant2	154.2198
NVNT	ax20	5180	Ant1	18.8617
NVNT	ax20	5180	Ant2	18.8106
NVNT	ax20	5200	Ant1	18.7771
NVNT	ax20	5200	Ant2	18.8586
NVNT	ax20	5240	Ant1	18.8476
NVNT	ax20	5240	Ant2	18.8778
NVNT	ax40	5190	Ant1	37.0257
NVNT	ax40	5190	Ant2	37.4311
NVNT	ax40	5230	Ant1	37.4151
NVNT	ax40	5230	Ant2	37.4962
NVNT	ax80	5210	Ant1	73.5372
NVNT	ax80	5210	Ant2	76.3835
NVNT	n20	5180	Ant1	17.6159
NVNT	n20	5180	Ant2	17.6173
NVNT	n20	5200	Ant1	17.6381
NVNT	n20	5200	Ant2	17.5932
NVNT	n20	5240	Ant1	17.6279
NVNT	n20	5240	Ant2	17.6028
NVNT	n40	5190	Ant1	35.7833

Report

NVNT	n40	5190	Ant2	35.9697
NVNT	n40	5230	Ant1	35.9549
NVNT	n40	5230	Ant2	35.9955

Test Graphs

OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1



OBW NVNT a 5240MHz Ant1




OBW NVNT a 5180MHz Ant2



OBW NVNT a 5200MHz Ant2



OBW NVNT a 5240MHz Ant2



OBW NVNT ac160 5250MHz Ant1



OBW NVNT ac160 5250MHz Ant2



OBW NVNT ac20 5180MHz Ant1



OBW NVNT ac20 5180MHz Ant2



OBW NVNT ac20 5200MHz Ant1



OBW NVNT ac20 5200MHz Ant2



OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac20 5240MHz Ant2



OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5230MHz Ant2



OBW NVNT ac80 5210MHz Ant1




OBW NVNT ac80 5210MHz Ant2



OBW NVNT ax160 5250MHz Ant1




OBW NVNT ax160 5250MHz Ant2




OBW NVNT ax20 5180MHz Ant1




OBW NVNT ax20 5180MHz Ant2



OBW NVNT ax20 5200MHz Ant1




OBW NVNT ax20 5200MHz Ant2



OBW NVNT ax20 5240MHz Ant1



OBW NVNT ax20 5240MHz Ant2




OBW NVNT ax40 5190MHz Ant1



OBW NVNT ax40 5190MHz Ant2




OBW NVNT ax40 5230MHz Ant1




OBW NVNT ax40 5230MHz Ant2



OBW NVNT ax80 5210MHz Ant1



OBW NVNT ax80 5210MHz Ant2



OBW NVNT n20 5180MHz Ant1



OBW NVNT n20 5180MHz Ant2



OBW NVNT n20 5200MHz Ant1



OBW NVNT n20 5200MHz Ant2



OBW NVNT n20 5240MHz Ant1



OBW NVNT n20 5240MHz Ant2



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5190MHz Ant2



OBW NVNT n40 5230MHz Ant1



OBW NVNT n40 5230MHz Ant2



5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.214	0.91	2.124	<=11	Pass
NVNT	a	5200	Ant1	1.186	0.91	2.096	<=11	Pass
NVNT	a	5240	Ant1	1.593	0.9	2.493	<=11	Pass
NVNT	a	5180	Ant2	0.851	0.9	1.751	<=11	Pass
NVNT	a	5200	Ant2	1.212	0.9	2.112	<=11	Pass
NVNT	a	5240	Ant2	1.011	4.77	5.781	<=11	Pass
NVNT	ac160	5250	Ant1	-7.933	0.66	-7.273	<=11	Pass
NVNT	ac160	5250	Ant2	-9.208	0.66	-8.548	<=11	Pass
NVNT	ac160	5250	Sum	-5.514	0.66	-4.854	<=9.7	Pass
NVNT	ac20	5180	Ant1	1.052	0.58	1.632	<=11	Pass
NVNT	ac20	5180	Ant2	0.715	0.58	1.295	<=11	Pass
NVNT	ac20	5180	Sum	3.897	0.58	4.477	<=9.7	Pass
NVNT	ac20	5200	Ant1	0.94	0.58	1.52	<=11	Pass
NVNT	ac20	5200	Ant2	0.846	0.58	1.426	<=11	Pass
NVNT	ac20	5200	Sum	3.904	0.58	4.484	<=9.7	Pass
NVNT	ac20	5240	Ant1	1.48	0.58	2.06	<=11	Pass
NVNT	ac20	5240	Ant2	1.276	0.58	1.856	<=11	Pass
NVNT	ac20	5240	Sum	4.389	0.58	4.969	<=9.7	Pass
NVNT	ac40	5190	Ant1	0.523	0.64	1.163	<=11	Pass
NVNT	ac40	5190	Ant2	-1.243	0.64	-0.603	<=11	Pass
NVNT	ac40	5190	Sum	2.739	0.64	3.379	<=9.7	Pass
NVNT	ac40	5230	Ant1	-3.256	6.42	3.164	<=11	Pass
NVNT	ac40	5230	Ant2	-3.961	6.42	2.459	<=11	Pass
NVNT	ac40	5230	Sum	-0.584	6.42	5.836	<=9.7	Pass
NVNT	ac80	5210	Ant1	-6.944	0.65	-6.294	<=11	Pass
NVNT	ac80	5210	Ant2	-6.289	0.65	-5.639	<=11	Pass
NVNT	ac80	5210	Sum	-3.594	0.65	-2.944	<=9.7	Pass
NVNT	ax160	5250	Ant1	-8.261	0.64	-7.621	<=11	Pass
NVNT	ax160	5250	Ant2	-9.416	0.64	-8.776	<=11	Pass
NVNT	ax160	5250	Sum	-5.79	0.64	-5.15	<=9.7	Pass
NVNT	ax20	5180	Ant1	1.091	0.41	1.501	<=11	Pass
NVNT	ax20	5180	Ant2	0.399	0.41	0.809	<=11	Pass
NVNT	ax20	5180	Sum	3.769	0.41	4.179	<=9.7	Pass
NVNT	ax20	5200	Ant1	0.751	0.42	1.171	<=11	Pass
NVNT	ax20	5200	Ant2	0.617	0.42	1.037	<=11	Pass
NVNT	ax20	5200	Sum	3.695	0.42	4.115	<=9.7	Pass
NVNT	ax20	5240	Ant1	1.079	0.41	1.489	<=11	Pass
NVNT	ax20	5240	Ant2	0.781	0.41	1.191	<=11	Pass
NVNT	ax20	5240	Sum	3.943	0.41	4.353	<=9.7	Pass

Report

NVNT	ax40	5190	Ant1	0.346	0.64	0.986	<=9.7	Pass
NVNT	ax40	5190	Ant2	-1.771	0.64	-1.131	<=9.7	Pass
NVNT	ax40	5190	Sum	2.426	0.64	3.066	<=9.7	Pass
NVNT	ax40	5230	Ant1	-3.561	0.62	-2.941	<=9.7	Pass
NVNT	ax40	5230	Ant2	-4.333	0.62	-3.713	<=9.7	Pass
NVNT	ax40	5230	Sum	-0.92	0.62	-0.3	<=9.7	Pass
NVNT	ax80	5210	Ant1	-6.068	0.64	-5.428	<=9.7	Pass
NVNT	ax80	5210	Ant2	-6.906	0.64	-6.266	<=9.7	Pass
NVNT	ax80	5210	Sum	-3.457	0.64	-2.817	<=9.7	Pass
NVNT	n20	5180	Ant1	1.274	0.53	1.804	<=9.7	Pass
NVNT	n20	5180	Ant2	0.791	0.53	1.321	<=9.7	Pass
NVNT	n20	5180	Sum	4.05	0.53	4.58	<=9.7	Pass
NVNT	n20	5200	Ant1	1.227	0.53	1.757	<=9.7	Pass
NVNT	n20	5200	Ant2	0.809	0.53	1.339	<=9.7	Pass
NVNT	n20	5200	Sum	4.033	0.53	4.563	<=9.7	Pass
NVNT	n20	5240	Ant1	1.557	0.53	2.087	<=9.7	Pass
NVNT	n20	5240	Ant2	0.986	0.53	1.516	<=9.7	Pass
NVNT	n20	5240	Sum	4.291	0.53	4.821	<=9.7	Pass
NVNT	n40	5190	Ant1	0.55	0.57	1.12	<=9.7	Pass
NVNT	n40	5190	Ant2	-1.153	0.57	-0.583	<=9.7	Pass
NVNT	n40	5190	Sum	2.792	0.57	3.362	<=9.7	Pass
NVNT	n40	5230	Ant1	-3.129	0.55	-2.579	<=9.7	Pass
NVNT	n40	5230	Ant2	-3.868	0.55	-3.318	<=9.7	Pass
NVNT	n40	5230	Sum	-0.473	0.55	0.077	<=9.7	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1



PSD NVNT a 5240MHz Ant1



PSD NVNT a 5180MHz Ant2



PSD NVNT a 5200MHz Ant2



PSD NVNT a 5240MHz Ant2



PSD NVNT ac160 5250MHz Ant1



PSD NVNT ac160 5250MHz Ant2



PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5180MHz Ant2



PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5200MHz Ant2



PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac20 5240MHz Ant2



PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5190MHz Ant2



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5210MHz Ant2



PSD NVNT ax160 5250MHz Ant1



PSD NVNT ax160 5250MHz Ant2



PSD NVNT ax20 5180MHz Ant1



PSD NVNT ax20 5180MHz Ant2



PSD NVNT ax20 5200MHz Ant1



PSD NVNT ax20 5200MHz Ant2



PSD NVNT ax20 5240MHz Ant1



PSD NVNT ax20 5240MHz Ant2



PSD NVNT ax40 5190MHz Ant1



PSD NVNT ax40 5190MHz Ant2



PSD NVNT ax40 5230MHz Ant1



PSD NVNT ax40 5230MHz Ant2



PSD NVNT ax80 5210MHz Ant1



PSD NVNT ax80 5210MHz Ant2



PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5180MHz Ant2




PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5200MHz Ant2



PSD NVNT n20 5240MHz Ant1



PSD NVNT n20 5240MHz Ant2



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5190MHz Ant2



PSD NVNT n40 5230MHz Ant1



PSD NVNT n40 5230MHz Ant2

