

Torchiere Floor Lamp
User Manual

Warranty

We provide a 12-month warranty for the light and a 60-day money-back guarantee for quality problems.

Note: Damages caused by the disregard of this user manual are not subject to warranty.

Contact Us

At LEPOWER, we truly care about your experience of shopping and product using. If there is any question before or during the use of our products, please kindly contact us by clicking the "ask a question" button in our store, and send us an email. We will respond to your email as soon as possible.

Specifications



• Package Includes

- 1. Torchiere Floor Lamp x 1
- 2. Remote Controller x 1
- 3. Power Cord with Adapter x 1
- 4. AAA battery x 2
- 5. User Manual x 1

• Versatile Application


Suitable for living room, bedroom, study, kids room, dorm, office, restaurant, and hotel.

| Torchiere Floor Lamp | | | |
|----------------------|---------------|---------------|-------------------------------|
| Brand | LEPOWER | Model | IL-US-YX3050-DM- 25V1A4-02 |
| Luminous Flux | 3500lm | Net Weight | 10.5 lbs |
| Max. Wattage | 35W | Voltage | AC 120V |
| Size | 69.7*9.8 inch | Main Material | Metal |

*** Installation**

While installing, please be careful to avoid being hit by loose parts and keep from children."

- 1. Connect and tighten up short poles shown with ①~③ successively.
- 2. Install the round base shown with 4.
- 3. Connect the lamp head shown with ⑤.
- 4. Connect the power cords shown with 6.



How to use

Method 1: Touch Control

(ம்) : Touch to turn on/off the light.

: Touch to adjust the color temperature. (3000k-3500k-4500k-5000k)

: Touch to adjust the brightness. (20%-40%-60%-80%-100%)

: Touch to turn on the night-light mode.

Method 2: Remote Control

A. In most cases, the remote control and the LED floor lamp would have already been paired up before leaving the factory.

B. If the remote control is not paired, please pair it with the floor lamp manually. Within the first 10 seconds after the lamp is plugged in, press "

" and "

" on the remote control simultaneously for 3 seconds.

C. If the lamp flashes 3 times in warm light, it is paired up successfully. Otherwise, please re-plug the lamp and go over step B.

D. Once successfully paired, the remote control can be used to adjust light settings and turn on presets.

Note: The floor lamp will remain the same settings as when it was turned off whether plugged in or not.

Cautions

- 1. This unfixed floor lamp is not suitable to be placed on a tilted surface.
- 2. Operating temperature should be within 14°F-104°F (-10°C-40°C).
- 3. The light source of this lamp cannot be switched or replaced separately.
- 4. If the lamp needs inspection or repair, please entrust it to qualified professionals.
- 5. Please do not expose the lamp to water or fire source.
- 6. Please do not touch the lamp with wet hands when it is turned on.
- 7. The lamp is for indoor use only. Please keep it away from wet or damp environment to avoid fire accident.
- 8. When cleaning the lamp, please disconnect and unplug the lamp, and only clean it with dry cloths.
- 9. The power adapter (model HSTF24-2501450C) comes along in the box is only compatible with this product (model IL-US-YX3050-DM-25V1A4-02), and cannot be used with any other products. LEPOWER is not responsible for any consequences due to the disregard of this warning.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are

designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio

frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However,

there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the

following measures:

- •Reorient or relocate the receiving antenna.
- •Increase the separation between the equipment and receiver.
- •Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- •Consult the dealer or an experienced radio/TV technician for help. Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful

interference, and (2) this device must accept any interference received,

including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition, compliance with exposure requirements.