



## FCC/ISED Test Setup Photos

**For:**

Light Guard LLC.

**Model Name:**

WT01

**Product Description:**

The Wireless Trigger activates and de-activates the Lightguard system by sending a signal over BLE technology.

**FCC ID:** 2A9AAWT01

**Addition to Report #:**

EMC\_MPON\_006\_22001\_FCC\_15.247

EMC\_MPON\_006\_22001\_FCC\_15B Remote Trigger Button

**DATE:** 7/22/2024

***CETECOM Inc.***

411 Dixon Landing Road • Milpitas, CA 95035 • U.S.A.

Phone: + 1 (408) 586 6200 • Fax: + 1 (408) 586 6299 • E-mail: [info@cetecom.com](mailto:info@cetecom.com) • <http://www.cetecom.com>

*CETECOM Inc.* is a Delaware Corporation with Corporation number: 2905571


Radiated Measurements for Remote Trigger Button FCC 15.247

---


9 kHz to 30 MHz




30 MHz to 1 GHz



1 GHz to 3 GHz



3 GHz to 18 GHz




18 GHz to 26 GHz



Radiated Measurements for Remote Trigger Button FCC\_15B


30 MHz to 1 GHz



1 GHz to 3 GHz



3 GHz to 18 GHz



## **Revision History**

Date	Report Name	Changes to report	Prepared by
7/22/2024	EMC_MPCon_006_22001_FCC_Setup_Photos	Initial Version	Art Thammanavarat

<<< The End >>>