

Project No.: Y220801034
Project No.: 2022.08.05

REV: A0

Antenna SPEC

Customer name:
Customer project:
B&T P/N:79030004
Spec.: built-in antenna-433MHz-spring- ⊄ 0.6 × OD4.6 × N14.5 × L15.1mm

Sealed by corporation:

compilation	verify	approval
Huangfeihui	Yangbingwu	Liulihua

Sealed by customer:

check	verify	approval

Contact information of B&T:

Contact person for sales:	MB:17875774543	E-mail: linxj@aithinker.com	
Linxiaojuan	MD:17073774343		
Contact person for technical:	MB: 15675198828	E-mail: yangbw@tech-now.com	
Yangbingwu	MD:15075198828		
Contact person for Quality:	MD 15601017001	E mail as as 20t as h name as m	
Leihao	MB: 15681917991	E-mail: sc_qe2@tech-now.com	



Document making / revising / abolishing resume

Edition	Date	Formulate/Revised content	Formulate	approval
Α0	2022.08.05	For the first time, formulate	Huangfeihui	Yangbinwu/Liulihua




Contents

1、	Cover·····	1
2、	Index of specification·····	3
3、	Product drawing·····	4
4、	Electrical& mechanics Parameter	5
5、	Table of Materials and Hazardous Substances·····	ϵ
6、	Packing Specification	7



3. Product drawing





4. Properties ¶meter

Electrical Parameter					
Freq Range	433MHz				
Characteristic Impedance	50 Ω				
VSWR	Control test figure				
The Max input power	<10w				
Polarization mode	Polar linearization				
Radiation mode	Omni directional				
Connector style	/				
Me	Mechanics Properties				
Length	15.1±0.5mm				
Salt spray test	/				
Environment parameter					
Operating Temp -30°C~65°C					



5. Table of Materials and Hazardous Substances

Items	specific	The	RoHS The inspection results (PPM)			ICD Took number	Detection time			
are	ations	material	Cd	Pb	Hg	Cr+6	PBB	PBDE	ICP Test number Detection t	
1	spring	Nickel plating	ND	ND	ND	ND	ND	ND	SHAHG2202677801	2022/2/23



PACKING CRITERION

P/N: 79030004

Spec: built-in antenna-433MHz-spring-⊄0.6×0D4.6×N14.5×L15.1mm

— contents of label(according to the customer's name, refer to the corresponding finished product label production requirements. If there is no requirement, it will follow the ordinary label requirements.)

Label for PE bag/ carton, L:10cm; W:6cm

buyer	*******				
vender	ZHONGSHAN B&T TECHNOLOGY Co,.Ltd				
Purchase No	*******				
Material No.	********				
Part		00			
name	******	QC	**		
Q'ty/Unit	****	Manufacture	**** **		
Q ty/Onit	date				
Trace code	******	Running water number	******		

Label for PE bag/ carton, L:10cm; W:6cm


buyer	*******				
vender	ZHONGSHAN B&T TECHNOLOGY Co,.Ltd				
Purchase No	******				
Material No.	*********				
Part name	*****	**			
O'ty/Unit	****	Manufacture	**** **		
Q'ty/Unit	date				
Trace code	****** Running water number ***				

二、Packing requirement

Operating description:

The knife card has two layers,

- 1. <u>1500</u> PCS/layer, <u>100</u> PCS/stuck,
- outer packing:
 3000 PCS/carton



Notice:

- 1. Whether to add a partition, pearl cotton;
- 2. Label attachment, such as ROHS, etc.