

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/500kHz)	Verdict
11a	CH149	5.52	Pass
11a	CH157	5.10	Pass
11a	CH165	4.90	Pass
11n (HT20)	CH149	5.17	Pass
11n (HT20)	CH157	4.85	Pass
11n (HT20)	CH165	5.12	Pass
11n (HT40)	CH151	2.77	Pass
11n (HT40)	CH159	2.76	Pass
11ac (VHT20)	CH149	4.99	Pass
11ac (VHT20)	CH157	4.60	Pass
11ac (VHT20)	CH165	4.98	Pass
11ac (VHT40)	CH151	2.25	Pass
11ac (VHT40)	CH159	2.42	Pass
11ac (VHT80)	CH155	-0.95	Pass
11ax (HE20) (SU)	CH149	5.38	Pass
11ax (HE20) (SU)	CH157	5.01	Pass
11ax (HE20) (SU)	CH165	5.30	Pass
11ax (HE40) (SU)	CH151	2.36	Pass
11ax (HE40) (SU)	CH159	2.40	Pass
11ax (HE80) (SU)	CH155	-0.96	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/500kHz)	Verdict
11ax (HE20) (RU)	CH149	26	9.41	Pass
		52	7.05	Pass
		106	4.67	Pass
	CH157	26	9.23	Pass
		52	6.95	Pass
		106	4.12	Pass
	CH165	26	9.55	Pass
		52	7.17	Pass
		106	4.70	Pass
11ax (HE40) (RU)	CH151	26	9.72	Pass
		52	7.19	Pass
		106	4.21	Pass
		242	2.94	Pass
	CH159	26	9.49	Pass
		52	6.83	Pass
		106	4.67	Pass
		242	2.28	Pass
11ax (HE80) (RU)	CH155	26	9.71	Pass
		52	6.80	Pass
		106	3.83	Pass
		242	0.73	Pass
		484	-1.20	Pass

A.5 Conducted Emissions


Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.198	42.97	9.77	63.69	20.72	Peak	L	Pass
1**	0.198	29.01	9.77	53.69	24.68	AV	L	Pass
2	0.274	42.00	9.76	61.00	19.00	Peak	L	Pass
2**	0.274	27.47	9.76	51.00	23.53	AV	L	Pass
3	0.490	42.12	9.99	56.17	14.05	Peak	L	Pass
3**	0.490	32.26	9.99	46.17	13.91	AV	L	Pass
4	0.842	38.09	10.61	56.00	17.91	Peak	L	Pass
4**	0.842	26.62	10.61	46.00	19.38	AV	L	Pass
5	3.744	39.03	10.46	56.00	16.97	Peak	L	Pass
5**	3.744	25.59	10.46	46.00	20.41	AV	L	Pass
6	7.746	37.45	10.41	60.00	22.55	Peak	L	Pass
6**	7.746	26.05	10.41	50.00	23.95	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.220	41.56	9.77	62.82	21.26	Peak	N	Pass
1**	0.220	27.13	9.77	52.82	25.69	AV	N	Pass
2	0.494	42.15	9.99	56.10	13.95	Peak	N	Pass
2**	0.494	31.40	9.99	46.10	14.70	AV	N	Pass
3	0.796	37.30	10.50	56.00	18.70	Peak	N	Pass
3**	0.796	26.34	10.50	46.00	19.66	AV	N	Pass
4	1.728	37.21	10.17	56.00	18.79	Peak	N	Pass
4**	1.728	24.86	10.17	46.00	21.14	AV	N	Pass
5	3.032	36.91	10.15	56.00	19.09	Peak	N	Pass
5**	3.032	24.97	10.15	46.00	21.03	AV	N	Pass
6	9.682	38.40	10.48	60.00	21.60	Peak	N	Pass
6**	9.682	25.39	10.48	50.00	24.61	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note ⁵: For Multiple transmitter output, the quantity $10 \log(NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log(NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	93.390	28.73	-30.69	43.5	14.77	Peak	176.00	200	Horizontal	Pass
2	283.801	27.16	-25.45	46.0	18.84	Peak	281.00	100	Horizontal	Pass
3	396.709	29.33	-21.30	46.0	16.67	Peak	216.00	100	Horizontal	Pass
4	571.454	25.41	-16.88	46.0	20.59	Peak	85.00	200	Horizontal	Pass
5	741.737	28.23	-13.24	46.0	17.77	Peak	167.00	100	Horizontal	Pass
6	935.204	32.31	-10.65	46.0	13.69	Peak	133.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	91.983	20.50	-30.00	43.5	23.00	Peak	231.00	100	Vertical	Pass
2	300.824	20.81	-24.63	46.0	25.19	Peak	245.00	200	Vertical	Pass
3	398.649	30.57	-21.28	46.0	15.43	Peak	150.00	100	Vertical	Pass
4	499.868	27.45	-18.76	46.0	18.55	Peak	159.00	100	Vertical	Pass
5	664.331	28.24	-15.61	46.0	17.76	Peak	125.00	200	Vertical	Pass
6	980.843	31.12	-9.95	54.0	22.88	Peak	360.00	200	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Note ³: All the configurations were pre tested, only the worst configuration has been reported in this report.

SISO-Antenna 0

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.900	39.75	74.0	34.25	Peak	20.00	300	Horizontal	Pass
1**	1441.900	29.35	54.0	24.65	AV	20.00	300	Horizontal	Pass
2	4344.000	50.77	74.0	23.23	Peak	210.00	200	Horizontal	Pass
2**	4344.000	41.97	54.0	12.03	AV	210.00	200	Horizontal	Pass
3	5181.400	107.93	--	--	Peak	175.00	200	Horizontal	N/A
3**	5181.400	100.23	--	--	AV	175.00	200	Horizontal	N/A
4	7685.400	50.17	74.0	23.83	Peak	41.00	300	Horizontal	Pass
4**	7685.400	40.90	54.0	13.10	AV	41.00	300	Horizontal	Pass
5	11493.625	53.43	74.0	20.57	Peak	58.00	200	Horizontal	Pass
5**	11493.625	43.59	54.0	10.41	AV	58.00	200	Horizontal	Pass
6	16096.874	56.33	74.0	17.67	Peak	325.00	100	Horizontal	Pass
6**	16096.874	46.97	54.0	7.03	AV	325.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	39.92	74.0	34.08	Peak	34.00	400	Vertical	Pass
1**	1499.200	29.44	54.0	24.56	AV	34.00	400	Vertical	Pass
2	4363.000	50.59	74.0	23.41	Peak	268.00	200	Vertical	Pass
2**	4363.000	41.07	54.0	12.93	AV	268.00	200	Vertical	Pass
3	5177.400	109.21	--	--	Peak	155.00	100	Vertical	N/A
3**	5177.400	101.49	--	--	AV	155.00	100	Vertical	N/A
4	7453.388	50.70	74.0	23.30	Peak	150.00	200	Vertical	Pass
4**	7453.388	40.84	54.0	13.16	AV	150.00	200	Vertical	Pass
5	12204.613	53.68	74.0	20.32	Peak	185.00	200	Vertical	Pass
5**	12204.613	42.80	54.0	11.20	AV	185.00	200	Vertical	Pass
6	15792.638	55.91	74.0	18.09	Peak	179.00	400	Vertical	Pass
6**	15792.638	46.18	54.0	7.82	AV	179.00	400	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	40.81	74.0	33.19	Peak	13.00	100	Horizontal	Pass
1**	1438.300	29.24	54.0	24.76	AV	13.00	100	Horizontal	Pass
2	4086.000	50.61	74.0	23.39	Peak	279.00	100	Horizontal	Pass
2**	4086.000	39.99	54.0	14.01	AV	279.00	100	Horizontal	Pass
3	5222.000	107.62	--	--	Peak	181.00	200	Horizontal	N/A
3**	5222.000	100.66	--	--	AV	181.00	200	Horizontal	N/A
4	7337.812	49.84	74.0	24.16	Peak	170.00	100	Horizontal	Pass
4**	7337.812	41.48	54.0	12.52	AV	170.00	100	Horizontal	Pass
5	12622.063	53.49	74.0	20.51	Peak	204.00	100	Horizontal	Pass
5**	12622.063	43.87	54.0	10.13	AV	204.00	100	Horizontal	Pass
6	16187.700	56.12	74.0	17.88	Peak	257.00	100	Horizontal	Pass
6**	16187.700	46.79	54.0	7.21	AV	257.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.000	39.41	74.0	34.59	Peak	241.00	400	Vertical	Pass
1**	1494.000	29.54	54.0	24.46	AV	241.00	400	Vertical	Pass
2	4378.400	50.48	74.0	23.52	Peak	65.00	400	Vertical	Pass
2**	4378.400	42.16	54.0	11.84	AV	65.00	400	Vertical	Pass
3	5220.600	110.07	--	--	Peak	154.00	100	Vertical	N/A
3**	5220.600	102.03	--	--	AV	154.00	100	Vertical	N/A
4	7733.700	49.97	74.0	24.03	Peak	168.00	400	Vertical	Pass
4**	7733.700	41.42	54.0	12.58	AV	168.00	400	Vertical	Pass
5	12277.349	53.34	74.0	20.66	Peak	100.00	200	Vertical	Pass
5**	12277.349	44.15	54.0	9.85	AV	100.00	200	Vertical	Pass
6	16108.162	56.07	74.0	17.93	Peak	220.00	300	Vertical	Pass
6**	16108.162	46.75	54.0	7.25	AV	220.00	300	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.600	39.77	74.0	34.23	Peak	14.00	100	Horizontal	Pass
1**	1436.600	29.87	54.0	24.13	AV	14.00	100	Horizontal	Pass
2	4392.200	50.00	74.0	24.00	Peak	343.00	200	Horizontal	Pass
2**	4392.200	41.75	54.0	12.25	AV	343.00	200	Horizontal	Pass
3	5238.200	107.33	--	--	Peak	175.00	100	Horizontal	N/A
3**	5238.200	99.62	--	--	AV	175.00	100	Horizontal	N/A
4	7629.625	49.73	74.0	24.27	Peak	360.00	100	Horizontal	Pass
4**	7629.625	41.05	54.0	12.95	AV	360.00	100	Horizontal	Pass
5	11922.288	53.53	74.0	20.47	Peak	72.00	150	Horizontal	Pass
5**	11922.288	44.13	54.0	9.87	AV	72.00	150	Horizontal	Pass
6	15657.975	56.45	74.0	17.55	Peak	63.00	400	Horizontal	Pass
6**	15657.975	47.09	54.0	6.91	AV	63.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.900	39.01	74.0	34.99	Peak	199.00	200	Vertical	Pass
1**	1486.900	29.52	54.0	24.48	AV	199.00	200	Vertical	Pass
2	4390.600	51.13	74.0	22.87	Peak	45.00	200	Vertical	Pass
2**	4390.600	41.32	54.0	12.68	AV	45.00	200	Vertical	Pass
3	5237.400	108.81	--	--	Peak	153.00	100	Vertical	N/A
3**	5237.400	101.24	--	--	AV	153.00	100	Vertical	N/A
4	7344.138	50.27	74.0	23.73	Peak	82.00	200	Vertical	Pass
4**	7344.138	41.96	54.0	12.04	AV	82.00	200	Vertical	Pass
5	12298.625	53.49	74.0	20.51	Peak	285.00	200	Vertical	Pass
5**	12298.625	44.54	54.0	9.46	AV	285.00	200	Vertical	Pass
6	16101.075	56.20	74.0	17.80	Peak	63.00	100	Vertical	Pass
6**	16101.075	47.40	54.0	6.60	AV	63.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.300	41.76	74.0	32.24	Peak	10.00	300	Horizontal	Pass
1**	1436.300	29.69	54.0	24.31	AV	10.00	300	Horizontal	Pass
2	4359.600	50.10	74.0	23.90	Peak	133.00	400	Horizontal	Pass
2**	4359.600	41.91	54.0	12.09	AV	133.00	400	Horizontal	Pass
3	5176.000	107.06	--	--	Peak	178.00	100	Horizontal	N/A
3**	5176.000	99.08	--	--	AV	178.00	100	Horizontal	N/A
4	7340.112	50.03	74.0	23.97	Peak	169.00	400	Horizontal	Pass
4**	7340.112	41.14	54.0	12.86	AV	169.00	400	Horizontal	Pass
5	12265.850	53.78	74.0	20.22	Peak	360.00	200	Horizontal	Pass
5**	12265.850	44.51	54.0	9.49	AV	360.00	200	Horizontal	Pass
6	16077.975	56.65	74.0	17.35	Peak	354.00	300	Horizontal	Pass
6**	16077.975	46.97	54.0	7.03	AV	354.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	39.68	74.0	34.32	Peak	307.00	300	Vertical	Pass
1**	1499.900	29.41	54.0	24.59	AV	307.00	300	Vertical	Pass
2	4341.000	50.30	74.0	23.70	Peak	46.00	200	Vertical	Pass
2**	4341.000	40.94	54.0	13.06	AV	46.00	200	Vertical	Pass
3	5178.400	109.14	--	--	Peak	144.00	150	Vertical	N/A
3**	5178.400	101.46	--	--	AV	144.00	150	Vertical	N/A
4	7350.462	50.32	74.0	23.68	Peak	360.00	400	Vertical	Pass
4**	7350.462	40.18	54.0	13.82	AV	360.00	400	Vertical	Pass
5	12411.325	53.67	74.0	20.33	Peak	169.00	100	Vertical	Pass
5**	12411.325	44.50	54.0	9.50	AV	169.00	100	Vertical	Pass
6	15622.275	56.22	74.0	17.78	Peak	64.00	200	Vertical	Pass
6**	15622.275	46.53	54.0	7.47	AV	64.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	41.10	74.0	32.90	Peak	8.00	300	Horizontal	Pass
1**	1438.300	30.26	54.0	23.74	AV	8.00	300	Horizontal	Pass
2	4354.800	50.97	74.0	23.03	Peak	212.00	100	Horizontal	Pass
2**	4354.800	41.01	54.0	12.99	AV	212.00	100	Horizontal	Pass
3	5218.000	107.45	--	--	Peak	178.00	100	Horizontal	N/A
3**	5218.000	99.95	--	--	AV	178.00	100	Horizontal	N/A
4	7345.000	50.46	74.0	23.54	Peak	303.00	300	Horizontal	Pass
4**	7345.000	41.01	54.0	12.99	AV	303.00	300	Horizontal	Pass
5	12274.187	53.84	74.0	20.16	Peak	303.00	100	Horizontal	Pass
5**	12274.187	43.73	54.0	10.27	AV	303.00	100	Horizontal	Pass
6	15653.512	56.70	74.0	17.30	Peak	68.00	200	Horizontal	Pass
6**	15653.512	45.74	54.0	8.26	AV	68.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.300	39.29	74.0	34.71	Peak	242.00	100	Vertical	Pass
1**	1587.300	29.62	54.0	24.38	AV	242.00	100	Vertical	Pass
2	4329.600	50.63	74.0	23.37	Peak	334.00	400	Vertical	Pass
2**	4329.600	40.05	54.0	13.95	AV	334.00	400	Vertical	Pass
3	5221.600	109.51	--	--	Peak	148.00	200	Vertical	N/A
3**	5221.600	102.22	--	--	AV	148.00	200	Vertical	N/A
4	7742.325	49.44	74.0	24.56	Peak	359.00	300	Vertical	Pass
4**	7742.325	40.00	54.0	14.00	AV	359.00	300	Vertical	Pass
5	12306.675	53.24	74.0	20.76	Peak	11.00	150	Vertical	Pass
5**	12306.675	43.75	54.0	10.25	AV	11.00	150	Vertical	Pass
6	15644.325	56.46	74.0	17.54	Peak	86.00	200	Vertical	Pass
6**	15644.325	46.76	54.0	7.24	AV	86.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	42.20	74.0	31.80	Peak	12.00	400	Horizontal	Pass
1**	1439.900	30.71	54.0	23.29	AV	12.00	400	Horizontal	Pass
2	4353.200	50.14	74.0	23.86	Peak	331.00	400	Horizontal	Pass
2**	4353.200	40.98	54.0	13.02	AV	331.00	400	Horizontal	Pass
3	5241.600	107.11	--	--	Peak	177.00	100	Horizontal	N/A
3**	5241.600	99.70	--	--	AV	177.00	100	Horizontal	N/A
4	7495.363	49.79	74.0	24.21	Peak	360.00	300	Horizontal	Pass
4**	7495.363	39.86	54.0	14.14	AV	360.00	300	Horizontal	Pass
5	12283.675	53.54	74.0	20.46	Peak	99.00	150	Horizontal	Pass
5**	12283.675	44.11	54.0	9.89	AV	99.00	150	Horizontal	Pass
6	16062.750	56.43	74.0	17.57	Peak	302.00	300	Horizontal	Pass
6**	16062.750	46.62	54.0	7.38	AV	302.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.200	39.03	74.0	34.97	Peak	338.00	200	Vertical	Pass
1**	1490.200	29.44	54.0	24.56	AV	338.00	200	Vertical	Pass
2	4365.000	50.30	74.0	23.70	Peak	310.00	300	Vertical	Pass
2**	4365.000	41.99	54.0	12.01	AV	310.00	300	Vertical	Pass
3	5242.000	109.01	--	--	Peak	154.00	150	Vertical	N/A
3**	5242.000	101.23	--	--	AV	154.00	150	Vertical	N/A
4	7335.800	50.04	74.0	23.96	Peak	110.00	300	Vertical	Pass
4**	7335.800	40.82	54.0	13.18	AV	110.00	300	Vertical	Pass
5	12607.112	53.67	74.0	20.33	Peak	93.00	100	Vertical	Pass
5**	12607.112	43.86	54.0	10.14	AV	93.00	100	Vertical	Pass
6	15860.625	55.87	74.0	18.13	Peak	360.00	300	Vertical	Pass
6**	15860.625	47.09	54.0	6.91	AV	360.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.800	40.75	74.0	33.25	Peak	11.00	100	Horizontal	Pass
1**	1441.800	30.19	54.0	23.81	AV	11.00	100	Horizontal	Pass
2	4342.200	50.35	74.0	23.65	Peak	60.00	200	Horizontal	Pass
2**	4342.200	40.90	54.0	13.10	AV	60.00	200	Horizontal	Pass
3	5191.400	105.32	--	--	Peak	172.00	150	Horizontal	N/A
3**	5191.400	98.50	--	--	AV	172.00	150	Horizontal	N/A
4	7340.112	50.36	74.0	23.64	Peak	288.00	300	Horizontal	Pass
4**	7340.112	40.98	54.0	13.02	AV	288.00	300	Horizontal	Pass
5	12275.912	54.22	74.0	19.78	Peak	253.00	200	Horizontal	Pass
5**	12275.912	44.00	54.0	10.00	AV	253.00	200	Horizontal	Pass
6	16096.874	56.60	74.0	17.40	Peak	102.00	100	Horizontal	Pass
6**	16096.874	46.99	54.0	7.01	AV	102.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.000	38.94	74.0	35.06	Peak	63.00	400	Vertical	Pass
1**	1435.000	28.93	54.0	25.07	AV	63.00	400	Vertical	Pass
2	4356.600	50.58	74.0	23.42	Peak	200.00	400	Vertical	Pass
2**	4356.600	41.05	54.0	12.95	AV	200.00	400	Vertical	Pass
3	5192.600	107.46	--	--	Peak	154.00	200	Vertical	N/A
3**	5192.600	99.83	--	--	AV	154.00	200	Vertical	N/A
4	7338.387	50.15	74.0	23.85	Peak	71.00	300	Vertical	Pass
4**	7338.387	40.80	54.0	13.20	AV	71.00	300	Vertical	Pass
5	12611.713	53.86	74.0	20.14	Peak	123.00	200	Vertical	Pass
5**	12611.713	44.16	54.0	9.84	AV	123.00	200	Vertical	Pass
6	15396.263	56.52	74.0	17.48	Peak	61.00	300	Vertical	Pass
6**	15396.263	47.86	54.0	6.14	AV	61.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	41.26	74.0	32.74	Peak	1.00	300	Horizontal	Pass
1**	1438.900	29.54	54.0	24.46	AV	1.00	300	Horizontal	Pass
2	4373.200	50.60	74.0	23.40	Peak	27.00	100	Horizontal	Pass
2**	4373.200	41.47	54.0	12.53	AV	27.00	100	Horizontal	Pass
3	5227.200	105.30	--	--	Peak	172.00	150	Horizontal	N/A
3**	5227.200	98.96	--	--	AV	172.00	150	Horizontal	N/A
4	7605.763	49.39	74.0	24.61	Peak	299.00	100	Horizontal	Pass
4**	7605.763	40.54	54.0	13.46	AV	299.00	100	Horizontal	Pass
5	12285.688	53.61	74.0	20.39	Peak	195.00	150	Horizontal	Pass
5**	12285.688	44.33	54.0	9.67	AV	195.00	150	Horizontal	Pass
6	15654.563	56.63	74.0	17.37	Peak	341.00	200	Horizontal	Pass
6**	15654.563	46.79	54.0	7.21	AV	341.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	39.63	74.0	34.37	Peak	99.00	400	Vertical	Pass
1**	1494.200	29.70	54.0	24.30	AV	99.00	400	Vertical	Pass
2	4378.200	50.75	74.0	23.25	Peak	139.00	100	Vertical	Pass
2**	4378.200	41.45	54.0	12.55	AV	139.00	100	Vertical	Pass
3	5228.200	107.92	--	--	Peak	139.00	150	Vertical	N/A
3**	5228.200	100.75	--	--	AV	139.00	150	Vertical	N/A
4	7347.013	49.93	74.0	24.07	Peak	357.00	300	Vertical	Pass
4**	7347.013	41.49	54.0	12.51	AV	357.00	300	Vertical	Pass
5	12280.513	53.38	74.0	20.62	Peak	120.00	100	Vertical	Pass
5**	12280.513	44.30	54.0	9.70	AV	120.00	100	Vertical	Pass
6	16076.662	56.21	74.0	17.79	Peak	30.00	200	Vertical	Pass
6**	16076.662	47.03	54.0	6.97	AV	30.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.000	40.90	74.0	33.10	Peak	360.00	300	Horizontal	Pass
1**	1436.000	28.96	54.0	25.04	AV	360.00	300	Horizontal	Pass
2	4385.000	51.23	74.0	22.77	Peak	360.00	300	Horizontal	Pass
2**	4385.000	42.87	54.0	11.13	AV	360.00	300	Horizontal	Pass
3	5182.200	107.10	--	--	Peak	170.00	100	Horizontal	N/A
3**	5182.200	99.63	--	--	AV	170.00	100	Horizontal	N/A
4	7355.638	50.36	74.0	23.64	Peak	0.00	300	Horizontal	Pass
4**	7355.638	40.87	54.0	13.13	AV	0.00	300	Horizontal	Pass
5	12283.963	53.81	74.0	20.19	Peak	97.00	150	Horizontal	Pass
5**	12283.963	44.47	54.0	9.53	AV	97.00	150	Horizontal	Pass
6	16136.776	56.22	74.0	17.78	Peak	228.00	400	Horizontal	Pass
6**	16136.776	47.32	54.0	6.68	AV	228.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.600	39.50	74.0	34.50	Peak	337.00	100	Vertical	Pass
1**	1597.600	29.51	54.0	24.49	AV	337.00	100	Vertical	Pass
2	4388.800	50.48	74.0	23.52	Peak	27.00	200	Vertical	Pass
2**	4388.800	41.32	54.0	12.68	AV	27.00	200	Vertical	Pass
3	5177.400	109.72	--	--	Peak	151.00	200	Vertical	N/A
3**	5177.400	102.53	--	--	AV	151.00	200	Vertical	N/A
4	7711.563	51.03	74.0	22.97	Peak	0.00	400	Vertical	Pass
4**	7711.563	41.33	54.0	12.67	AV	0.00	400	Vertical	Pass
5	11999.337	53.89	74.0	20.11	Peak	68.00	200	Vertical	Pass
5**	11999.337	43.47	54.0	10.53	AV	68.00	200	Vertical	Pass
6	16056.450	55.93	74.0	18.07	Peak	332.00	400	Vertical	Pass
6**	16056.450	47.73	54.0	6.27	AV	332.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.300	40.63	74.0	33.37	Peak	53.00	400	Horizontal	Pass
1**	1446.300	30.23	54.0	23.77	AV	53.00	400	Horizontal	Pass
2	4369.000	50.62	74.0	23.38	Peak	175.00	400	Horizontal	Pass
2**	4369.000	42.03	54.0	11.97	AV	175.00	400	Horizontal	Pass
3	5223.000	107.19	--	--	Peak	175.00	200	Horizontal	N/A
3**	5223.000	99.38	--	--	AV	175.00	200	Horizontal	N/A
4	7587.075	49.76	74.0	24.24	Peak	189.00	300	Horizontal	Pass
4**	7587.075	41.13	54.0	12.87	AV	189.00	300	Horizontal	Pass
5	12468.537	53.54	74.0	20.46	Peak	0.00	100	Horizontal	Pass
5**	12468.537	42.87	54.0	11.13	AV	0.00	100	Horizontal	Pass
6	15620.437	55.79	74.0	18.21	Peak	29.00	300	Horizontal	Pass
6**	15620.437	45.31	54.0	8.69	AV	29.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.900	40.29	74.0	33.71	Peak	82.00	300	Vertical	Pass
1**	1442.900	30.49	54.0	23.51	AV	82.00	300	Vertical	Pass
2	4254.600	51.08	74.0	22.92	Peak	306.00	300	Vertical	Pass
2**	4254.600	40.72	54.0	13.28	AV	306.00	300	Vertical	Pass
3	5222.600	109.84	--	--	Peak	146.00	200	Vertical	N/A
3**	5222.600	102.36	--	--	AV	146.00	200	Vertical	N/A
4	7508.300	49.84	74.0	24.16	Peak	291.00	400	Vertical	Pass
4**	7508.300	40.89	54.0	13.11	AV	291.00	400	Vertical	Pass
5	12255.500	53.77	74.0	20.23	Peak	164.00	150	Vertical	Pass
5**	12255.500	44.03	54.0	9.97	AV	164.00	150	Vertical	Pass
6	16098.713	56.19	74.0	17.81	Peak	134.00	400	Vertical	Pass
6**	16098.713	46.82	54.0	7.18	AV	134.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.84	74.0	34.16	Peak	68.00	100	Horizontal	Pass
1**	1437.300	29.61	54.0	24.39	AV	68.00	100	Horizontal	Pass
2	4358.000	50.71	74.0	23.29	Peak	220.00	100	Horizontal	Pass
2**	4358.000	41.51	54.0	12.49	AV	220.00	100	Horizontal	Pass
3	5236.000	106.08	--	--	Peak	174.00	100	Horizontal	N/A
3**	5236.000	98.49	--	--	AV	174.00	100	Horizontal	N/A
4	7421.188	50.43	74.0	23.57	Peak	179.00	100	Horizontal	Pass
4**	7421.188	40.46	54.0	13.54	AV	179.00	100	Horizontal	Pass
5	11950.463	53.59	74.0	20.41	Peak	126.00	100	Horizontal	Pass
5**	11950.463	43.51	54.0	10.49	AV	126.00	100	Horizontal	Pass
6	15822.300	56.05	74.0	17.95	Peak	344.00	100	Horizontal	Pass
6**	15822.300	46.69	54.0	7.31	AV	344.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.600	38.89	74.0	35.11	Peak	236.00	300	Vertical	Pass
1**	1489.600	29.49	54.0	24.51	AV	236.00	300	Vertical	Pass
2	4361.600	50.96	74.0	23.04	Peak	155.00	200	Vertical	Pass
2**	4361.600	40.85	54.0	13.15	AV	155.00	200	Vertical	Pass
3	5241.600	109.07	--	--	Peak	133.00	200	Vertical	N/A
3**	5241.600	101.60	--	--	AV	133.00	200	Vertical	N/A
4	7337.812	50.17	74.0	23.83	Peak	154.00	300	Vertical	Pass
4**	7337.812	40.74	54.0	13.26	AV	154.00	300	Vertical	Pass
5	11673.026	53.45	74.0	20.55	Peak	137.00	100	Vertical	Pass
5**	11673.026	44.52	54.0	9.48	AV	137.00	100	Vertical	Pass
6	15847.500	56.25	74.0	17.75	Peak	317.00	400	Vertical	Pass
6**	15847.500	46.55	54.0	7.45	AV	317.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.900	40.38	74.0	33.62	Peak	70.00	100	Horizontal	Pass
1**	1440.900	29.43	54.0	24.57	AV	70.00	100	Horizontal	Pass
2	4314.400	50.56	74.0	23.44	Peak	134.00	300	Horizontal	Pass
2**	4314.400	40.78	54.0	13.22	AV	134.00	300	Horizontal	Pass
3	5188.000	104.97	--	--	Peak	168.00	200	Horizontal	N/A
3**	5188.000	96.95	--	--	AV	168.00	200	Horizontal	N/A
4	7673.900	50.03	74.0	23.97	Peak	32.00	100	Horizontal	Pass
4**	7673.900	40.78	54.0	13.22	AV	32.00	100	Horizontal	Pass
5	11946.150	53.37	74.0	20.63	Peak	119.00	200	Horizontal	Pass
5**	11946.150	44.61	54.0	9.39	AV	119.00	200	Horizontal	Pass
6	15633.563	56.25	74.0	17.75	Peak	30.00	150	Horizontal	Pass
6**	15633.563	46.45	54.0	7.55	AV	30.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.600	39.35	74.0	34.65	Peak	359.00	200	Vertical	Pass
1**	1559.600	28.85	54.0	25.15	AV	359.00	200	Vertical	Pass
2	4344.200	50.58	74.0	23.42	Peak	51.00	300	Vertical	Pass
2**	4344.200	41.84	54.0	12.16	AV	51.00	300	Vertical	Pass
3	5191.000	107.53	--	--	Peak	153.00	150	Vertical	N/A
3**	5191.000	100.24	--	--	AV	153.00	150	Vertical	N/A
4	7549.125	49.77	74.0	24.23	Peak	310.00	400	Vertical	Pass
4**	7549.125	40.03	54.0	13.97	AV	310.00	400	Vertical	Pass
5	12295.750	53.77	74.0	20.23	Peak	274.00	150	Vertical	Pass
5**	12295.750	44.10	54.0	9.90	AV	274.00	150	Vertical	Pass
6	16058.287	56.49	74.0	17.51	Peak	273.00	400	Vertical	Pass
6**	16058.287	46.45	54.0	7.55	AV	273.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	40.33	74.0	33.67	Peak	110.00	200	Horizontal	Pass
1**	1437.700	30.71	54.0	23.29	AV	110.00	200	Horizontal	Pass
2	4379.400	50.63	74.0	23.37	Peak	213.00	100	Horizontal	Pass
2**	4379.400	42.19	54.0	11.81	AV	213.00	100	Horizontal	Pass
3	5231.800	105.66	--	--	Peak	175.00	150	Horizontal	N/A
3**	5231.800	98.27	--	--	AV	175.00	150	Horizontal	N/A
4	7350.462	50.08	74.0	23.92	Peak	314.00	200	Horizontal	Pass
4**	7350.462	40.74	54.0	13.26	AV	314.00	200	Horizontal	Pass
5	12310.125	54.11	74.0	19.89	Peak	139.00	100	Horizontal	Pass
5**	12310.125	43.82	54.0	10.18	AV	139.00	100	Horizontal	Pass
6	15890.550	55.51	74.0	18.49	Peak	331.00	150	Horizontal	Pass
6**	15890.550	45.64	54.0	8.36	AV	331.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	39.93	74.0	34.07	Peak	99.00	100	Vertical	Pass
1**	1499.000	29.60	54.0	24.40	AV	99.00	100	Vertical	Pass
2	4377.600	50.91	74.0	23.09	Peak	40.00	100	Vertical	Pass
2**	4377.600	42.26	54.0	11.74	AV	40.00	100	Vertical	Pass
3	5231.400	108.08	--	--	Peak	143.00	150	Vertical	N/A
3**	5231.400	100.80	--	--	AV	143.00	150	Vertical	N/A
4	7349.025	49.97	74.0	24.03	Peak	309.00	100	Vertical	Pass
4**	7349.025	40.12	54.0	13.88	AV	309.00	100	Vertical	Pass
5	12286.262	53.28	74.0	20.72	Peak	239.00	150	Vertical	Pass
5**	12286.262	44.42	54.0	9.58	AV	239.00	150	Vertical	Pass
6	16096.612	56.60	74.0	17.40	Peak	242.00	150	Vertical	Pass
6**	16096.612	48.07	54.0	5.93	AV	242.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.200	40.28	74.0	33.72	Peak	28.00	100	Horizontal	Pass
1**	1436.200	29.16	54.0	24.84	AV	28.00	100	Horizontal	Pass
2	4382.000	51.35	74.0	22.65	Peak	130.00	200	Horizontal	Pass
2**	4382.000	41.13	54.0	12.87	AV	130.00	200	Horizontal	Pass
3	5204.600	102.88	--	--	Peak	176.00	200	Horizontal	N/A
3**	5204.600	95.61	--	--	AV	176.00	200	Horizontal	N/A
4	7627.038	50.32	74.0	23.68	Peak	117.00	400	Horizontal	Pass
4**	7627.038	40.93	54.0	13.07	AV	117.00	400	Horizontal	Pass
5	11933.213	53.42	74.0	20.58	Peak	6.00	150	Horizontal	Pass
5**	11933.213	44.77	54.0	9.23	AV	6.00	150	Horizontal	Pass
6	15790.800	57.64	74.0	16.36	Peak	262.00	200	Horizontal	Pass
6**	15790.800	48.64	54.0	5.36	AV	262.00	200	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	39.41	74.0	34.59	Peak	308.00	300	Vertical	Pass
1**	1494.200	29.71	54.0	24.29	AV	308.00	300	Vertical	Pass
2	4388.000	50.45	74.0	23.55	Peak	22.00	400	Vertical	Pass
2**	4388.000	41.33	54.0	12.67	AV	22.00	400	Vertical	Pass
3	5207.800	105.41	--	--	Peak	161.00	150	Vertical	N/A
3**	5207.800	98.29	--	--	AV	161.00	150	Vertical	N/A
4	7367.712	49.58	74.0	24.42	Peak	50.00	300	Vertical	Pass
4**	7367.712	40.42	54.0	13.58	AV	50.00	300	Vertical	Pass
5	12613.724	53.73	74.0	20.27	Peak	0.00	200	Vertical	Pass
5**	12613.724	44.27	54.0	9.73	AV	0.00	200	Vertical	Pass
6	16061.700	56.30	74.0	17.70	Peak	360.00	400	Vertical	Pass
6**	16061.700	46.69	54.0	7.31	AV	360.00	400	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.700	39.08	74.0	34.92	Peak	228.00	400	Horizontal	Pass
1**	1610.700	29.85	54.0	24.15	AV	228.00	400	Horizontal	Pass
2	4000.200	50.82	74.0	23.18	Peak	49.00	200	Horizontal	Pass
2**	4000.200	40.73	54.0	13.27	AV	49.00	200	Horizontal	Pass
3	5253.800	98.50	--	--	Peak	171.00	200	Horizontal	N/A
3**	5253.800	90.78	--	--	AV	171.00	200	Horizontal	N/A
4	7717.887	50.22	74.0	23.78	Peak	16.00	200	Horizontal	Pass
4**	7717.887	40.36	54.0	13.64	AV	16.00	200	Horizontal	Pass
5	12297.763	53.56	74.0	20.44	Peak	217.00	150	Horizontal	Pass
5**	12297.763	44.21	54.0	9.79	AV	217.00	150	Horizontal	Pass
6	16090.838	56.09	74.0	17.91	Peak	360.00	200	Horizontal	Pass
6**	16090.838	46.63	54.0	7.37	AV	360.00	200	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	40.04	74.0	33.96	Peak	49.00	100	Vertical	Pass
1**	1499.500	29.81	54.0	24.19	AV	49.00	100	Vertical	Pass
2	4347.400	50.46	74.0	23.54	Peak	12.00	100	Vertical	Pass
2**	4347.400	41.28	54.0	12.72	AV	12.00	100	Vertical	Pass
3	5252.600	101.04	--	--	Peak	151.00	100	Vertical	N/A
3**	5252.600	93.55	--	--	AV	151.00	100	Vertical	N/A
4	7673.612	49.83	74.0	24.17	Peak	176.00	300	Vertical	Pass
4**	7673.612	40.85	54.0	13.15	AV	176.00	300	Vertical	Pass
5	12389.188	53.55	74.0	20.45	Peak	132.00	200	Vertical	Pass
5**	12389.188	44.13	54.0	9.87	AV	132.00	200	Vertical	Pass
6	16114.201	56.85	74.0	17.15	Peak	250.00	200	Vertical	Pass
6**	16114.201	46.26	54.0	7.74	AV	250.00	200	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	40.33	74.0	33.67	Peak	26.00	300	Horizontal	Pass
1**	1439.900	29.88	54.0	24.12	AV	26.00	300	Horizontal	Pass
2	4346.400	50.76	74.0	23.24	Peak	138.00	300	Horizontal	Pass
2**	4346.400	40.82	54.0	13.18	AV	138.00	300	Horizontal	Pass
3	5170.600	108.62	--	--	Peak	181.00	200	Horizontal	N/A
3**	5170.600	97.00	--	--	AV	181.00	200	Horizontal	N/A
4	7340.975	50.14	74.0	23.86	Peak	304.00	100	Horizontal	Pass
4**	7340.975	41.40	54.0	12.60	AV	304.00	100	Horizontal	Pass
5	12298.338	53.56	74.0	20.44	Peak	68.00	100	Horizontal	Pass
5**	12298.338	44.04	54.0	9.96	AV	68.00	100	Horizontal	Pass
6	15857.738	56.73	74.0	17.27	Peak	101.00	100	Horizontal	Pass
6**	15857.738	46.63	54.0	7.37	AV	101.00	100	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	39.76	74.0	34.24	Peak	118.00	400	Vertical	Pass
1**	1442.300	30.64	54.0	23.36	AV	118.00	400	Vertical	Pass
2	4377.600	51.02	74.0	22.98	Peak	95.00	300	Vertical	Pass
2**	4377.600	41.37	54.0	12.63	AV	95.00	300	Vertical	Pass
3	5178.600	111.05	--	--	Peak	137.00	150	Vertical	N/A
3**	5178.600	103.08	--	--	AV	137.00	150	Vertical	N/A
4	7338.675	49.78	74.0	24.22	Peak	309.00	200	Vertical	Pass
4**	7338.675	41.06	54.0	12.94	AV	309.00	200	Vertical	Pass
5	12050.513	53.71	74.0	20.29	Peak	348.00	200	Vertical	Pass
5**	12050.513	44.35	54.0	9.65	AV	348.00	200	Vertical	Pass
6	16094.513	56.41	74.0	17.59	Peak	54.00	300	Vertical	Pass
6**	16094.513	46.72	54.0	7.28	AV	54.00	300	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	43.59	74.0	30.41	Peak	216.00	100	Horizontal	Pass
1**	1438.900	30.37	54.0	23.63	AV	216.00	100	Horizontal	Pass
2	3903.200	50.37	74.0	23.63	Peak	51.00	100	Horizontal	Pass
2**	3903.200	39.72	54.0	14.28	AV	51.00	100	Horizontal	Pass
3	5222.800	108.79	--	--	Peak	183.00	100	Horizontal	N/A
3**	5222.800	100.27	--	--	AV	183.00	100	Horizontal	N/A
4	7340.400	50.09	74.0	23.91	Peak	307.00	400	Horizontal	Pass
4**	7340.400	40.87	54.0	13.13	AV	307.00	400	Horizontal	Pass
5	12409.600	53.39	74.0	20.61	Peak	224.00	200	Horizontal	Pass
5**	12409.600	44.03	54.0	9.97	AV	224.00	200	Horizontal	Pass
6	16041.750	56.75	74.0	17.25	Peak	309.00	200	Horizontal	Pass
6**	16041.750	48.50	54.0	5.50	AV	309.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	40.46	74.0	33.54	Peak	229.00	100	Vertical	Pass
1**	1497.100	29.57	54.0	24.43	AV	229.00	100	Vertical	Pass
2	4366.800	50.43	74.0	23.57	Peak	57.00	300	Vertical	Pass
2**	4366.800	42.06	54.0	11.94	AV	57.00	300	Vertical	Pass
3	5222.200	110.44	--	--	Peak	135.00	100	Vertical	N/A
3**	5222.200	102.92	--	--	AV	135.00	100	Vertical	N/A
4	7337.525	51.33	74.0	22.67	Peak	350.00	400	Vertical	Pass
4**	7337.525	41.28	54.0	12.72	AV	350.00	400	Vertical	Pass
5	12286.262	53.96	74.0	20.04	Peak	106.00	200	Vertical	Pass
5**	12286.262	44.51	54.0	9.49	AV	106.00	200	Vertical	Pass
6	15648.263	56.31	74.0	17.69	Peak	9.00	400	Vertical	Pass
6**	15648.263	47.20	54.0	6.80	AV	9.00	400	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	40.03	74.0	33.97	Peak	0.00	200	Horizontal	Pass
1**	1438.900	29.81	54.0	24.19	AV	0.00	200	Horizontal	Pass
2	4367.800	50.64	74.0	23.36	Peak	190.00	200	Horizontal	Pass
2**	4367.800	41.52	54.0	12.48	AV	190.00	200	Horizontal	Pass
3	5243.200	107.81	--	--	Peak	177.00	100	Horizontal	N/A
3**	5243.200	99.31	--	--	AV	177.00	100	Horizontal	N/A
4	7343.850	49.72	74.0	24.28	Peak	15.00	400	Horizontal	Pass
4**	7343.850	41.02	54.0	12.98	AV	15.00	400	Horizontal	Pass
5	12281.950	53.79	74.0	20.21	Peak	0.00	100	Horizontal	Pass
5**	12281.950	44.44	54.0	9.56	AV	0.00	100	Horizontal	Pass
6	16083.225	56.24	74.0	17.76	Peak	8.00	100	Horizontal	Pass
6**	16083.225	47.70	54.0	6.30	AV	8.00	100	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	39.00	74.0	35.00	Peak	231.00	100	Vertical	Pass
1**	1497.300	30.94	54.0	23.06	AV	231.00	100	Vertical	Pass
2	4379.600	50.44	74.0	23.56	Peak	12.00	100	Vertical	Pass
2**	4379.600	41.78	54.0	12.22	AV	12.00	100	Vertical	Pass
3	5242.800	109.97	--	--	Peak	157.00	200	Vertical	N/A
3**	5242.800	103.21	--	--	AV	157.00	200	Vertical	N/A
4	7441.312	49.86	74.0	24.14	Peak	0.00	200	Vertical	Pass
4**	7441.312	40.68	54.0	13.32	AV	0.00	200	Vertical	Pass
5	11674.463	53.59	74.0	20.41	Peak	0.00	150	Vertical	Pass
5**	11674.463	43.75	54.0	10.25	AV	0.00	150	Vertical	Pass
6	16046.737	56.81	74.0	17.19	Peak	182.00	400	Vertical	Pass
6**	16046.737	47.29	54.0	6.71	AV	182.00	400	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.84	74.0	34.16	Peak	17.00	200	Horizontal	Pass
1**	1438.100	29.61	54.0	24.39	AV	17.00	200	Horizontal	Pass
2	4310.800	51.38	74.0	22.62	Peak	134.00	400	Horizontal	Pass
2**	4310.800	41.00	54.0	13.00	AV	134.00	400	Horizontal	Pass
3	5194.200	107.61	--	--	Peak	190.00	100	Horizontal	N/A
3**	5194.200	98.17	--	--	AV	190.00	100	Horizontal	N/A
4	7361.675	49.81	74.0	24.19	Peak	233.00	200	Horizontal	Pass
4**	7361.675	40.21	54.0	13.79	AV	233.00	200	Horizontal	Pass
5	11951.325	53.41	74.0	20.59	Peak	209.00	100	Horizontal	Pass
5**	11951.325	43.81	54.0	10.19	AV	209.00	100	Horizontal	Pass
6	16037.287	56.45	74.0	17.55	Peak	222.00	100	Horizontal	Pass
6**	16037.287	47.07	54.0	6.93	AV	222.00	100	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.52	74.0	34.48	Peak	121.00	200	Vertical	Pass
1**	1437.700	29.31	54.0	24.69	AV	121.00	200	Vertical	Pass
2	4378.600	51.23	74.0	22.77	Peak	83.00	100	Vertical	Pass
2**	4378.600	41.60	54.0	12.40	AV	83.00	100	Vertical	Pass
3	5188.400	109.54	--	--	Peak	172.00	150	Vertical	N/A
3**	5188.400	100.57	--	--	AV	172.00	150	Vertical	N/A
4	7336.950	49.83	74.0	24.17	Peak	351.00	200	Vertical	Pass
4**	7336.950	40.75	54.0	13.25	AV	351.00	200	Vertical	Pass
5	11520.650	53.56	74.0	20.44	Peak	127.00	200	Vertical	Pass
5**	11520.650	43.59	54.0	10.41	AV	127.00	200	Vertical	Pass
6	16080.338	55.89	74.0	18.11	Peak	114.00	100	Vertical	Pass
6**	16080.338	46.58	54.0	7.42	AV	114.00	100	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.400	40.01	74.0	33.99	Peak	17.00	200	Horizontal	Pass
1**	1435.400	30.71	54.0	23.29	AV	17.00	200	Horizontal	Pass
2	4384.400	50.64	74.0	23.36	Peak	318.00	200	Horizontal	Pass
2**	4384.400	41.38	54.0	12.62	AV	318.00	200	Horizontal	Pass
3	5232.200	107.65	--	--	Peak	187.00	200	Horizontal	N/A
3**	5232.200	97.86	--	--	AV	187.00	200	Horizontal	N/A
4	7518.650	50.04	74.0	23.96	Peak	268.00	100	Horizontal	Pass
4**	7518.650	40.59	54.0	13.41	AV	268.00	100	Horizontal	Pass
5	12208.062	54.33	74.0	19.67	Peak	348.00	100	Horizontal	Pass
5**	12208.062	43.50	54.0	10.50	AV	348.00	100	Horizontal	Pass
6	15825.450	56.44	74.0	17.56	Peak	261.00	300	Horizontal	Pass
6**	15825.450	47.31	54.0	6.69	AV	261.00	300	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.400	39.72	74.0	34.28	Peak	223.00	300	Vertical	Pass
1**	1493.400	29.44	54.0	24.56	AV	223.00	300	Vertical	Pass
2	4307.600	50.46	74.0	23.54	Peak	253.00	400	Vertical	Pass
2**	4307.600	40.75	54.0	13.25	AV	253.00	400	Vertical	Pass
3	5231.800	108.72	--	--	Peak	167.00	150	Vertical	N/A
3**	5231.800	100.61	--	--	AV	167.00	150	Vertical	N/A
4	7361.100	50.09	74.0	23.91	Peak	315.00	100	Vertical	Pass
4**	7361.100	41.09	54.0	12.91	AV	315.00	100	Vertical	Pass
5	11934.650	53.51	74.0	20.49	Peak	294.00	200	Vertical	Pass
5**	11934.650	44.32	54.0	9.68	AV	294.00	200	Vertical	Pass
6	16069.576	56.46	74.0	17.54	Peak	92.00	200	Vertical	Pass
6**	16069.576	47.03	54.0	6.97	AV	92.00	200	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.400	42.27	74.0	31.73	Peak	16.00	400	Horizontal	Pass
1**	1439.400	29.41	54.0	24.59	AV	16.00	400	Horizontal	Pass
2	4378.400	50.10	74.0	23.90	Peak	92.00	300	Horizontal	Pass
2**	4378.400	41.19	54.0	12.81	AV	92.00	300	Horizontal	Pass
3	5211.400	104.07	--	--	Peak	182.00	200	Horizontal	N/A
3**	5211.400	96.14	--	--	AV	182.00	200	Horizontal	N/A
4	7503.413	50.11	74.0	23.89	Peak	9.00	300	Horizontal	Pass
4**	7503.413	41.04	54.0	12.96	AV	9.00	300	Horizontal	Pass
5	12307.250	53.58	74.0	20.42	Peak	221.00	150	Horizontal	Pass
5**	12307.250	44.30	54.0	9.70	AV	221.00	150	Horizontal	Pass
6	16148.850	56.06	74.0	17.94	Peak	12.00	200	Horizontal	Pass
6**	16148.850	46.22	54.0	7.78	AV	12.00	200	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.300	41.80	74.0	32.20	Peak	155.00	200	Vertical	Pass
1**	1439.300	32.52	54.0	21.48	AV	155.00	200	Vertical	Pass
2	4313.600	50.31	74.0	23.69	Peak	112.00	200	Vertical	Pass
2**	4313.600	40.40	54.0	13.60	AV	112.00	200	Vertical	Pass
3	5212.600	108.33	--	--	Peak	143.00	150	Vertical	N/A
3**	5212.600	97.40	--	--	AV	143.00	150	Vertical	N/A
4	7338.675	50.22	74.0	23.78	Peak	0.00	100	Vertical	Pass
4**	7338.675	42.33	54.0	11.67	AV	0.00	100	Vertical	Pass
5	12613.151	53.50	74.0	20.50	Peak	0.00	200	Vertical	Pass
5**	12613.151	44.20	54.0	9.80	AV	0.00	200	Vertical	Pass
6	15837.263	56.16	74.0	17.84	Peak	64.00	300	Vertical	Pass
6**	15837.263	46.49	54.0	7.51	AV	64.00	300	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.400	39.88	74.0	34.12	Peak	14.00	100	Horizontal	Pass
1**	1535.400	29.15	54.0	24.85	AV	14.00	100	Horizontal	Pass
2	4375.000	50.63	74.0	23.37	Peak	345.00	300	Horizontal	Pass
2**	4375.000	41.51	54.0	12.49	AV	345.00	300	Horizontal	Pass
3	5244.000	100.16	--	--	Peak	169.00	100	Horizontal	N/A
3**	5244.000	92.34	--	--	AV	169.00	100	Horizontal	N/A
4	7450.225	49.71	74.0	24.29	Peak	199.00	400	Horizontal	Pass
4**	7450.225	41.16	54.0	12.84	AV	199.00	400	Horizontal	Pass
5	11617.825	53.44	74.0	20.56	Peak	298.00	150	Horizontal	Pass
5**	11617.825	44.11	54.0	9.89	AV	298.00	150	Horizontal	Pass
6	16166.963	56.22	74.0	17.78	Peak	9.00	400	Horizontal	Pass
6**	16166.963	46.73	54.0	7.27	AV	9.00	400	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.500	39.23	74.0	34.77	Peak	165.00	200	Vertical	Pass
1**	1436.500	29.16	54.0	24.84	AV	165.00	200	Vertical	Pass
2	4379.800	50.29	74.0	23.71	Peak	39.00	100	Vertical	Pass
2**	4379.800	41.54	54.0	12.46	AV	39.00	100	Vertical	Pass
3	5248.200	103.15	--	--	Peak	154.00	100	Vertical	N/A
3**	5248.200	94.74	--	--	AV	154.00	100	Vertical	N/A
4	7616.688	49.57	74.0	24.43	Peak	0.00	100	Vertical	Pass
4**	7616.688	41.14	54.0	12.86	AV	0.00	100	Vertical	Pass
5	12303.513	53.61	74.0	20.39	Peak	76.00	100	Vertical	Pass
5**	12303.513	44.43	54.0	9.57	AV	76.00	100	Vertical	Pass
6	15866.138	56.58	74.0	17.42	Peak	43.00	300	Vertical	Pass
6**	15866.138	46.62	54.0	7.38	AV	43.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.200	40.82	74.0	33.18	Peak	242.00	300	Horizontal	Pass
1**	1599.200	29.22	54.0	24.78	AV	242.00	300	Horizontal	Pass
2	4363.800	50.39	74.0	23.61	Peak	103.00	400	Horizontal	Pass
2**	4363.800	41.66	54.0	12.34	AV	103.00	400	Horizontal	Pass
3	5261.000	107.55	--	--	Peak	169.00	150	Horizontal	N/A
3**	5261.000	100.09	--	--	AV	169.00	150	Horizontal	N/A
4	7731.975	49.73	74.0	24.27	Peak	146.00	200	Horizontal	Pass
4**	7731.975	40.00	54.0	14.00	AV	146.00	200	Horizontal	Pass
5	12279.937	53.99	74.0	20.01	Peak	0.00	100	Horizontal	Pass
5**	12279.937	44.81	54.0	9.19	AV	0.00	100	Horizontal	Pass
6	16193.738	56.09	74.0	17.91	Peak	345.00	400	Horizontal	Pass
6**	16193.738	45.70	54.0	8.30	AV	345.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.800	38.91	74.0	35.09	Peak	112.00	200	Vertical	Pass
1**	1443.800	29.29	54.0	24.71	AV	112.00	200	Vertical	Pass
2	4360.600	50.15	74.0	23.85	Peak	112.00	400	Vertical	Pass
2**	4360.600	41.56	54.0	12.44	AV	112.00	400	Vertical	Pass
3	5258.600	110.09	--	--	Peak	144.00	100	Vertical	N/A
3**	5258.600	103.30	--	--	AV	144.00	100	Vertical	N/A
4	7466.038	49.97	74.0	24.03	Peak	0.00	300	Vertical	Pass
4**	7466.038	41.17	54.0	12.83	AV	0.00	300	Vertical	Pass
5	12633.562	53.29	74.0	20.71	Peak	0.00	100	Vertical	Pass
5**	12633.562	43.51	54.0	10.49	AV	0.00	100	Vertical	Pass
6	15653.775	56.07	74.0	17.93	Peak	14.00	200	Vertical	Pass
6**	15653.775	46.54	54.0	7.46	AV	14.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	39.94	74.0	34.06	Peak	27.00	100	Horizontal	Pass
1**	1437.500	29.45	54.0	24.55	AV	27.00	100	Horizontal	Pass
2	4394.600	50.87	74.0	23.13	Peak	115.00	400	Horizontal	Pass
2**	4394.600	41.47	54.0	12.53	AV	115.00	400	Horizontal	Pass
3	5299.000	105.17	--	--	Peak	180.00	100	Horizontal	N/A
3**	5299.000	98.44	--	--	AV	180.00	100	Horizontal	N/A
4	7334.362	49.87	74.0	24.13	Peak	299.00	200	Horizontal	Pass
4**	7334.362	40.99	54.0	13.01	AV	299.00	200	Horizontal	Pass
5	12327.950	53.54	74.0	20.46	Peak	88.00	200	Horizontal	Pass
5**	12327.950	44.36	54.0	9.64	AV	88.00	200	Horizontal	Pass
6	15741.975	56.60	74.0	17.40	Peak	360.00	300	Horizontal	Pass
6**	15741.975	46.76	54.0	7.24	AV	360.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.600	39.13	74.0	34.87	Peak	360.00	100	Vertical	Pass
1**	1476.600	29.86	54.0	24.14	AV	360.00	100	Vertical	Pass
2	4365.400	51.60	74.0	22.40	Peak	190.00	400	Vertical	Pass
2**	4365.400	41.43	54.0	12.57	AV	190.00	400	Vertical	Pass
3	5302.600	108.58	--	--	Peak	152.00	150	Vertical	N/A
3**	5302.600	101.21	--	--	AV	152.00	150	Vertical	N/A
4	7345.000	49.61	74.0	24.39	Peak	153.00	100	Vertical	Pass
4**	7345.000	41.40	54.0	12.60	AV	153.00	100	Vertical	Pass
5	12283.388	53.21	74.0	20.79	Peak	297.00	100	Vertical	Pass
5**	12283.388	43.79	54.0	10.21	AV	297.00	100	Vertical	Pass
6	15619.912	57.09	74.0	16.91	Peak	9.00	400	Vertical	Pass
6**	15619.912	46.68	54.0	7.32	AV	9.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.000	40.28	74.0	33.72	Peak	48.00	300	Horizontal	Pass
1**	1436.000	29.47	54.0	24.53	AV	48.00	300	Horizontal	Pass
2	4378.000	50.48	74.0	23.52	Peak	0.00	300	Horizontal	Pass
2**	4378.000	41.46	54.0	12.54	AV	0.00	300	Horizontal	Pass
3	5318.600	105.27	--	--	Peak	245.00	200	Horizontal	N/A
3**	5318.600	98.08	--	--	AV	245.00	200	Horizontal	N/A
4	7358.800	50.29	74.0	23.71	Peak	300.00	400	Horizontal	Pass
4**	7358.800	40.23	54.0	13.77	AV	300.00	400	Horizontal	Pass
5	12323.637	53.54	74.0	20.46	Peak	279.00	200	Horizontal	Pass
5**	12323.637	44.34	54.0	9.66	AV	279.00	200	Horizontal	Pass
6	15613.875	56.73	74.0	17.27	Peak	168.00	200	Horizontal	Pass
6**	15613.875	46.17	54.0	7.83	AV	168.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.63	74.0	34.37	Peak	100.00	400	Vertical	Pass
1**	1437.900	29.00	54.0	25.00	AV	100.00	400	Vertical	Pass
2	4005.000	50.02	74.0	23.98	Peak	318.00	100	Vertical	Pass
2**	4005.000	39.63	54.0	14.37	AV	318.00	100	Vertical	Pass
3	5319.000	109.54	--	--	Peak	148.00	150	Vertical	N/A
3**	5319.000	102.50	--	--	AV	148.00	150	Vertical	N/A
4	7339.537	50.29	74.0	23.71	Peak	9.00	200	Vertical	Pass
4**	7339.537	42.08	54.0	11.92	AV	9.00	200	Vertical	Pass
5	12426.276	53.61	74.0	20.39	Peak	61.00	150	Vertical	Pass
5**	12426.276	43.27	54.0	10.73	AV	61.00	150	Vertical	Pass
6	15852.488	56.07	74.0	17.93	Peak	317.00	300	Vertical	Pass
6**	15852.488	46.68	54.0	7.32	AV	317.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.400	39.55	74.0	34.45	Peak	101.00	100	Horizontal	Pass
1**	1441.400	29.67	54.0	24.33	AV	101.00	100	Horizontal	Pass
2	4362.000	50.55	74.0	23.45	Peak	0.00	300	Horizontal	Pass
2**	4362.000	40.67	54.0	13.33	AV	0.00	300	Horizontal	Pass
3	5258.400	106.41	--	--	Peak	167.00	150	Horizontal	N/A
3**	5258.400	99.28	--	--	AV	167.00	150	Horizontal	N/A
4	7626.462	49.97	74.0	24.03	Peak	201.00	300	Horizontal	Pass
4**	7626.462	40.61	54.0	13.39	AV	201.00	300	Horizontal	Pass
5	12248.600	53.65	74.0	20.35	Peak	201.00	150	Horizontal	Pass
5**	12248.600	44.14	54.0	9.86	AV	201.00	150	Horizontal	Pass
6	16093.463	56.95	74.0	17.05	Peak	248.00	400	Horizontal	Pass
6**	16093.463	46.71	54.0	7.29	AV	248.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	40.59	74.0	33.41	Peak	106.00	200	Vertical	Pass
1**	1439.000	30.60	54.0	23.40	AV	106.00	200	Vertical	Pass
2	4327.600	50.19	74.0	23.81	Peak	307.00	100	Vertical	Pass
2**	4327.600	40.82	54.0	13.18	AV	307.00	100	Vertical	Pass
3	5255.800	109.81	--	--	Peak	144.00	100	Vertical	N/A
3**	5255.800	100.82	--	--	AV	144.00	100	Vertical	N/A
4	7337.812	49.93	74.0	24.07	Peak	360.00	400	Vertical	Pass
4**	7337.812	41.03	54.0	12.97	AV	360.00	400	Vertical	Pass
5	12329.675	53.45	74.0	20.55	Peak	9.00	100	Vertical	Pass
5**	12329.675	43.96	54.0	10.04	AV	9.00	100	Vertical	Pass
6	16175.625	57.17	74.0	16.83	Peak	183.00	300	Vertical	Pass
6**	16175.625	47.65	54.0	6.35	AV	183.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	40.00	74.0	34.00	Peak	120.00	100	Horizontal	Pass
1**	1441.700	29.73	54.0	24.27	AV	120.00	100	Horizontal	Pass
2	4202.000	50.50	74.0	23.50	Peak	248.00	400	Horizontal	Pass
2**	4202.000	40.66	54.0	13.34	AV	248.00	400	Horizontal	Pass
3	5297.600	104.78	--	--	Peak	169.00	100	Horizontal	N/A
3**	5297.600	97.35	--	--	AV	169.00	100	Horizontal	N/A
4	7391.575	49.75	74.0	24.25	Peak	14.00	200	Horizontal	Pass
4**	7391.575	40.44	54.0	13.56	AV	14.00	200	Horizontal	Pass
5	12260.963	53.50	74.0	20.50	Peak	227.00	200	Horizontal	Pass
5**	12260.963	44.24	54.0	9.76	AV	227.00	200	Horizontal	Pass
6	15662.175	56.30	74.0	17.70	Peak	0.00	300	Horizontal	Pass
6**	15662.175	46.82	54.0	7.18	AV	0.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	39.96	74.0	34.04	Peak	113.00	300	Vertical	Pass
1**	1437.500	29.41	54.0	24.59	AV	113.00	300	Vertical	Pass
2	4366.200	50.62	74.0	23.38	Peak	0.00	400	Vertical	Pass
2**	4366.200	41.49	54.0	12.51	AV	0.00	400	Vertical	Pass
3	5298.800	108.40	--	--	Peak	144.00	150	Vertical	N/A
3**	5298.800	102.24	--	--	AV	144.00	150	Vertical	N/A
4	7452.525	49.73	74.0	24.27	Peak	81.00	100	Vertical	Pass
4**	7452.525	41.07	54.0	12.93	AV	81.00	100	Vertical	Pass
5	12318.175	54.07	74.0	19.93	Peak	139.00	200	Vertical	Pass
5**	12318.175	45.07	54.0	8.93	AV	139.00	200	Vertical	Pass
6	15782.925	56.67	74.0	17.33	Peak	201.00	300	Vertical	Pass
6**	15782.925	47.42	54.0	6.58	AV	201.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.500	39.93	74.0	34.07	Peak	57.00	300	Horizontal	Pass
1**	1442.500	30.20	54.0	23.80	AV	57.00	300	Horizontal	Pass
2	4339.600	50.16	74.0	23.84	Peak	256.00	100	Horizontal	Pass
2**	4339.600	41.58	54.0	12.42	AV	256.00	100	Horizontal	Pass
3	5321.800	104.65	--	--	Peak	167.00	200	Horizontal	N/A
3**	5321.800	97.90	--	--	AV	167.00	200	Horizontal	N/A
4	7684.250	49.87	74.0	24.13	Peak	8.00	300	Horizontal	Pass
4**	7684.250	40.27	54.0	13.73	AV	8.00	300	Horizontal	Pass
5	11962.537	53.34	74.0	20.66	Peak	274.00	200	Horizontal	Pass
5**	11962.537	44.29	54.0	9.71	AV	274.00	200	Horizontal	Pass
6	16068.263	56.88	74.0	17.12	Peak	89.00	200	Horizontal	Pass
6**	16068.263	47.97	54.0	6.03	AV	89.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.000	40.57	74.0	33.43	Peak	131.00	100	Vertical	Pass
1**	1442.000	29.55	54.0	24.45	AV	131.00	100	Vertical	Pass
2	4381.200	51.26	74.0	22.74	Peak	63.00	400	Vertical	Pass
2**	4381.200	42.23	54.0	11.77	AV	63.00	400	Vertical	Pass
3	5321.000	108.76	--	--	Peak	140.00	100	Vertical	N/A
3**	5321.000	101.71	--	--	AV	140.00	100	Vertical	N/A
4	7711.275	49.94	74.0	24.06	Peak	300.00	200	Vertical	Pass
4**	7711.275	39.87	54.0	14.13	AV	300.00	200	Vertical	Pass
5	11911.650	53.29	74.0	20.71	Peak	360.00	100	Vertical	Pass
5**	11911.650	43.73	54.0	10.27	AV	360.00	100	Vertical	Pass
6	15850.651	57.13	74.0	16.87	Peak	17.00	200	Vertical	Pass
6**	15850.651	46.66	54.0	7.34	AV	17.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.600	40.31	74.0	33.69	Peak	64.00	100	Horizontal	Pass
1**	1439.600	31.70	54.0	22.30	AV	64.00	100	Horizontal	Pass
2	4387.400	50.72	74.0	23.28	Peak	20.00	100	Horizontal	Pass
2**	4387.400	41.16	54.0	12.84	AV	20.00	100	Horizontal	Pass
3	5271.200	103.78	--	--	Peak	166.00	150	Horizontal	N/A
3**	5271.200	96.41	--	--	AV	166.00	150	Horizontal	N/A
4	7506.288	50.04	74.0	23.96	Peak	360.00	200	Horizontal	Pass
4**	7506.288	40.98	54.0	13.02	AV	360.00	200	Horizontal	Pass
5	11948.738	53.67	74.0	20.33	Peak	101.00	150	Horizontal	Pass
5**	11948.738	45.21	54.0	8.79	AV	101.00	150	Horizontal	Pass
6	16183.763	56.30	74.0	17.70	Peak	251.00	200	Horizontal	Pass
6**	16183.763	46.48	54.0	7.52	AV	251.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.56	74.0	34.44	Peak	119.00	300	Vertical	Pass
1**	1437.300	29.21	54.0	24.79	AV	119.00	300	Vertical	Pass
2	4387.000	50.30	74.0	23.70	Peak	281.00	300	Vertical	Pass
2**	4387.000	41.68	54.0	12.32	AV	281.00	300	Vertical	Pass
3	5268.400	107.96	--	--	Peak	149.00	100	Vertical	N/A
3**	5268.400	99.94	--	--	AV	149.00	100	Vertical	N/A
4	7270.250	49.89	74.0	24.11	Peak	233.00	400	Vertical	Pass
4**	7270.250	40.13	54.0	13.87	AV	233.00	400	Vertical	Pass
5	12614.875	53.32	74.0	20.68	Peak	86.00	100	Vertical	Pass
5**	12614.875	44.57	54.0	9.43	AV	86.00	100	Vertical	Pass
6	15835.950	57.19	74.0	16.81	Peak	203.00	400	Vertical	Pass
6**	15835.950	46.71	54.0	7.29	AV	203.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.200	41.40	74.0	32.60	Peak	0.00	200	Horizontal	Pass
1**	1443.200	30.04	54.0	23.96	AV	0.00	200	Horizontal	Pass
2	4368.400	50.41	74.0	23.59	Peak	279.00	300	Horizontal	Pass
2**	4368.400	41.58	54.0	12.42	AV	279.00	300	Horizontal	Pass
3	5309.400	105.74	--	--	Peak	279.00	200	Horizontal	N/A
3**	5309.400	96.59	--	--	AV	279.00	200	Horizontal	N/A
4	7448.212	49.56	74.0	24.44	Peak	233.00	200	Horizontal	Pass
4**	7448.212	40.62	54.0	13.38	AV	233.00	200	Horizontal	Pass
5	12325.937	53.40	74.0	20.60	Peak	126.00	100	Horizontal	Pass
5**	12325.937	44.69	54.0	9.31	AV	126.00	100	Horizontal	Pass
6	16052.775	57.03	74.0	16.97	Peak	174.00	100	Horizontal	Pass
6**	16052.775	47.09	54.0	6.91	AV	174.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	40.72	74.0	33.28	Peak	292.00	300	Vertical	Pass
1**	1499.000	29.40	54.0	24.60	AV	292.00	300	Vertical	Pass
2	4368.400	50.11	74.0	23.89	Peak	259.00	300	Vertical	Pass
2**	4368.400	40.75	54.0	13.25	AV	259.00	300	Vertical	Pass
3	5308.400	108.57	--	--	Peak	176.00	150	Vertical	N/A
3**	5308.400	100.03	--	--	AV	176.00	150	Vertical	N/A
4	7466.325	49.90	74.0	24.10	Peak	360.00	200	Vertical	Pass
4**	7466.325	40.50	54.0	13.50	AV	360.00	200	Vertical	Pass
5	12320.187	53.84	74.0	20.16	Peak	64.00	150	Vertical	Pass
5**	12320.187	44.24	54.0	9.76	AV	64.00	150	Vertical	Pass
6	15838.838	56.84	74.0	17.16	Peak	289.00	300	Vertical	Pass
6**	15838.838	46.65	54.0	7.35	AV	289.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	40.05	74.0	33.95	Peak	1.00	300	Horizontal	Pass
1**	1437.100	28.72	54.0	25.28	AV	1.00	300	Horizontal	Pass
2	4372.800	50.74	74.0	23.26	Peak	324.00	400	Horizontal	Pass
2**	4372.800	41.76	54.0	12.24	AV	324.00	400	Horizontal	Pass
3	5261.400	106.15	--	--	Peak	280.00	100	Horizontal	N/A
3**	5261.400	98.21	--	--	AV	280.00	100	Horizontal	N/A
4	7433.838	49.86	74.0	24.14	Peak	24.00	100	Horizontal	Pass
4**	7433.838	40.03	54.0	13.97	AV	24.00	100	Horizontal	Pass
5	12246.875	54.18	74.0	19.82	Peak	224.00	100	Horizontal	Pass
5**	12246.875	44.16	54.0	9.84	AV	224.00	100	Horizontal	Pass
6	15854.325	56.44	74.0	17.56	Peak	211.00	100	Horizontal	Pass
6**	15854.325	46.52	54.0	7.48	AV	211.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	39.91	74.0	34.09	Peak	298.00	100	Vertical	Pass
1**	1498.800	31.55	54.0	22.45	AV	298.00	100	Vertical	Pass
2	4367.000	50.68	74.0	23.32	Peak	213.00	100	Vertical	Pass
2**	4367.000	42.05	54.0	11.95	AV	213.00	100	Vertical	Pass
3	5258.000	109.07	--	--	Peak	156.00	150	Vertical	N/A
3**	5258.000	101.43	--	--	AV	156.00	150	Vertical	N/A
4	7334.362	49.71	74.0	24.29	Peak	298.00	100	Vertical	Pass
4**	7334.362	42.30	54.0	11.70	AV	298.00	100	Vertical	Pass
5	11497.938	53.17	74.0	20.83	Peak	320.00	150	Vertical	Pass
5**	11497.938	43.67	54.0	10.33	AV	320.00	150	Vertical	Pass
6	16062.224	56.34	74.0	17.66	Peak	227.00	300	Vertical	Pass
6**	16062.224	46.77	54.0	7.23	AV	227.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.900	40.47	74.0	33.53	Peak	102.00	300	Horizontal	Pass
1**	1598.900	32.86	54.0	21.14	AV	102.00	300	Horizontal	Pass
2	4382.400	50.96	74.0	23.04	Peak	260.00	200	Horizontal	Pass
2**	4382.400	42.20	54.0	11.80	AV	260.00	200	Horizontal	Pass
3	5306.400	105.45	--	--	Peak	274.00	200	Horizontal	N/A
3**	5306.400	97.48	--	--	AV	274.00	200	Horizontal	N/A
4	7524.687	50.69	74.0	23.31	Peak	95.00	100	Horizontal	Pass
4**	7524.687	39.64	54.0	14.36	AV	95.00	100	Horizontal	Pass
5	12425.125	53.82	74.0	20.18	Peak	22.00	150	Horizontal	Pass
5**	12425.125	44.02	54.0	9.98	AV	22.00	150	Horizontal	Pass
6	16007.363	56.44	74.0	17.56	Peak	70.00	300	Horizontal	Pass
6**	16007.363	46.07	54.0	7.93	AV	70.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.000	39.59	74.0	34.41	Peak	266.00	400	Vertical	Pass
1**	1504.000	29.46	54.0	24.54	AV	266.00	400	Vertical	Pass
2	4388.800	50.95	74.0	23.05	Peak	168.00	300	Vertical	Pass
2**	4388.800	41.13	54.0	12.87	AV	168.00	300	Vertical	Pass
3	5301.200	108.29	--	--	Peak	154.00	100	Vertical	N/A
3**	5301.200	101.39	--	--	AV	154.00	100	Vertical	N/A
4	7686.550	49.90	74.0	24.10	Peak	161.00	200	Vertical	Pass
4**	7686.550	40.14	54.0	13.86	AV	161.00	200	Vertical	Pass
5	12009.113	53.29	74.0	20.71	Peak	21.00	200	Vertical	Pass
5**	12009.113	43.09	54.0	10.91	AV	21.00	200	Vertical	Pass
6	15785.550	56.18	74.0	17.82	Peak	360.00	200	Vertical	Pass
6**	15785.550	46.35	54.0	7.65	AV	360.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.55	74.0	34.45	Peak	0.00	100	Horizontal	Pass
1**	1437.900	29.96	54.0	24.04	AV	0.00	100	Horizontal	Pass
2	4283.800	50.45	74.0	23.55	Peak	168.00	300	Horizontal	Pass
2**	4283.800	40.93	54.0	13.07	AV	168.00	300	Horizontal	Pass
3	5322.400	106.49	--	--	Peak	268.00	100	Horizontal	N/A
3**	5322.400	99.34	--	--	AV	268.00	100	Horizontal	N/A
4	7624.737	50.13	74.0	23.87	Peak	204.00	300	Horizontal	Pass
4**	7624.737	40.31	54.0	13.69	AV	204.00	300	Horizontal	Pass
5	11947.013	54.01	74.0	19.99	Peak	297.00	150	Horizontal	Pass
5**	11947.013	44.55	54.0	9.45	AV	297.00	150	Horizontal	Pass
6	15854.063	55.92	74.0	18.08	Peak	0.00	100	Horizontal	Pass
6**	15854.063	46.59	54.0	7.41	AV	0.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.400	38.95	74.0	35.05	Peak	242.00	100	Vertical	Pass
1**	1489.400	30.04	54.0	23.96	AV	242.00	100	Vertical	Pass
2	4365.600	50.62	74.0	23.38	Peak	97.00	300	Vertical	Pass
2**	4365.600	41.77	54.0	12.23	AV	97.00	300	Vertical	Pass
3	5322.400	108.70	--	--	Peak	163.00	150	Vertical	N/A
3**	5322.400	101.32	--	--	AV	163.00	150	Vertical	N/A
4	7338.962	50.38	74.0	23.62	Peak	158.00	300	Vertical	Pass
4**	7338.962	41.12	54.0	12.88	AV	158.00	300	Vertical	Pass
5	12398.963	53.28	74.0	20.72	Peak	106.00	150	Vertical	Pass
5**	12398.963	45.07	54.0	8.93	AV	106.00	150	Vertical	Pass
6	16191.638	56.55	74.0	17.45	Peak	207.00	300	Vertical	Pass
6**	16191.638	46.76	54.0	7.24	AV	207.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	40.70	74.0	33.30	Peak	0.00	200	Horizontal	Pass
1**	1442.300	30.16	54.0	23.84	AV	0.00	200	Horizontal	Pass
2	4377.200	50.92	74.0	23.08	Peak	243.00	200	Horizontal	Pass
2**	4377.200	41.29	54.0	12.71	AV	243.00	200	Horizontal	Pass
3	5271.200	104.80	--	--	Peak	271.00	100	Horizontal	N/A
3**	5271.200	98.65	--	--	AV	271.00	100	Horizontal	N/A
4	7582.475	49.96	74.0	24.04	Peak	194.00	100	Horizontal	Pass
4**	7582.475	40.25	54.0	13.75	AV	194.00	100	Horizontal	Pass
5	12378.550	53.92	74.0	20.08	Peak	312.00	200	Horizontal	Pass
5**	12378.550	43.53	54.0	10.47	AV	312.00	200	Horizontal	Pass
6	15648.000	57.49	74.0	16.51	Peak	360.00	300	Horizontal	Pass
6**	15648.000	46.42	54.0	7.58	AV	360.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.200	39.19	74.0	34.81	Peak	137.00	400	Vertical	Pass
1**	1487.200	29.57	54.0	24.43	AV	137.00	400	Vertical	Pass
2	4320.600	50.37	74.0	23.63	Peak	284.00	100	Vertical	Pass
2**	4320.600	40.54	54.0	13.46	AV	284.00	100	Vertical	Pass
3	5261.400	108.31	--	--	Peak	155.00	100	Vertical	N/A
3**	5261.400	98.88	--	--	AV	155.00	100	Vertical	N/A
4	7273.987	49.85	74.0	24.15	Peak	313.00	100	Vertical	Pass
4**	7273.987	40.98	54.0	13.02	AV	313.00	100	Vertical	Pass
5	11337.800	53.50	74.0	20.50	Peak	109.00	150	Vertical	Pass
5**	11337.800	44.03	54.0	9.97	AV	109.00	150	Vertical	Pass
6	15806.550	56.71	74.0	17.29	Peak	143.00	100	Vertical	Pass
6**	15806.550	46.33	54.0	7.67	AV	143.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	41.13	74.0	32.87	Peak	360.00	200	Horizontal	Pass
1**	1441.000	30.12	54.0	23.88	AV	360.00	200	Horizontal	Pass
2	4391.600	50.07	74.0	23.93	Peak	320.00	400	Horizontal	Pass
2**	4391.600	41.34	54.0	12.66	AV	320.00	400	Horizontal	Pass
3	5308.200	104.49	--	--	Peak	273.00	200	Horizontal	N/A
3**	5308.200	95.94	--	--	AV	273.00	200	Horizontal	N/A
4	7619.275	49.93	74.0	24.07	Peak	0.00	400	Horizontal	Pass
4**	7619.275	40.82	54.0	13.18	AV	0.00	400	Horizontal	Pass
5	11219.925	54.09	74.0	19.91	Peak	1.00	150	Horizontal	Pass
5**	11219.925	43.50	54.0	10.50	AV	1.00	150	Horizontal	Pass
6	16049.887	56.12	74.0	17.88	Peak	206.00	100	Horizontal	Pass
6**	16049.887	46.26	54.0	7.74	AV	206.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.000	38.98	74.0	35.02	Peak	93.00	400	Vertical	Pass
1**	1623.000	29.93	54.0	24.07	AV	93.00	400	Vertical	Pass
2	4378.200	50.29	74.0	23.71	Peak	238.00	100	Vertical	Pass
2**	4378.200	41.28	54.0	12.72	AV	238.00	100	Vertical	Pass
3	5306.800	109.03	--	--	Peak	183.00	200	Vertical	N/A
3**	5306.800	98.98	--	--	AV	183.00	200	Vertical	N/A
4	7631.638	50.13	74.0	23.87	Peak	168.00	400	Vertical	Pass
4**	7631.638	40.24	54.0	13.76	AV	168.00	400	Vertical	Pass
5	12227.325	54.55	74.0	19.45	Peak	0.00	200	Vertical	Pass
5**	12227.325	44.47	54.0	9.53	AV	0.00	200	Vertical	Pass
6	16113.675	56.23	74.0	17.77	Peak	96.00	400	Vertical	Pass
6**	16113.675	46.59	54.0	7.41	AV	96.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.100	39.92	74.0	34.08	Peak	7.00	300	Horizontal	Pass
1**	1442.100	29.19	54.0	24.81	AV	7.00	300	Horizontal	Pass
2	4378.800	51.95	74.0	22.05	Peak	0.00	400	Horizontal	Pass
2**	4378.800	41.96	54.0	12.04	AV	0.00	400	Horizontal	Pass
3	5294.200	100.93	--	--	Peak	269.00	200	Horizontal	N/A
3**	5294.200	93.63	--	--	AV	269.00	200	Horizontal	N/A
4	7497.087	50.51	74.0	23.49	Peak	298.00	400	Horizontal	Pass
4**	7497.087	39.32	54.0	14.68	AV	298.00	400	Horizontal	Pass
5	11928.901	54.02	74.0	19.98	Peak	51.00	200	Horizontal	Pass
5**	11928.901	44.17	54.0	9.83	AV	51.00	200	Horizontal	Pass
6	16119.713	56.02	74.0	17.98	Peak	253.00	400	Horizontal	Pass
6**	16119.713	46.81	54.0	7.19	AV	253.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.500	39.77	74.0	34.23	Peak	58.00	300	Vertical	Pass
1**	1550.500	28.90	54.0	25.10	AV	58.00	300	Vertical	Pass
2	4386.800	50.34	74.0	23.66	Peak	264.00	300	Vertical	Pass
2**	4386.800	41.12	54.0	12.88	AV	264.00	300	Vertical	Pass
3	5287.000	103.77	--	--	Peak	179.00	150	Vertical	N/A
3**	5287.000	96.27	--	--	AV	179.00	150	Vertical	N/A
4	7345.000	49.87	74.0	24.13	Peak	52.00	400	Vertical	Pass
4**	7345.000	42.65	54.0	11.35	AV	52.00	400	Vertical	Pass
5	11941.262	53.77	74.0	20.23	Peak	76.00	150	Vertical	Pass
5**	11941.262	44.50	54.0	9.50	AV	76.00	150	Vertical	Pass
6	16053.037	56.01	74.0	17.99	Peak	310.00	200	Vertical	Pass
6**	16053.037	46.61	54.0	7.39	AV	310.00	200	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	41.08	74.0	32.92	Peak	0.00	200	Horizontal	Pass
1**	1442.200	30.87	54.0	23.13	AV	0.00	200	Horizontal	Pass
2	4379.200	50.46	74.0	23.54	Peak	39.00	400	Horizontal	Pass
2**	4379.200	41.15	54.0	12.85	AV	39.00	400	Horizontal	Pass
3	5257.000	107.85	--	--	Peak	271.00	150	Horizontal	N/A
3**	5257.000	99.80	--	--	AV	271.00	150	Horizontal	N/A
4	7342.125	50.24	74.0	23.76	Peak	57.00	300	Horizontal	Pass
4**	7342.125	40.53	54.0	13.47	AV	57.00	300	Horizontal	Pass
5	11997.901	53.51	74.0	20.49	Peak	231.00	150	Horizontal	Pass
5**	11997.901	45.41	54.0	8.59	AV	231.00	150	Horizontal	Pass
6	16061.963	56.03	74.0	17.97	Peak	360.00	400	Horizontal	Pass
6**	16061.963	46.50	54.0	7.50	AV	360.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	39.98	74.0	34.02	Peak	296.00	200	Vertical	Pass
1**	1499.700	30.41	54.0	23.59	AV	296.00	200	Vertical	Pass
2	4344.600	50.67	74.0	23.33	Peak	347.00	400	Vertical	Pass
2**	4344.600	41.19	54.0	12.81	AV	347.00	400	Vertical	Pass
3	5257.400	110.40	--	--	Peak	181.00	100	Vertical	N/A
3**	5257.400	102.06	--	--	AV	181.00	100	Vertical	N/A
4	7555.450	49.45	74.0	24.55	Peak	82.00	400	Vertical	Pass
4**	7555.450	39.69	54.0	14.31	AV	82.00	400	Vertical	Pass
5	12232.500	53.56	74.0	20.44	Peak	360.00	200	Vertical	Pass
5**	12232.500	43.65	54.0	10.35	AV	360.00	200	Vertical	Pass
6	16098.975	56.25	74.0	17.75	Peak	325.00	300	Vertical	Pass
6**	16098.975	46.89	54.0	7.11	AV	325.00	300	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.700	40.57	74.0	33.43	Peak	360.00	100	Horizontal	Pass
1**	1438.700	29.15	54.0	24.85	AV	360.00	100	Horizontal	Pass
2	4377.800	50.48	74.0	23.52	Peak	99.00	400	Horizontal	Pass
2**	4377.800	42.18	54.0	11.82	AV	99.00	400	Horizontal	Pass
3	5294.800	107.36	--	--	Peak	266.00	200	Horizontal	N/A
3**	5294.800	97.23	--	--	AV	266.00	200	Horizontal	N/A
4	7344.138	49.87	74.0	24.13	Peak	262.00	100	Horizontal	Pass
4**	7344.138	40.65	54.0	13.35	AV	262.00	100	Horizontal	Pass
5	12236.526	53.69	74.0	20.31	Peak	12.00	150	Horizontal	Pass
5**	12236.526	44.01	54.0	9.99	AV	12.00	150	Horizontal	Pass
6	16184.549	56.09	74.0	17.91	Peak	23.00	200	Horizontal	Pass
6**	16184.549	46.73	54.0	7.27	AV	23.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.300	38.69	74.0	35.31	Peak	301.00	200	Vertical	Pass
1**	1485.300	30.30	54.0	23.70	AV	301.00	200	Vertical	Pass
2	4368.200	50.65	74.0	23.35	Peak	360.00	200	Vertical	Pass
2**	4368.200	41.57	54.0	12.43	AV	360.00	200	Vertical	Pass
3	5305.400	109.35	--	--	Peak	131.00	200	Vertical	N/A
3**	5305.400	101.13	--	--	AV	131.00	200	Vertical	N/A
4	7744.625	49.80	74.0	24.20	Peak	231.00	200	Vertical	Pass
4**	7744.625	41.39	54.0	12.61	AV	231.00	200	Vertical	Pass
5	12326.799	53.73	74.0	20.27	Peak	253.00	200	Vertical	Pass
5**	12326.799	45.74	54.0	8.26	AV	253.00	200	Vertical	Pass
6	15844.612	56.29	74.0	17.71	Peak	360.00	400	Vertical	Pass
6**	15844.612	47.13	54.0	6.87	AV	360.00	400	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	40.53	74.0	33.47	Peak	360.00	400	Horizontal	Pass
1**	1440.400	30.76	54.0	23.24	AV	360.00	400	Horizontal	Pass
2	4391.800	50.70	74.0	23.30	Peak	278.00	400	Horizontal	Pass
2**	4391.800	41.36	54.0	12.64	AV	278.00	400	Horizontal	Pass
3	5324.400	108.18	--	--	Peak	192.00	150	Horizontal	N/A
3**	5324.400	98.95	--	--	AV	192.00	150	Horizontal	N/A
4	7333.788	50.19	74.0	23.81	Peak	277.00	100	Horizontal	Pass
4**	7333.788	41.07	54.0	12.93	AV	277.00	100	Horizontal	Pass
5	12397.525	54.00	74.0	20.00	Peak	100.00	200	Horizontal	Pass
5**	12397.525	43.84	54.0	10.16	AV	100.00	200	Horizontal	Pass
6	16077.975	56.81	74.0	17.19	Peak	360.00	400	Horizontal	Pass
6**	16077.975	46.93	54.0	7.07	AV	360.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.29	74.0	34.71	Peak	224.00	300	Vertical	Pass
1**	1500.200	30.41	54.0	23.59	AV	224.00	300	Vertical	Pass
2	4232.200	50.15	74.0	23.85	Peak	139.00	100	Vertical	Pass
2**	4232.200	40.95	54.0	13.05	AV	139.00	100	Vertical	Pass
3	5325.800	110.51	--	--	Peak	166.00	200	Vertical	N/A
3**	5325.800	101.63	--	--	AV	166.00	200	Vertical	N/A
4	7460.287	50.25	74.0	23.75	Peak	232.00	200	Vertical	Pass
4**	7460.287	40.20	54.0	13.80	AV	232.00	200	Vertical	Pass
5	12441.513	53.65	74.0	20.35	Peak	342.00	100	Vertical	Pass
5**	12441.513	43.68	54.0	10.32	AV	342.00	100	Vertical	Pass
6	15847.763	56.50	74.0	17.50	Peak	201.00	100	Vertical	Pass
6**	15847.763	46.77	54.0	7.23	AV	201.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	39.66	74.0	34.34	Peak	0.00	200	Horizontal	Pass
1**	1441.700	30.11	54.0	23.89	AV	0.00	200	Horizontal	Pass
2	4365.200	50.50	74.0	23.50	Peak	181.00	300	Horizontal	Pass
2**	4365.200	41.88	54.0	12.12	AV	181.00	300	Horizontal	Pass
3	5268.200	104.90	--	--	Peak	181.00	200	Horizontal	N/A
3**	5268.200	96.77	--	--	AV	181.00	200	Horizontal	N/A
4	7343.275	49.96	74.0	24.04	Peak	25.00	300	Horizontal	Pass
4**	7343.275	41.90	54.0	12.10	AV	25.00	300	Horizontal	Pass
5	12609.412	53.70	74.0	20.30	Peak	341.00	100	Horizontal	Pass
5**	12609.412	44.09	54.0	9.91	AV	341.00	100	Horizontal	Pass
6	16102.125	56.42	74.0	17.58	Peak	21.00	200	Horizontal	Pass
6**	16102.125	47.42	54.0	6.58	AV	21.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.600	38.96	74.0	35.04	Peak	43.00	200	Vertical	Pass
1**	1560.600	29.83	54.0	24.17	AV	43.00	200	Vertical	Pass
2	4381.400	50.27	74.0	23.73	Peak	274.00	100	Vertical	Pass
2**	4381.400	42.81	54.0	11.19	AV	274.00	100	Vertical	Pass
3	5260.200	107.72	--	--	Peak	131.00	100	Vertical	N/A
3**	5260.200	98.14	--	--	AV	131.00	100	Vertical	N/A
4	7445.338	49.81	74.0	24.19	Peak	90.00	200	Vertical	Pass
4**	7445.338	40.50	54.0	13.50	AV	90.00	200	Vertical	Pass
5	12402.700	53.57	74.0	20.43	Peak	116.00	100	Vertical	Pass
5**	12402.700	44.14	54.0	9.86	AV	116.00	100	Vertical	Pass
6	16078.500	56.20	74.0	17.80	Peak	240.00	400	Vertical	Pass
6**	16078.500	47.46	54.0	6.54	AV	240.00	400	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	40.87	74.0	33.13	Peak	0.00	100	Horizontal	Pass
1**	1439.800	30.44	54.0	23.56	AV	0.00	100	Horizontal	Pass
2	4372.400	51.14	74.0	22.86	Peak	138.00	100	Horizontal	Pass
2**	4372.400	42.08	54.0	11.92	AV	138.00	100	Horizontal	Pass
3	5314.800	104.69	--	--	Peak	283.00	100	Horizontal	N/A
3**	5314.800	95.56	--	--	AV	283.00	100	Horizontal	N/A
4	7341.263	50.38	74.0	23.62	Peak	315.00	100	Horizontal	Pass
4**	7341.263	41.27	54.0	12.73	AV	315.00	100	Horizontal	Pass
5	12270.162	53.15	74.0	20.85	Peak	227.00	100	Horizontal	Pass
5**	12270.162	43.90	54.0	10.10	AV	227.00	100	Horizontal	Pass
6	16047.000	56.22	74.0	17.78	Peak	25.00	100	Horizontal	Pass
6**	16047.000	47.73	54.0	6.27	AV	25.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.700	39.69	74.0	34.31	Peak	231.00	100	Vertical	Pass
1**	1535.700	29.35	54.0	24.65	AV	231.00	100	Vertical	Pass
2	4396.200	49.88	74.0	24.12	Peak	30.00	200	Vertical	Pass
2**	4396.200	41.12	54.0	12.88	AV	30.00	200	Vertical	Pass
3	5310.800	108.75	--	--	Peak	137.00	150	Vertical	N/A
3**	5310.800	100.46	--	--	AV	137.00	150	Vertical	N/A
4	7464.600	50.04	74.0	23.96	Peak	109.00	300	Vertical	Pass
4**	7464.600	41.68	54.0	12.32	AV	109.00	300	Vertical	Pass
5	12256.650	54.09	74.0	19.91	Peak	109.00	100	Vertical	Pass
5**	12256.650	43.59	54.0	10.41	AV	109.00	100	Vertical	Pass
6	16111.838	56.53	74.0	17.47	Peak	225.00	100	Vertical	Pass
6**	16111.838	46.91	54.0	7.09	AV	225.00	100	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.000	40.13	74.0	33.87	Peak	0.00	300	Horizontal	Pass
1**	1442.000	30.01	54.0	23.99	AV	0.00	300	Horizontal	Pass
2	4361.200	50.58	74.0	23.42	Peak	316.00	100	Horizontal	Pass
2**	4361.200	41.09	54.0	12.91	AV	316.00	100	Horizontal	Pass
3	5289.200	102.75	--	--	Peak	269.00	100	Horizontal	N/A
3**	5289.200	92.81	--	--	AV	269.00	100	Horizontal	N/A
4	7667.288	50.02	74.0	23.98	Peak	283.00	300	Horizontal	Pass
4**	7667.288	39.86	54.0	14.14	AV	283.00	300	Horizontal	Pass
5	12281.375	54.06	74.0	19.94	Peak	283.00	100	Horizontal	Pass
5**	12281.375	44.36	54.0	9.64	AV	283.00	100	Horizontal	Pass
6	16029.938	56.56	74.0	17.44	Peak	232.00	400	Horizontal	Pass
6**	16029.938	46.42	54.0	7.58	AV	232.00	400	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.300	39.30	74.0	34.70	Peak	39.00	200	Vertical	Pass
1**	1495.300	30.01	54.0	23.99	AV	39.00	200	Vertical	Pass
2	3957.000	50.01	74.0	23.99	Peak	360.00	300	Vertical	Pass
2**	3957.000	40.11	54.0	13.89	AV	360.00	300	Vertical	Pass
3	5282.600	105.10	--	--	Peak	182.00	150	Vertical	N/A
3**	5282.600	96.94	--	--	AV	182.00	150	Vertical	N/A
4	7620.425	50.03	74.0	23.97	Peak	216.00	100	Vertical	Pass
4**	7620.425	41.23	54.0	12.77	AV	216.00	100	Vertical	Pass
5	12327.663	53.78	74.0	20.22	Peak	0.00	200	Vertical	Pass
5**	12327.663	44.30	54.0	9.70	AV	0.00	200	Vertical	Pass
6	15780.037	55.93	74.0	18.07	Peak	113.00	200	Vertical	Pass
6**	15780.037	47.18	54.0	6.82	AV	113.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.900	41.64	74.0	32.36	Peak	356.00	200	Horizontal	Pass
1**	1442.900	29.27	54.0	24.73	AV	356.00	200	Horizontal	Pass
2	4373.400	51.10	74.0	22.90	Peak	304.00	400	Horizontal	Pass
2**	4373.400	42.10	54.0	11.90	AV	304.00	400	Horizontal	Pass
3	5501.000	108.89	--	--	Peak	261.00	100	Horizontal	N/A
3**	5501.000	101.91	--	--	AV	261.00	100	Horizontal	N/A
4	7357.938	49.98	74.0	24.02	Peak	0.00	300	Horizontal	Pass
4**	7357.938	41.12	54.0	12.88	AV	0.00	300	Horizontal	Pass
5	12083.575	53.73	74.0	20.27	Peak	300.00	200	Horizontal	Pass
5**	12083.575	43.71	54.0	10.29	AV	300.00	200	Horizontal	Pass
6	16174.838	57.01	74.0	16.99	Peak	0.00	200	Horizontal	Pass
6**	16174.838	46.76	54.0	7.24	AV	0.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	39.27	74.0	34.73	Peak	77.00	200	Vertical	Pass
1**	1495.100	29.37	54.0	24.63	AV	77.00	200	Vertical	Pass
2	4386.600	50.22	74.0	23.78	Peak	183.00	100	Vertical	Pass
2**	4386.600	41.23	54.0	12.77	AV	183.00	100	Vertical	Pass
3	5498.800	110.85	--	--	Peak	167.00	100	Vertical	N/A
3**	5498.800	103.94	--	--	AV	167.00	100	Vertical	N/A
4	7337.812	50.22	74.0	23.78	Peak	233.00	200	Vertical	Pass
4**	7337.812	41.54	54.0	12.46	AV	233.00	200	Vertical	Pass
5	12618.900	53.18	74.0	20.82	Peak	97.00	200	Vertical	Pass
5**	12618.900	44.86	54.0	9.14	AV	97.00	200	Vertical	Pass
6	16124.701	56.21	74.0	17.79	Peak	203.00	100	Vertical	Pass
6**	16124.701	46.66	54.0	7.34	AV	203.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	40.22	74.0	33.78	Peak	356.00	100	Horizontal	Pass
1**	1440.400	30.37	54.0	23.63	AV	356.00	100	Horizontal	Pass
2	4392.400	50.75	74.0	23.25	Peak	170.00	300	Horizontal	Pass
2**	4392.400	41.32	54.0	12.68	AV	170.00	300	Horizontal	Pass
3	5581.000	109.13	--	--	Peak	272.00	100	Horizontal	N/A
3**	5581.000	101.38	--	--	AV	272.00	100	Horizontal	N/A
4	7711.850	50.30	74.0	23.70	Peak	57.00	300	Horizontal	Pass
4**	7711.850	39.91	54.0	14.09	AV	57.00	300	Horizontal	Pass
5	12618.037	53.50	74.0	20.50	Peak	276.00	200	Horizontal	Pass
5**	12618.037	44.57	54.0	9.43	AV	276.00	200	Horizontal	Pass
6	15861.412	56.26	74.0	17.74	Peak	174.00	400	Horizontal	Pass
6**	15861.412	46.80	54.0	7.20	AV	174.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.600	38.76	74.0	35.24	Peak	360.00	200	Vertical	Pass
1**	1550.600	29.48	54.0	24.52	AV	360.00	200	Vertical	Pass
2	4378.800	50.36	74.0	23.64	Peak	86.00	100	Vertical	Pass
2**	4378.800	41.57	54.0	12.43	AV	86.00	100	Vertical	Pass
3	5581.000	111.27	--	--	Peak	175.00	150	Vertical	N/A
3**	5581.000	104.23	--	--	AV	175.00	150	Vertical	N/A
4	7745.487	50.34	74.0	23.66	Peak	190.00	200	Vertical	Pass
4**	7745.487	40.29	54.0	13.71	AV	190.00	200	Vertical	Pass
5	12390.912	54.18	74.0	19.82	Peak	34.00	100	Vertical	Pass
5**	12390.912	43.32	54.0	10.68	AV	34.00	100	Vertical	Pass
6	16075.875	56.36	74.0	17.64	Peak	0.00	300	Vertical	Pass
6**	16075.875	47.69	54.0	6.31	AV	0.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.100	40.10	74.0	33.90	Peak	0.00	200	Horizontal	Pass
1**	1442.100	30.60	54.0	23.40	AV	0.00	200	Horizontal	Pass
2	4299.000	50.27	74.0	23.73	Peak	355.00	300	Horizontal	Pass
2**	4299.000	41.03	54.0	12.97	AV	355.00	300	Horizontal	Pass
3	5704.200	108.46	--	--	Peak	265.00	150	Horizontal	N/A
3**	5704.200	100.27	--	--	AV	265.00	150	Horizontal	N/A
4	7686.550	50.17	74.0	23.83	Peak	360.00	100	Horizontal	Pass
4**	7686.550	41.47	54.0	12.53	AV	360.00	100	Horizontal	Pass
5	11775.950	53.70	74.0	20.30	Peak	188.00	100	Horizontal	Pass
5**	11775.950	43.09	54.0	10.91	AV	188.00	100	Horizontal	Pass
6	16066.162	56.89	74.0	17.11	Peak	316.00	100	Horizontal	Pass
6**	16066.162	48.78	54.0	5.22	AV	316.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	39.01	74.0	34.99	Peak	239.00	400	Vertical	Pass
1**	1499.100	30.00	54.0	24.00	AV	239.00	400	Vertical	Pass
2	4364.000	50.84	74.0	23.16	Peak	279.00	400	Vertical	Pass
2**	4364.000	41.71	54.0	12.29	AV	279.00	400	Vertical	Pass
3	5701.000	112.07	--	--	Peak	172.00	200	Vertical	N/A
3**	5701.000	105.27	--	--	AV	172.00	200	Vertical	N/A
4	7343.850	50.27	74.0	23.73	Peak	0.00	400	Vertical	Pass
4**	7343.850	42.54	54.0	11.46	AV	0.00	400	Vertical	Pass
5	12284.826	53.41	74.0	20.59	Peak	189.00	150	Vertical	Pass
5**	12284.826	44.78	54.0	9.22	AV	189.00	150	Vertical	Pass
6	15504.938	56.54	74.0	17.46	Peak	102.00	200	Vertical	Pass
6**	15504.938	45.94	54.0	8.06	AV	102.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.600	40.51	74.0	33.49	Peak	92.00	300	Horizontal	Pass
1**	1598.600	29.38	54.0	24.62	AV	92.00	300	Horizontal	Pass
2	4322.400	50.14	74.0	23.86	Peak	187.00	100	Horizontal	Pass
2**	4322.400	41.25	54.0	12.75	AV	187.00	100	Horizontal	Pass
3	5501.600	108.34	--	--	Peak	271.00	200	Horizontal	N/A
3**	5501.600	101.56	--	--	AV	271.00	200	Horizontal	N/A
4	7711.563	50.06	74.0	23.94	Peak	318.00	300	Horizontal	Pass
4**	7711.563	40.44	54.0	13.56	AV	318.00	300	Horizontal	Pass
5	12612.287	53.96	74.0	20.04	Peak	204.00	200	Horizontal	Pass
5**	12612.287	44.03	54.0	9.97	AV	204.00	200	Horizontal	Pass
6	15863.775	56.34	74.0	17.66	Peak	303.00	100	Horizontal	Pass
6**	15863.775	46.30	54.0	7.70	AV	303.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.200	38.95	74.0	35.05	Peak	348.00	300	Vertical	Pass
1**	1507.200	30.32	54.0	23.68	AV	348.00	300	Vertical	Pass
2	4368.600	51.49	74.0	22.51	Peak	140.00	400	Vertical	Pass
2**	4368.600	41.71	54.0	12.29	AV	140.00	400	Vertical	Pass
3	5501.000	110.96	--	--	Peak	171.00	150	Vertical	N/A
3**	5501.000	102.94	--	--	AV	171.00	150	Vertical	N/A
4	7745.487	50.02	74.0	23.98	Peak	207.00	300	Vertical	Pass
4**	7745.487	40.53	54.0	13.47	AV	207.00	300	Vertical	Pass
5	12290.575	53.87	74.0	20.13	Peak	76.00	200	Vertical	Pass
5**	12290.575	44.05	54.0	9.95	AV	76.00	200	Vertical	Pass
6	16174.576	56.85	74.0	17.15	Peak	0.00	200	Vertical	Pass
6**	16174.576	47.04	54.0	6.96	AV	0.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	40.43	74.0	33.57	Peak	360.00	300	Horizontal	Pass
1**	1442.200	29.74	54.0	24.26	AV	360.00	300	Horizontal	Pass
2	4374.000	50.79	74.0	23.21	Peak	38.00	400	Horizontal	Pass
2**	4374.000	41.79	54.0	12.21	AV	38.00	400	Horizontal	Pass
3	5581.200	108.73	--	--	Peak	263.00	100	Horizontal	N/A
3**	5581.200	101.46	--	--	AV	263.00	100	Horizontal	N/A
4	7449.937	50.21	74.0	23.79	Peak	70.00	200	Horizontal	Pass
4**	7449.937	40.56	54.0	13.44	AV	70.00	200	Horizontal	Pass
5	12310.125	53.88	74.0	20.12	Peak	0.00	150	Horizontal	Pass
5**	12310.125	44.17	54.0	9.83	AV	0.00	150	Horizontal	Pass
6	16082.700	56.37	74.0	17.63	Peak	79.00	200	Horizontal	Pass
6**	16082.700	47.32	54.0	6.68	AV	79.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	40.55	74.0	33.45	Peak	360.00	100	Vertical	Pass
1**	1500.100	30.11	54.0	23.89	AV	360.00	100	Vertical	Pass
2	4364.200	50.76	74.0	23.24	Peak	115.00	400	Vertical	Pass
2**	4364.200	41.24	54.0	12.76	AV	115.00	400	Vertical	Pass
3	5578.000	111.53	--	--	Peak	163.00	100	Vertical	N/A
3**	5578.000	104.49	--	--	AV	163.00	100	Vertical	N/A
4	7344.138	50.18	74.0	23.82	Peak	128.00	400	Vertical	Pass
4**	7344.138	42.39	54.0	11.61	AV	128.00	400	Vertical	Pass
5	12333.125	53.98	74.0	20.02	Peak	90.00	100	Vertical	Pass
5**	12333.125	44.58	54.0	9.42	AV	90.00	100	Vertical	Pass
6	15659.025	55.68	74.0	18.32	Peak	135.00	150	Vertical	Pass
6**	15659.025	47.20	54.0	6.80	AV	135.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.500	41.05	74.0	32.95	Peak	360.00	300	Horizontal	Pass
1**	1442.500	30.24	54.0	23.76	AV	360.00	300	Horizontal	Pass
2	3998.000	51.18	74.0	22.82	Peak	0.00	300	Horizontal	Pass
2**	3998.000	41.95	54.0	12.05	AV	0.00	300	Horizontal	Pass
3	5701.200	107.73	--	--	Peak	280.00	200	Horizontal	N/A
3**	5701.200	99.96	--	--	AV	280.00	200	Horizontal	N/A
4	7272.550	49.67	74.0	24.33	Peak	185.00	100	Horizontal	Pass
4**	7272.550	40.39	54.0	13.61	AV	185.00	100	Horizontal	Pass
5	12649.950	53.81	74.0	20.19	Peak	337.00	200	Horizontal	Pass
5**	12649.950	43.80	54.0	10.20	AV	337.00	200	Horizontal	Pass
6	16011.037	56.40	74.0	17.60	Peak	360.00	300	Horizontal	Pass
6**	16011.037	45.92	54.0	8.08	AV	360.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.500	41.18	74.0	32.82	Peak	229.00	400	Vertical	Pass
1**	1494.500	30.65	54.0	23.35	AV	229.00	400	Vertical	Pass
2	4377.600	50.70	74.0	23.30	Peak	57.00	200	Vertical	Pass
2**	4377.600	42.49	54.0	11.51	AV	57.00	200	Vertical	Pass
3	5698.800	110.81	--	--	Peak	163.00	150	Vertical	N/A
3**	5698.800	103.28	--	--	AV	163.00	150	Vertical	N/A
4	7453.675	50.29	74.0	23.71	Peak	253.00	100	Vertical	Pass
4**	7453.675	40.49	54.0	13.51	AV	253.00	100	Vertical	Pass
5	12607.974	53.76	74.0	20.24	Peak	253.00	100	Vertical	Pass
5**	12607.974	44.23	54.0	9.77	AV	253.00	100	Vertical	Pass
6	15655.875	55.98	74.0	18.02	Peak	360.00	300	Vertical	Pass
6**	15655.875	46.58	54.0	7.42	AV	360.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.900	40.58	74.0	33.42	Peak	0.00	100	Horizontal	Pass
1**	1435.900	29.98	54.0	24.02	AV	0.00	100	Horizontal	Pass
2	3994.600	50.65	74.0	23.35	Peak	360.00	100	Horizontal	Pass
2**	3994.600	40.70	54.0	13.30	AV	360.00	100	Horizontal	Pass
3	5507.600	107.17	--	--	Peak	274.00	150	Horizontal	N/A
3**	5507.600	99.10	--	--	AV	274.00	150	Horizontal	N/A
4	7327.750	50.48	74.0	23.52	Peak	233.00	200	Horizontal	Pass
4**	7327.750	41.08	54.0	12.92	AV	233.00	200	Horizontal	Pass
5	12631.838	53.83	74.0	20.17	Peak	0.00	150	Horizontal	Pass
5**	12631.838	43.38	54.0	10.62	AV	0.00	150	Horizontal	Pass
6	15850.912	57.36	74.0	16.64	Peak	61.00	400	Horizontal	Pass
6**	15850.912	47.19	54.0	6.81	AV	61.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.800	39.43	74.0	34.57	Peak	240.00	100	Vertical	Pass
1**	1574.800	30.33	54.0	23.67	AV	240.00	100	Vertical	Pass
2	4399.000	50.37	74.0	23.63	Peak	321.00	300	Vertical	Pass
2**	4399.000	40.45	54.0	13.55	AV	321.00	300	Vertical	Pass
3	5505.800	108.99	--	--	Peak	188.00	200	Vertical	N/A
3**	5505.800	101.18	--	--	AV	188.00	200	Vertical	N/A
4	7742.900	50.13	74.0	23.87	Peak	360.00	400	Vertical	Pass
4**	7742.900	40.49	54.0	13.51	AV	360.00	400	Vertical	Pass
5	12212.088	53.48	74.0	20.52	Peak	218.00	150	Vertical	Pass
5**	12212.088	43.61	54.0	10.39	AV	218.00	150	Vertical	Pass
6	16094.775	56.33	74.0	17.67	Peak	295.00	200	Vertical	Pass
6**	16094.775	47.06	54.0	6.94	AV	295.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	39.66	74.0	34.34	Peak	4.00	100	Horizontal	Pass
1**	1439.000	29.28	54.0	24.72	AV	4.00	100	Horizontal	Pass
2	4378.000	50.35	74.0	23.65	Peak	0.00	100	Horizontal	Pass
2**	4378.000	41.54	54.0	12.46	AV	0.00	100	Horizontal	Pass
3	5587.600	106.64	--	--	Peak	266.00	100	Horizontal	N/A
3**	5587.600	99.50	--	--	AV	266.00	100	Horizontal	N/A
4	7277.150	50.25	74.0	23.75	Peak	0.00	100	Horizontal	Pass
4**	7277.150	40.65	54.0	13.35	AV	0.00	100	Horizontal	Pass
5	12615.451	53.89	74.0	20.11	Peak	0.00	200	Horizontal	Pass
5**	12615.451	44.49	54.0	9.51	AV	0.00	200	Horizontal	Pass
6	15660.862	56.13	74.0	17.87	Peak	254.00	100	Horizontal	Pass
6**	15660.862	46.71	54.0	7.29	AV	254.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.700	40.06	74.0	33.94	Peak	31.00	100	Vertical	Pass
1**	1496.700	29.61	54.0	24.39	AV	31.00	100	Vertical	Pass
2	4240.000	50.61	74.0	23.39	Peak	267.00	100	Vertical	Pass
2**	4240.000	41.23	54.0	12.77	AV	267.00	100	Vertical	Pass
3	5593.000	108.95	--	--	Peak	173.00	150	Vertical	N/A
3**	5593.000	101.46	--	--	AV	173.00	150	Vertical	N/A
4	7337.238	49.87	74.0	24.13	Peak	309.00	400	Vertical	Pass
4**	7337.238	40.71	54.0	13.29	AV	309.00	400	Vertical	Pass
5	12255.787	53.69	74.0	20.31	Peak	237.00	200	Vertical	Pass
5**	12255.787	44.48	54.0	9.52	AV	237.00	200	Vertical	Pass
6	15801.300	56.20	74.0	17.80	Peak	248.00	300	Vertical	Pass
6**	15801.300	46.70	54.0	7.30	AV	248.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	42.00	74.0	32.00	Peak	360.00	100	Horizontal	Pass
1**	1440.400	30.78	54.0	23.22	AV	360.00	100	Horizontal	Pass
2	4366.600	50.96	74.0	23.04	Peak	110.00	400	Horizontal	Pass
2**	4366.600	41.87	54.0	12.13	AV	110.00	400	Horizontal	Pass
3	5668.200	105.42	--	--	Peak	277.00	200	Horizontal	N/A
3**	5668.200	96.73	--	--	AV	277.00	200	Horizontal	N/A
4	7345.288	50.10	74.0	23.90	Peak	221.00	100	Horizontal	Pass
4**	7345.288	40.95	54.0	13.05	AV	221.00	100	Horizontal	Pass
5	12331.112	53.28	74.0	20.72	Peak	197.00	150	Horizontal	Pass
5**	12331.112	44.42	54.0	9.58	AV	197.00	150	Horizontal	Pass
6	15776.888	57.09	74.0	16.91	Peak	134.00	200	Horizontal	Pass
6**	15776.888	47.97	54.0	6.03	AV	134.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	38.98	74.0	35.02	Peak	256.00	300	Vertical	Pass
1**	1585.000	29.97	54.0	24.03	AV	256.00	300	Vertical	Pass
2	4387.200	50.11	74.0	23.89	Peak	114.00	100	Vertical	Pass
2**	4387.200	42.12	54.0	11.88	AV	114.00	100	Vertical	Pass
3	5671.400	107.74	--	--	Peak	172.00	200	Vertical	N/A
3**	5671.400	100.91	--	--	AV	172.00	200	Vertical	N/A
4	7627.325	50.38	74.0	23.62	Peak	72.00	200	Vertical	Pass
4**	7627.325	40.67	54.0	13.33	AV	72.00	200	Vertical	Pass
5	12340.025	53.57	74.0	20.43	Peak	72.00	100	Vertical	Pass
5**	12340.025	43.83	54.0	10.17	AV	72.00	100	Vertical	Pass
6	15806.026	56.81	74.0	17.19	Peak	247.00	200	Vertical	Pass
6**	15806.026	46.39	54.0	7.61	AV	247.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.400	39.55	74.0	34.45	Peak	360.00	100	Horizontal	Pass
1**	1439.400	29.86	54.0	24.14	AV	360.00	100	Horizontal	Pass
2	4380.400	50.42	74.0	23.58	Peak	60.00	200	Horizontal	Pass
2**	4380.400	41.92	54.0	12.08	AV	60.00	200	Horizontal	Pass
3	5501.200	108.47	--	--	Peak	282.00	100	Horizontal	N/A
3**	5501.200	100.98	--	--	AV	282.00	100	Horizontal	N/A
4	7337.525	49.38	74.0	24.62	Peak	19.00	400	Horizontal	Pass
4**	7337.525	41.10	54.0	12.90	AV	19.00	400	Horizontal	Pass
5	12287.412	54.38	74.0	19.62	Peak	228.00	100	Horizontal	Pass
5**	12287.412	44.29	54.0	9.71	AV	228.00	100	Horizontal	Pass
6	16086.375	56.68	74.0	17.32	Peak	360.00	400	Horizontal	Pass
6**	16086.375	47.23	54.0	6.77	AV	360.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.000	39.17	74.0	34.83	Peak	152.00	400	Vertical	Pass
1**	1505.000	29.99	54.0	24.01	AV	152.00	400	Vertical	Pass
2	4386.400	51.11	74.0	22.89	Peak	0.00	200	Vertical	Pass
2**	4386.400	41.27	54.0	12.73	AV	0.00	200	Vertical	Pass
3	5502.200	110.31	--	--	Peak	182.00	100	Vertical	N/A
3**	5502.200	103.09	--	--	AV	182.00	100	Vertical	N/A
4	7338.387	49.93	74.0	24.07	Peak	148.00	300	Vertical	Pass
4**	7338.387	41.60	54.0	12.40	AV	148.00	300	Vertical	Pass
5	12329.388	53.82	74.0	20.18	Peak	360.00	100	Vertical	Pass
5**	12329.388	44.45	54.0	9.55	AV	360.00	100	Vertical	Pass
6	15824.137	56.12	74.0	17.88	Peak	231.00	300	Vertical	Pass
6**	15824.137	47.60	54.0	6.40	AV	231.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.100	40.78	74.0	33.22	Peak	360.00	300	Horizontal	Pass
1**	1443.100	29.99	54.0	24.01	AV	360.00	300	Horizontal	Pass
2	4377.800	50.45	74.0	23.55	Peak	223.00	400	Horizontal	Pass
2**	4377.800	41.52	54.0	12.48	AV	223.00	400	Horizontal	Pass
3	5577.800	108.70	--	--	Peak	273.00	150	Horizontal	N/A
3**	5577.800	101.58	--	--	AV	273.00	150	Horizontal	N/A
4	7339.537	51.00	74.0	23.00	Peak	180.00	400	Horizontal	Pass
4**	7339.537	41.67	54.0	12.33	AV	180.00	400	Horizontal	Pass
5	12294.313	54.10	74.0	19.90	Peak	21.00	200	Horizontal	Pass
5**	12294.313	44.42	54.0	9.58	AV	21.00	200	Horizontal	Pass
6	15831.224	56.69	74.0	17.31	Peak	175.00	400	Horizontal	Pass
6**	15831.224	46.37	54.0	7.63	AV	175.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.100	38.82	74.0	35.18	Peak	251.00	400	Vertical	Pass
1**	1569.100	29.55	54.0	24.45	AV	251.00	400	Vertical	Pass
2	4378.600	50.21	74.0	23.79	Peak	192.00	200	Vertical	Pass
2**	4378.600	42.10	54.0	11.90	AV	192.00	200	Vertical	Pass
3	5579.400	111.77	--	--	Peak	156.00	200	Vertical	N/A
3**	5579.400	104.12	--	--	AV	156.00	200	Vertical	N/A
4	7364.550	50.02	74.0	23.98	Peak	278.00	100	Vertical	Pass
4**	7364.550	40.25	54.0	13.75	AV	278.00	100	Vertical	Pass
5	12312.424	54.48	74.0	19.52	Peak	160.00	100	Vertical	Pass
5**	12312.424	43.61	54.0	10.39	AV	160.00	100	Vertical	Pass
6	16176.412	56.79	74.0	17.21	Peak	0.00	100	Vertical	Pass
6**	16176.412	46.74	54.0	7.26	AV	0.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.200	42.45	74.0	31.55	Peak	0.00	400	Horizontal	Pass
1**	1439.200	30.33	54.0	23.67	AV	0.00	400	Horizontal	Pass
2	4379.600	50.11	74.0	23.89	Peak	360.00	400	Horizontal	Pass
2**	4379.600	42.34	54.0	11.66	AV	360.00	400	Horizontal	Pass
3	5698.800	108.56	--	--	Peak	262.00	200	Horizontal	N/A
3**	5698.800	101.81	--	--	AV	262.00	200	Horizontal	N/A
4	7629.338	49.96	74.0	24.04	Peak	0.00	200	Horizontal	Pass
4**	7629.338	41.97	54.0	12.03	AV	0.00	200	Horizontal	Pass
5	11910.500	53.41	74.0	20.59	Peak	172.00	150	Horizontal	Pass
5**	11910.500	43.98	54.0	10.02	AV	172.00	150	Horizontal	Pass
6	15636.450	55.89	74.0	18.11	Peak	326.00	150	Horizontal	Pass
6**	15636.450	46.70	54.0	7.30	AV	326.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.800	39.19	74.0	34.81	Peak	234.00	400	Vertical	Pass
1**	1568.800	29.47	54.0	24.53	AV	234.00	400	Vertical	Pass
2	4391.400	50.37	74.0	23.63	Peak	280.00	200	Vertical	Pass
2**	4391.400	41.74	54.0	12.26	AV	280.00	200	Vertical	Pass
3	5702.000	112.11	--	--	Peak	172.00	200	Vertical	N/A
3**	5702.000	104.55	--	--	AV	172.00	200	Vertical	N/A
4	7340.400	50.09	74.0	23.91	Peak	224.00	100	Vertical	Pass
4**	7340.400	41.90	54.0	12.10	AV	224.00	100	Vertical	Pass
5	12060.000	53.45	74.0	20.55	Peak	7.00	200	Vertical	Pass
5**	12060.000	44.06	54.0	9.94	AV	7.00	200	Vertical	Pass
6	15651.675	56.76	74.0	17.24	Peak	30.00	300	Vertical	Pass
6**	15651.675	46.95	54.0	7.05	AV	30.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.600	41.03	74.0	32.97	Peak	360.00	300	Horizontal	Pass
1**	1442.600	30.56	54.0	23.44	AV	360.00	300	Horizontal	Pass
2	4364.200	50.17	74.0	23.83	Peak	303.00	300	Horizontal	Pass
2**	4364.200	41.43	54.0	12.57	AV	303.00	300	Horizontal	Pass
3	5508.600	106.55	--	--	Peak	278.00	100	Horizontal	N/A
3**	5508.600	100.34	--	--	AV	278.00	100	Horizontal	N/A
4	7747.788	51.12	74.0	22.88	Peak	0.00	400	Horizontal	Pass
4**	7747.788	40.54	54.0	13.46	AV	0.00	400	Horizontal	Pass
5	12275.912	53.60	74.0	20.40	Peak	117.00	100	Horizontal	Pass
5**	12275.912	43.90	54.0	10.10	AV	117.00	100	Horizontal	Pass
6	15820.987	55.98	74.0	18.02	Peak	233.00	200	Horizontal	Pass
6**	15820.987	46.53	54.0	7.47	AV	233.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.600	39.08	74.0	34.92	Peak	241.00	400	Vertical	Pass
1**	1489.600	29.93	54.0	24.07	AV	241.00	400	Vertical	Pass
2	4353.000	50.75	74.0	23.25	Peak	121.00	300	Vertical	Pass
2**	4353.000	41.20	54.0	12.80	AV	121.00	300	Vertical	Pass
3	5508.000	109.12	--	--	Peak	164.00	100	Vertical	N/A
3**	5508.000	102.19	--	--	AV	164.00	100	Vertical	N/A
4	7728.525	50.19	74.0	23.81	Peak	165.00	200	Vertical	Pass
4**	7728.525	40.48	54.0	13.52	AV	165.00	200	Vertical	Pass
5	12330.250	54.27	74.0	19.73	Peak	48.00	100	Vertical	Pass
5**	12330.250	45.22	54.0	8.78	AV	48.00	100	Vertical	Pass
6	16058.550	56.86	74.0	17.14	Peak	27.00	200	Vertical	Pass
6**	16058.550	47.49	54.0	6.51	AV	27.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.200	40.67	74.0	33.33	Peak	0.00	400	Horizontal	Pass
1**	1441.200	30.97	54.0	23.03	AV	0.00	400	Horizontal	Pass
2	4364.200	50.28	74.0	23.72	Peak	113.00	200	Horizontal	Pass
2**	4364.200	40.87	54.0	13.13	AV	113.00	200	Horizontal	Pass
3	5587.600	107.10	--	--	Peak	273.00	150	Horizontal	N/A
3**	5587.600	99.95	--	--	AV	273.00	150	Horizontal	N/A
4	7575.575	49.88	74.0	24.12	Peak	74.00	100	Horizontal	Pass
4**	7575.575	40.45	54.0	13.55	AV	74.00	100	Horizontal	Pass
5	12324.213	53.77	74.0	20.23	Peak	360.00	200	Horizontal	Pass
5**	12324.213	43.62	54.0	10.38	AV	360.00	200	Horizontal	Pass
6	16047.000	56.68	74.0	17.32	Peak	202.00	200	Horizontal	Pass
6**	16047.000	46.61	54.0	7.39	AV	202.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.400	39.25	74.0	34.75	Peak	58.00	200	Vertical	Pass
1**	1540.400	30.20	54.0	23.80	AV	58.00	200	Vertical	Pass
2	4296.400	50.93	74.0	23.07	Peak	231.00	100	Vertical	Pass
2**	4296.400	41.12	54.0	12.88	AV	231.00	100	Vertical	Pass
3	5585.600	109.15	--	--	Peak	177.00	200	Vertical	N/A
3**	5585.600	101.00	--	--	AV	177.00	200	Vertical	N/A
4	7745.487	49.55	74.0	24.45	Peak	304.00	200	Vertical	Pass
4**	7745.487	40.34	54.0	13.66	AV	304.00	200	Vertical	Pass
5	12397.237	53.30	74.0	20.70	Peak	331.00	200	Vertical	Pass
5**	12397.237	44.91	54.0	9.09	AV	331.00	200	Vertical	Pass
6	15844.612	56.23	74.0	17.77	Peak	229.00	100	Vertical	Pass
6**	15844.612	47.06	54.0	6.94	AV	229.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	40.52	74.0	33.48	Peak	360.00	300	Horizontal	Pass
1**	1439.000	30.30	54.0	23.70	AV	360.00	300	Horizontal	Pass
2	4358.200	50.46	74.0	23.54	Peak	286.00	200	Horizontal	Pass
2**	4358.200	40.88	54.0	13.12	AV	286.00	200	Horizontal	Pass
3	5671.600	106.64	--	--	Peak	270.00	200	Horizontal	N/A
3**	5671.600	98.93	--	--	AV	270.00	200	Horizontal	N/A
4	7449.650	50.51	74.0	23.49	Peak	55.00	200	Horizontal	Pass
4**	7449.650	42.48	54.0	11.52	AV	55.00	200	Horizontal	Pass
5	12589.000	53.94	74.0	20.06	Peak	276.00	200	Horizontal	Pass
5**	12589.000	43.15	54.0	10.85	AV	276.00	200	Horizontal	Pass
6	15850.125	56.31	74.0	17.69	Peak	350.00	200	Horizontal	Pass
6**	15850.125	47.32	54.0	6.68	AV	350.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.900	39.17	74.0	34.83	Peak	310.00	300	Vertical	Pass
1**	1515.900	29.35	54.0	24.65	AV	310.00	300	Vertical	Pass
2	4357.600	50.16	74.0	23.84	Peak	360.00	300	Vertical	Pass
2**	4357.600	41.16	54.0	12.84	AV	360.00	300	Vertical	Pass
3	5672.800	109.37	--	--	Peak	166.00	150	Vertical	N/A
3**	5672.800	101.70	--	--	AV	166.00	150	Vertical	N/A
4	7334.938	49.67	74.0	24.33	Peak	198.00	400	Vertical	Pass
4**	7334.938	42.08	54.0	11.92	AV	198.00	400	Vertical	Pass
5	12255.500	54.02	74.0	19.98	Peak	249.00	200	Vertical	Pass
5**	12255.500	44.77	54.0	9.23	AV	249.00	200	Vertical	Pass
6	16177.988	56.23	74.0	17.77	Peak	360.00	300	Vertical	Pass
6**	16177.988	47.00	54.0	7.00	AV	360.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	41.08	74.0	32.92	Peak	95.00	400	Horizontal	Pass
1**	1439.100	30.47	54.0	23.53	AV	95.00	400	Horizontal	Pass
2	4343.600	50.37	74.0	23.63	Peak	106.00	200	Horizontal	Pass
2**	4343.600	41.79	54.0	12.21	AV	106.00	200	Horizontal	Pass
3	5532.400	104.50	--	--	Peak	275.00	100	Horizontal	N/A
3**	5532.400	95.87	--	--	AV	275.00	100	Horizontal	N/A
4	7582.188	49.98	74.0	24.02	Peak	250.00	400	Horizontal	Pass
4**	7582.188	40.22	54.0	13.78	AV	250.00	400	Horizontal	Pass
5	12694.799	53.82	74.0	20.18	Peak	210.00	100	Horizontal	Pass
5**	12694.799	44.24	54.0	9.76	AV	210.00	100	Horizontal	Pass
6	15832.537	56.27	74.0	17.73	Peak	360.00	400	Horizontal	Pass
6**	15832.537	47.01	54.0	6.99	AV	360.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.400	39.90	74.0	34.10	Peak	0.00	400	Vertical	Pass
1**	1598.400	29.71	54.0	24.29	AV	0.00	400	Vertical	Pass
2	4367.000	50.66	74.0	23.34	Peak	273.00	300	Vertical	Pass
2**	4367.000	41.41	54.0	12.59	AV	273.00	300	Vertical	Pass
3	5537.000	106.14	--	--	Peak	182.00	200	Vertical	N/A
3**	5537.000	98.64	--	--	AV	182.00	200	Vertical	N/A
4	7365.412	49.70	74.0	24.30	Peak	166.00	200	Vertical	Pass
4**	7365.412	40.83	54.0	13.17	AV	166.00	200	Vertical	Pass
5	11945.575	54.76	74.0	19.24	Peak	251.00	100	Vertical	Pass
5**	11945.575	45.63	54.0	8.37	AV	251.00	100	Vertical	Pass
6	16108.425	56.80	74.0	17.20	Peak	360.00	100	Vertical	Pass
6**	16108.425	47.02	54.0	6.98	AV	360.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.600	40.22	74.0	33.78	Peak	360.00	400	Horizontal	Pass
1**	1445.600	29.94	54.0	24.06	AV	360.00	400	Horizontal	Pass
2	4369.000	50.63	74.0	23.37	Peak	360.00	300	Horizontal	Pass
2**	4369.000	41.00	54.0	13.00	AV	360.00	300	Horizontal	Pass
3	5608.000	104.38	--	--	Peak	274.00	200	Horizontal	N/A
3**	5608.000	96.64	--	--	AV	274.00	200	Horizontal	N/A
4	7710.987	50.07	74.0	23.93	Peak	51.00	400	Horizontal	Pass
4**	7710.987	41.04	54.0	12.96	AV	51.00	400	Horizontal	Pass
5	12051.951	53.87	74.0	20.13	Peak	261.00	150	Horizontal	Pass
5**	12051.951	43.44	54.0	10.56	AV	261.00	150	Horizontal	Pass
6	15509.925	56.09	74.0	17.91	Peak	233.00	300	Horizontal	Pass
6**	15509.925	47.60	54.0	6.40	AV	233.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	39.77	74.0	34.23	Peak	283.00	200	Vertical	Pass
1**	1499.100	29.08	54.0	24.92	AV	283.00	200	Vertical	Pass
2	4383.000	51.21	74.0	22.79	Peak	198.00	300	Vertical	Pass
2**	4383.000	41.36	54.0	12.64	AV	198.00	300	Vertical	Pass
3	5607.400	105.97	--	--	Peak	171.00	100	Vertical	N/A
3**	5607.400	98.23	--	--	AV	171.00	100	Vertical	N/A
4	7275.425	50.06	74.0	23.94	Peak	165.00	100	Vertical	Pass
4**	7275.425	40.56	54.0	13.44	AV	165.00	100	Vertical	Pass
5	11499.088	53.98	74.0	20.02	Peak	54.00	200	Vertical	Pass
5**	11499.088	43.58	54.0	10.42	AV	54.00	200	Vertical	Pass
6	16185.862	57.30	74.0	16.70	Peak	46.00	200	Vertical	Pass
6**	16185.862	46.84	54.0	7.16	AV	46.00	200	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.200	40.88	74.0	33.12	Peak	360.00	400	Horizontal	Pass
1**	1438.200	30.53	54.0	23.47	AV	360.00	400	Horizontal	Pass
2	4357.600	50.70	74.0	23.30	Peak	313.00	200	Horizontal	Pass
2**	4357.600	41.11	54.0	12.89	AV	313.00	200	Horizontal	Pass
3	5566.400	103.02	--	--	Peak	268.00	100	Horizontal	N/A
3**	5566.400	95.72	--	--	AV	268.00	100	Horizontal	N/A
4	7451.087	50.49	74.0	23.51	Peak	151.00	300	Horizontal	Pass
4**	7451.087	41.48	54.0	12.52	AV	151.00	300	Horizontal	Pass
5	11918.262	54.54	74.0	19.46	Peak	0.00	200	Horizontal	Pass
5**	11918.262	44.10	54.0	9.90	AV	0.00	200	Horizontal	Pass
6	16179.562	56.79	74.0	17.21	Peak	72.00	300	Horizontal	Pass
6**	16179.562	46.68	54.0	7.32	AV	72.00	300	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	39.91	74.0	34.09	Peak	170.00	100	Vertical	Pass
1**	1440.000	29.25	54.0	24.75	AV	170.00	100	Vertical	Pass
2	4366.800	50.25	74.0	23.75	Peak	290.00	100	Vertical	Pass
2**	4366.800	41.65	54.0	12.35	AV	290.00	100	Vertical	Pass
3	5579.200	105.06	--	--	Peak	165.00	150	Vertical	N/A
3**	5579.200	96.35	--	--	AV	165.00	150	Vertical	N/A
4	7337.525	50.00	74.0	24.00	Peak	320.00	400	Vertical	Pass
4**	7337.525	40.85	54.0	13.15	AV	320.00	400	Vertical	Pass
5	12379.700	53.60	74.0	20.40	Peak	278.00	100	Vertical	Pass
5**	12379.700	44.16	54.0	9.84	AV	278.00	100	Vertical	Pass
6	16091.888	57.17	74.0	16.83	Peak	75.00	100	Vertical	Pass
6**	16091.888	47.25	54.0	6.75	AV	75.00	100	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.100	40.32	74.0	33.68	Peak	0.00	300	Horizontal	Pass
1**	1435.100	29.81	54.0	24.19	AV	0.00	300	Horizontal	Pass
2	4365.400	50.46	74.0	23.54	Peak	350.00	100	Horizontal	Pass
2**	4365.400	41.74	54.0	12.26	AV	350.00	100	Horizontal	Pass
3	5501.800	109.97	--	--	Peak	271.00	200	Horizontal	N/A
3**	5501.800	102.38	--	--	AV	271.00	200	Horizontal	N/A
4	7445.050	49.43	74.0	24.57	Peak	61.00	400	Horizontal	Pass
4**	7445.050	41.25	54.0	12.75	AV	61.00	400	Horizontal	Pass
5	12599.925	53.55	74.0	20.45	Peak	39.00	150	Horizontal	Pass
5**	12599.925	44.12	54.0	9.88	AV	39.00	150	Horizontal	Pass
6	16012.088	56.64	74.0	17.36	Peak	84.00	400	Horizontal	Pass
6**	16012.088	47.07	54.0	6.93	AV	84.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.800	39.57	74.0	34.43	Peak	118.00	300	Vertical	Pass
1**	1443.800	30.70	54.0	23.30	AV	118.00	300	Vertical	Pass
2	4359.800	49.99	74.0	24.01	Peak	148.00	100	Vertical	Pass
2**	4359.800	41.15	54.0	12.85	AV	148.00	100	Vertical	Pass
3	5497.400	112.58	--	--	Peak	162.00	100	Vertical	N/A
3**	5497.400	104.07	--	--	AV	162.00	100	Vertical	N/A
4	7461.437	50.15	74.0	23.85	Peak	88.00	300	Vertical	Pass
4**	7461.437	40.40	54.0	13.60	AV	88.00	300	Vertical	Pass
5	12289.138	53.67	74.0	20.33	Peak	130.00	150	Vertical	Pass
5**	12289.138	44.52	54.0	9.48	AV	130.00	150	Vertical	Pass
6	16021.537	56.56	74.0	17.44	Peak	284.00	300	Vertical	Pass
6**	16021.537	46.76	54.0	7.24	AV	284.00	300	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.000	40.62	74.0	33.38	Peak	0.00	100	Horizontal	Pass
1**	1442.000	29.62	54.0	24.38	AV	0.00	100	Horizontal	Pass
2	4349.000	50.60	74.0	23.40	Peak	70.00	400	Horizontal	Pass
2**	4349.000	40.89	54.0	13.11	AV	70.00	400	Horizontal	Pass
3	5584.400	109.73	--	--	Peak	268.00	100	Horizontal	N/A
3**	5584.400	99.34	--	--	AV	268.00	100	Horizontal	N/A
4	7385.250	49.96	74.0	24.04	Peak	81.00	200	Horizontal	Pass
4**	7385.250	41.26	54.0	12.74	AV	81.00	200	Horizontal	Pass
5	11923.724	53.81	74.0	20.19	Peak	107.00	150	Horizontal	Pass
5**	11923.724	44.06	54.0	9.94	AV	107.00	150	Horizontal	Pass
6	16069.313	56.72	74.0	17.28	Peak	26.00	300	Horizontal	Pass
6**	16069.313	46.69	54.0	7.31	AV	26.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.200	38.69	74.0	35.31	Peak	39.00	400	Vertical	Pass
1**	1611.200	29.49	54.0	24.51	AV	39.00	400	Vertical	Pass
2	4367.400	50.85	74.0	23.15	Peak	219.00	400	Vertical	Pass
2**	4367.400	42.25	54.0	11.75	AV	219.00	400	Vertical	Pass
3	5580.800	112.78	--	--	Peak	161.00	150	Vertical	N/A
3**	5580.800	104.10	--	--	AV	161.00	150	Vertical	N/A
4	7326.025	50.22	74.0	23.78	Peak	41.00	400	Vertical	Pass
4**	7326.025	40.66	54.0	13.34	AV	41.00	400	Vertical	Pass
5	11947.013	53.78	74.0	20.22	Peak	41.00	100	Vertical	Pass
5**	11947.013	43.83	54.0	10.17	AV	41.00	100	Vertical	Pass
6	16191.112	55.95	74.0	18.05	Peak	0.00	200	Vertical	Pass
6**	16191.112	45.25	54.0	8.75	AV	0.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.300	42.42	74.0	31.58	Peak	83.00	100	Horizontal	Pass
1**	1439.300	30.34	54.0	23.66	AV	83.00	100	Horizontal	Pass
2	4379.200	50.38	74.0	23.62	Peak	360.00	400	Horizontal	Pass
2**	4379.200	42.03	54.0	11.97	AV	360.00	400	Horizontal	Pass
3	5698.000	109.97	--	--	Peak	263.00	200	Horizontal	N/A
3**	5698.000	101.10	--	--	AV	263.00	200	Horizontal	N/A
4	7509.450	50.17	74.0	23.83	Peak	177.00	400	Horizontal	Pass
4**	7509.450	40.55	54.0	13.45	AV	177.00	400	Horizontal	Pass
5	12370.213	53.33	74.0	20.67	Peak	69.00	200	Horizontal	Pass
5**	12370.213	44.08	54.0	9.92	AV	69.00	200	Horizontal	Pass
6	15837.787	56.14	74.0	17.86	Peak	129.00	100	Horizontal	Pass
6**	15837.787	46.63	54.0	7.37	AV	129.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.100	39.66	74.0	34.34	Peak	333.00	200	Vertical	Pass
1**	1552.100	29.17	54.0	24.83	AV	333.00	200	Vertical	Pass
2	4378.400	50.43	74.0	23.57	Peak	251.00	200	Vertical	Pass
2**	4378.400	41.30	54.0	12.70	AV	251.00	200	Vertical	Pass
3	5699.200	112.82	--	--	Peak	166.00	200	Vertical	N/A
3**	5699.200	104.52	--	--	AV	166.00	200	Vertical	N/A
4	7671.600	50.06	74.0	23.94	Peak	0.00	100	Vertical	Pass
4**	7671.600	40.49	54.0	13.51	AV	0.00	100	Vertical	Pass
5	12610.275	53.35	74.0	20.65	Peak	360.00	200	Vertical	Pass
5**	12610.275	44.36	54.0	9.64	AV	360.00	200	Vertical	Pass
6	15788.701	56.45	74.0	17.55	Peak	155.00	100	Vertical	Pass
6**	15788.701	46.83	54.0	7.17	AV	155.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.500	40.50	74.0	33.50	Peak	1.00	400	Horizontal	Pass
1**	1441.500	29.61	54.0	24.39	AV	1.00	400	Horizontal	Pass
2	4261.400	50.53	74.0	23.47	Peak	58.00	400	Horizontal	Pass
2**	4261.400	40.45	54.0	13.55	AV	58.00	400	Horizontal	Pass
3	5512.400	110.39	--	--	Peak	282.00	200	Horizontal	N/A
3**	5512.400	101.50	--	--	AV	282.00	200	Horizontal	N/A
4	7393.300	50.43	74.0	23.57	Peak	274.00	200	Horizontal	Pass
4**	7393.300	41.12	54.0	12.88	AV	274.00	200	Horizontal	Pass
5	12244.575	53.86	74.0	20.14	Peak	163.00	100	Horizontal	Pass
5**	12244.575	44.36	54.0	9.64	AV	163.00	100	Horizontal	Pass
6	16081.125	57.10	74.0	16.90	Peak	28.00	200	Horizontal	Pass
6**	16081.125	46.94	54.0	7.06	AV	28.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.400	38.93	74.0	35.07	Peak	360.00	300	Vertical	Pass
1**	1580.400	29.07	54.0	24.93	AV	360.00	300	Vertical	Pass
2	4349.600	50.25	74.0	23.75	Peak	360.00	100	Vertical	Pass
2**	4349.600	41.46	54.0	12.54	AV	360.00	100	Vertical	Pass
3	5509.000	113.25	--	--	Peak	181.00	150	Vertical	N/A
3**	5509.000	104.79	--	--	AV	181.00	150	Vertical	N/A
4	7723.350	49.95	74.0	24.05	Peak	177.00	100	Vertical	Pass
4**	7723.350	39.85	54.0	14.15	AV	177.00	100	Vertical	Pass
5	12328.526	53.62	74.0	20.38	Peak	319.00	200	Vertical	Pass
5**	12328.526	44.32	54.0	9.68	AV	319.00	200	Vertical	Pass
6	15824.663	56.31	74.0	17.69	Peak	160.00	100	Vertical	Pass
6**	15824.663	46.25	54.0	7.75	AV	160.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.800	41.07	74.0	32.93	Peak	17.00	200	Horizontal	Pass
1**	1436.800	29.81	54.0	24.19	AV	17.00	200	Horizontal	Pass
2	4309.200	49.91	74.0	24.09	Peak	119.00	400	Horizontal	Pass
2**	4309.200	40.75	54.0	13.25	AV	119.00	400	Horizontal	Pass
3	5585.200	105.20	--	--	Peak	243.00	150	Horizontal	N/A
3**	5585.200	97.24	--	--	AV	243.00	150	Horizontal	N/A
4	7453.100	50.07	74.0	23.93	Peak	275.00	200	Horizontal	Pass
4**	7453.100	40.93	54.0	13.07	AV	275.00	200	Horizontal	Pass
5	11840.062	51.52	74.0	22.48	Peak	153.00	150	Horizontal	Pass
5**	11840.062	42.84	54.0	11.16	AV	153.00	150	Horizontal	Pass
6	15909.713	54.31	74.0	19.69	Peak	75.00	400	Horizontal	Pass
6**	15909.713	44.51	54.0	9.49	AV	75.00	400	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.800	39.10	74.0	34.90	Peak	235.00	300	Vertical	Pass
1**	1497.800	28.83	54.0	25.17	AV	235.00	300	Vertical	Pass
2	4126.400	49.98	74.0	24.02	Peak	253.00	100	Vertical	Pass
2**	4126.400	39.82	54.0	14.18	AV	253.00	100	Vertical	Pass
3	5588.200	110.20	--	--	Peak	138.00	100	Vertical	N/A
3**	5588.200	101.44	--	--	AV	138.00	100	Vertical	N/A
4	7338.387	50.07	74.0	23.93	Peak	243.00	400	Vertical	Pass
4**	7338.387	41.45	54.0	12.55	AV	243.00	400	Vertical	Pass
5	11825.974	51.91	74.0	22.09	Peak	277.00	150	Vertical	Pass
5**	11825.974	42.97	54.0	11.03	AV	277.00	150	Vertical	Pass
6	15806.026	54.74	74.0	19.26	Peak	360.00	150	Vertical	Pass
6**	15806.026	45.42	54.0	8.58	AV	360.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	40.77	74.0	33.23	Peak	89.00	150	Horizontal	Pass
1**	1438.600	30.60	54.0	23.40	AV	89.00	150	Horizontal	Pass
2	4144.600	50.19	74.0	23.81	Peak	113.00	100	Horizontal	Pass
2**	4144.600	40.35	54.0	13.65	AV	113.00	100	Horizontal	Pass
3	5670.400	104.99	--	--	Peak	149.00	150	Horizontal	N/A
3**	5670.400	95.26	--	--	AV	149.00	150	Horizontal	N/A
4	7611.513	50.36	74.0	23.64	Peak	0.00	400	Horizontal	Pass
4**	7611.513	40.04	54.0	13.96	AV	0.00	400	Horizontal	Pass
5	11766.750	52.82	74.0	21.18	Peak	240.00	150	Horizontal	Pass
5**	11766.750	43.57	54.0	10.43	AV	240.00	150	Horizontal	Pass
6	15812.850	54.39	74.0	19.61	Peak	17.00	150	Horizontal	Pass
6**	15812.850	44.93	54.0	9.07	AV	17.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.800	39.21	74.0	34.79	Peak	237.00	300	Vertical	Pass
1**	1532.800	29.59	54.0	24.41	AV	237.00	300	Vertical	Pass
2	4386.600	49.95	74.0	24.05	Peak	278.00	400	Vertical	Pass
2**	4386.600	41.05	54.0	12.95	AV	278.00	400	Vertical	Pass
3	5673.000	110.36	--	--	Peak	138.00	200	Vertical	N/A
3**	5673.000	100.75	--	--	AV	138.00	200	Vertical	N/A
4	7447.925	49.81	74.0	24.19	Peak	63.00	300	Vertical	Pass
4**	7447.925	40.96	54.0	13.04	AV	63.00	300	Vertical	Pass
5	11342.687	48.91	74.0	25.09	Peak	9.00	150	Vertical	Pass
5**	11342.687	45.94	54.0	8.06	AV	9.00	150	Vertical	Pass
6	15840.412	54.83	74.0	19.17	Peak	268.00	100	Vertical	Pass
6**	15840.412	44.59	54.0	9.41	AV	268.00	100	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.500	40.15	74.0	33.85	Peak	15.00	100	Horizontal	Pass
1**	1439.500	29.70	54.0	24.30	AV	15.00	100	Horizontal	Pass
2	4255.200	50.55	74.0	23.45	Peak	219.00	200	Horizontal	Pass
2**	4255.200	40.18	54.0	13.82	AV	219.00	200	Horizontal	Pass
3	5537.000	104.36	--	--	Peak	157.00	100	Horizontal	N/A
3**	5537.000	94.98	--	--	AV	157.00	100	Horizontal	N/A
4	7447.638	49.54	74.0	24.46	Peak	174.00	100	Horizontal	Pass
4**	7447.638	40.88	54.0	13.12	AV	174.00	100	Horizontal	Pass
5	11775.662	51.61	74.0	22.39	Peak	155.00	200	Horizontal	Pass
5**	11775.662	42.60	54.0	11.40	AV	155.00	200	Horizontal	Pass
6	15566.363	54.06	74.0	19.94	Peak	18.00	400	Horizontal	Pass
6**	15566.363	44.11	54.0	9.89	AV	18.00	400	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.800	38.92	74.0	35.08	Peak	360.00	100	Vertical	Pass
1**	1497.800	29.01	54.0	24.99	AV	360.00	100	Vertical	Pass
2	3911.200	49.86	74.0	24.14	Peak	168.00	300	Vertical	Pass
2**	3911.200	40.00	54.0	14.00	AV	168.00	300	Vertical	Pass
3	5536.000	107.40	--	--	Peak	131.00	150	Vertical	N/A
3**	5536.000	98.57	--	--	AV	131.00	150	Vertical	N/A
4	7452.525	49.86	74.0	24.14	Peak	123.00	300	Vertical	Pass
4**	7452.525	41.00	54.0	13.00	AV	123.00	300	Vertical	Pass
5	11842.362	52.35	74.0	21.65	Peak	2.00	200	Vertical	Pass
5**	11842.362	42.36	54.0	11.64	AV	2.00	200	Vertical	Pass
6	15851.700	54.31	74.0	19.69	Peak	300.00	400	Vertical	Pass
6**	15851.700	44.39	54.0	9.61	AV	300.00	400	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.700	40.44	74.0	33.56	Peak	19.00	100	Horizontal	Pass
1**	1445.700	29.19	54.0	24.81	AV	19.00	100	Horizontal	Pass
2	4081.800	50.14	74.0	23.86	Peak	21.00	100	Horizontal	Pass
2**	4081.800	41.09	54.0	12.91	AV	21.00	100	Horizontal	Pass
3	5607.800	104.37	--	--	Peak	68.00	100	Horizontal	N/A
3**	5607.800	94.94	--	--	AV	68.00	100	Horizontal	N/A
4	7319.125	51.00	74.0	23.00	Peak	360.00	400	Horizontal	Pass
4**	7319.125	40.67	54.0	13.33	AV	360.00	400	Horizontal	Pass
5	11895.550	51.58	74.0	22.42	Peak	308.00	200	Horizontal	Pass
5**	11895.550	42.57	54.0	11.43	AV	308.00	200	Horizontal	Pass
6	16097.138	54.78	74.0	19.22	Peak	146.00	400	Horizontal	Pass
6**	16097.138	45.80	54.0	8.20	AV	146.00	400	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	40.11	74.0	33.89	Peak	234.00	300	Vertical	Pass
1**	1500.600	30.14	54.0	23.86	AV	234.00	300	Vertical	Pass
2	4390.000	50.67	74.0	23.33	Peak	262.00	100	Vertical	Pass
2**	4390.000	41.52	54.0	12.48	AV	262.00	100	Vertical	Pass
3	5611.000	107.64	--	--	Peak	141.00	150	Vertical	N/A
3**	5611.000	99.54	--	--	AV	141.00	150	Vertical	N/A
4	7321.713	49.80	74.0	24.20	Peak	308.00	300	Vertical	Pass
4**	7321.713	40.43	54.0	13.57	AV	308.00	300	Vertical	Pass
5	12047.062	51.72	74.0	22.28	Peak	34.00	100	Vertical	Pass
5**	12047.062	42.59	54.0	11.41	AV	34.00	100	Vertical	Pass
6	16132.838	55.06	74.0	18.94	Peak	18.00	200	Vertical	Pass
6**	16132.838	44.82	54.0	9.18	AV	18.00	200	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	40.10	74.0	33.90	Peak	19.00	200	Horizontal	Pass
1**	1439.100	28.71	54.0	25.29	AV	19.00	200	Horizontal	Pass
2	4290.400	50.87	74.0	23.13	Peak	56.00	300	Horizontal	Pass
2**	4290.400	39.87	54.0	14.13	AV	56.00	300	Horizontal	Pass
3	5556.000	101.14	--	--	Peak	249.00	200	Horizontal	N/A
3**	5556.000	92.22	--	--	AV	249.00	200	Horizontal	N/A
4	7270.825	50.05	74.0	23.95	Peak	0.00	400	Horizontal	Pass
4**	7270.825	39.84	54.0	14.16	AV	0.00	400	Horizontal	Pass
5	11925.162	52.49	74.0	21.51	Peak	360.00	200	Horizontal	Pass
5**	11925.162	42.85	54.0	11.15	AV	360.00	200	Horizontal	Pass
6	16090.575	54.76	74.0	19.24	Peak	359.00	200	Horizontal	Pass
6**	16090.575	45.70	54.0	8.30	AV	359.00	200	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.52	74.0	34.48	Peak	94.00	200	Vertical	Pass
1**	1437.700	29.63	54.0	24.37	AV	94.00	200	Vertical	Pass
2	4020.200	49.73	74.0	24.27	Peak	93.00	200	Vertical	Pass
2**	4020.200	40.28	54.0	13.72	AV	93.00	200	Vertical	Pass
3	5586.600	105.73	--	--	Peak	154.00	150	Vertical	N/A
3**	5586.600	95.79	--	--	AV	154.00	150	Vertical	N/A
4	7352.763	51.09	74.0	22.91	Peak	360.00	200	Vertical	Pass
4**	7352.763	40.70	54.0	13.30	AV	360.00	200	Vertical	Pass
5	10909.712	52.66	74.0	21.34	Peak	216.00	200	Vertical	Pass
5**	10909.712	41.74	54.0	12.26	AV	216.00	200	Vertical	Pass
6	15652.200	55.28	74.0	18.72	Peak	168.00	200	Vertical	Pass
6**	15652.200	45.06	54.0	8.94	AV	168.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.800	39.47	74.0	34.53	Peak	15.00	200	Horizontal	Pass
1**	1443.800	29.14	54.0	24.86	AV	15.00	200	Horizontal	Pass
2	4101.600	50.17	74.0	23.83	Peak	261.00	100	Horizontal	Pass
2**	4101.600	40.79	54.0	13.21	AV	261.00	100	Horizontal	Pass
3	5744.000	106.18	--	--	Peak	310.00	150	Horizontal	N/A
3**	5744.000	98.75	--	--	AV	310.00	150	Horizontal	N/A
4	7673.612	49.67	74.0	24.33	Peak	360.00	100	Horizontal	Pass
4**	7673.612	41.68	54.0	12.32	AV	360.00	100	Horizontal	Pass
5	11779.974	51.90	74.0	22.10	Peak	66.00	100	Horizontal	Pass
5**	11779.974	42.42	54.0	11.58	AV	66.00	100	Horizontal	Pass
6	15659.025	54.58	74.0	19.42	Peak	275.00	300	Horizontal	Pass
6**	15659.025	45.10	54.0	8.90	AV	275.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.800	39.17	74.0	34.83	Peak	355.00	100	Vertical	Pass
1**	1550.800	28.68	54.0	25.32	AV	355.00	100	Vertical	Pass
2	4134.800	50.61	74.0	23.39	Peak	8.00	300	Vertical	Pass
2**	4134.800	40.80	54.0	13.20	AV	8.00	300	Vertical	Pass
3	5743.200	110.89	--	--	Peak	140.00	100	Vertical	N/A
3**	5743.200	103.12	--	--	AV	140.00	100	Vertical	N/A
4	7453.100	50.92	74.0	23.08	Peak	30.00	200	Vertical	Pass
4**	7453.100	41.37	54.0	12.63	AV	30.00	200	Vertical	Pass
5	11490.175	54.64	74.0	19.36	Peak	11.00	200	Vertical	Pass
5**	11490.175	44.11	54.0	9.89	AV	11.00	200	Vertical	Pass
6	11491.325	51.39	74.0	22.61	Peak	346.00	150	Vertical	Pass
6**	11491.325	47.11	54.0	6.89	AV	346.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.000	39.45	74.0	34.55	Peak	97.00	300	Horizontal	Pass
1**	1437.000	30.05	54.0	23.95	AV	97.00	300	Horizontal	Pass
2	4390.000	50.16	74.0	23.84	Peak	191.00	300	Horizontal	Pass
2**	4390.000	40.66	54.0	13.34	AV	191.00	300	Horizontal	Pass
3	5783.600	107.17	--	--	Peak	306.00	150	Horizontal	N/A
3**	5783.600	99.97	--	--	AV	306.00	150	Horizontal	N/A
4	7465.175	49.74	74.0	24.26	Peak	344.00	200	Horizontal	Pass
4**	7465.175	40.86	54.0	13.14	AV	344.00	200	Horizontal	Pass
5	10918.050	52.47	74.0	21.53	Peak	317.00	150	Horizontal	Pass
5**	10918.050	43.28	54.0	10.72	AV	317.00	150	Horizontal	Pass
6	16077.975	54.67	74.0	19.33	Peak	176.00	300	Horizontal	Pass
6**	16077.975	44.98	54.0	9.02	AV	176.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.100	38.67	74.0	35.33	Peak	204.00	100	Vertical	Pass
1**	1443.100	28.72	54.0	25.28	AV	204.00	100	Vertical	Pass
2	4229.000	50.59	74.0	23.41	Peak	157.00	400	Vertical	Pass
2**	4229.000	40.35	54.0	13.65	AV	157.00	400	Vertical	Pass
3	5783.200	110.11	--	--	Peak	146.00	100	Vertical	N/A
3**	5783.200	102.54	--	--	AV	146.00	100	Vertical	N/A
4	7447.350	50.06	74.0	23.94	Peak	230.00	300	Vertical	Pass
4**	7447.350	40.83	54.0	13.17	AV	230.00	300	Vertical	Pass
5	11567.799	52.50	74.0	21.50	Peak	0.00	200	Vertical	Pass
5**	11567.799	43.17	54.0	10.83	AV	0.00	200	Vertical	Pass
6	16111.838	54.48	74.0	19.52	Peak	359.00	100	Vertical	Pass
6**	16111.838	44.77	54.0	9.23	AV	359.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.600	39.70	74.0	34.30	Peak	20.00	400	Horizontal	Pass
1**	1443.600	29.48	54.0	24.52	AV	20.00	400	Horizontal	Pass
2	4074.000	49.80	74.0	24.20	Peak	181.00	300	Horizontal	Pass
2**	4074.000	40.84	54.0	13.16	AV	181.00	300	Horizontal	Pass
3	5827.200	104.48	--	--	Peak	306.00	150	Horizontal	N/A
3**	5827.200	96.97	--	--	AV	306.00	150	Horizontal	N/A
4	7552.575	49.85	74.0	24.15	Peak	106.00	100	Horizontal	Pass
4**	7552.575	41.26	54.0	12.74	AV	106.00	100	Horizontal	Pass
5	10929.263	51.62	74.0	22.38	Peak	53.00	200	Horizontal	Pass
5**	10929.263	42.02	54.0	11.98	AV	53.00	200	Horizontal	Pass
6	15639.338	54.43	74.0	19.57	Peak	351.00	300	Horizontal	Pass
6**	15639.338	45.24	54.0	8.76	AV	351.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	39.25	74.0	34.75	Peak	245.00	400	Vertical	Pass
1**	1499.600	29.61	54.0	24.39	AV	245.00	400	Vertical	Pass
2	4389.200	49.91	74.0	24.09	Peak	245.00	300	Vertical	Pass
2**	4389.200	41.57	54.0	12.43	AV	245.00	300	Vertical	Pass
3	5826.600	107.78	--	--	Peak	154.00	150	Vertical	N/A
3**	5826.600	100.00	--	--	AV	154.00	150	Vertical	N/A
4	7594.263	49.74	74.0	24.26	Peak	41.00	200	Vertical	Pass
4**	7594.263	40.45	54.0	13.55	AV	41.00	200	Vertical	Pass
5	10927.537	51.82	74.0	22.18	Peak	360.00	100	Vertical	Pass
5**	10927.537	42.92	54.0	11.08	AV	360.00	100	Vertical	Pass
6	15525.675	54.20	74.0	19.80	Peak	360.00	400	Vertical	Pass
6**	15525.675	45.61	54.0	8.39	AV	360.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	43.24	74.0	30.76	Peak	333.00	200	Horizontal	Pass
1**	1440.400	29.64	54.0	24.36	AV	333.00	200	Horizontal	Pass
2	3912.400	50.19	74.0	23.81	Peak	88.00	300	Horizontal	Pass
2**	3912.400	40.63	54.0	13.37	AV	88.00	300	Horizontal	Pass
3	5746.600	106.34	--	--	Peak	305.00	100	Horizontal	N/A
3**	5746.600	99.82	--	--	AV	305.00	100	Horizontal	N/A
4	7446.488	49.69	74.0	24.31	Peak	56.00	150	Horizontal	Pass
4**	7446.488	41.22	54.0	12.78	AV	56.00	150	Horizontal	Pass
5	11333.200	51.81	74.0	22.19	Peak	143.00	200	Horizontal	Pass
5**	11333.200	42.30	54.0	11.70	AV	143.00	200	Horizontal	Pass
6	15650.888	54.20	74.0	19.80	Peak	215.00	150	Horizontal	Pass
6**	15650.888	44.14	54.0	9.86	AV	215.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	40.24	74.0	33.76	Peak	44.00	300	Vertical	Pass
1**	1499.600	31.58	54.0	22.42	AV	44.00	300	Vertical	Pass
2	4330.400	49.90	74.0	24.10	Peak	54.00	100	Vertical	Pass
2**	4330.400	40.09	54.0	13.91	AV	54.00	100	Vertical	Pass
3	5746.000	109.31	--	--	Peak	143.00	150	Vertical	N/A
3**	5746.000	102.44	--	--	AV	143.00	150	Vertical	N/A
4	7502.550	49.71	74.0	24.29	Peak	157.00	300	Vertical	Pass
4**	7502.550	40.55	54.0	13.45	AV	157.00	300	Vertical	Pass
5	11494.200	52.28	74.0	21.72	Peak	3.00	150	Vertical	Pass
5**	11494.200	43.13	54.0	10.87	AV	3.00	150	Vertical	Pass
6	11494.487	50.03	74.0	23.97	Peak	295.00	150	Vertical	Pass
6**	11494.487	45.11	54.0	8.89	AV	295.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.000	39.67	74.0	34.33	Peak	214.00	200	Horizontal	Pass
1**	1509.000	29.65	54.0	24.35	AV	214.00	200	Horizontal	Pass
2	4391.600	49.89	74.0	24.11	Peak	55.00	300	Horizontal	Pass
2**	4391.600	40.73	54.0	13.27	AV	55.00	300	Horizontal	Pass
3	5782.200	106.74	--	--	Peak	310.00	100	Horizontal	N/A
3**	5782.200	99.02	--	--	AV	310.00	100	Horizontal	N/A
4	7441.025	49.44	74.0	24.56	Peak	47.00	300	Horizontal	Pass
4**	7441.025	40.17	54.0	13.83	AV	47.00	300	Horizontal	Pass
5	11734.263	51.60	74.0	22.40	Peak	360.00	150	Horizontal	Pass
5**	11734.263	41.94	54.0	12.06	AV	360.00	150	Horizontal	Pass
6	15555.863	54.38	74.0	19.62	Peak	140.00	400	Horizontal	Pass
6**	15555.863	44.33	54.0	9.67	AV	140.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.600	39.14	74.0	34.86	Peak	338.00	300	Vertical	Pass
1**	1496.600	31.10	54.0	22.90	AV	338.00	300	Vertical	Pass
2	4346.000	50.41	74.0	23.59	Peak	0.00	300	Vertical	Pass
2**	4346.000	39.43	54.0	14.57	AV	0.00	300	Vertical	Pass
3	5782.800	109.81	--	--	Peak	144.00	150	Vertical	N/A
3**	5782.800	102.22	--	--	AV	144.00	150	Vertical	N/A
4	7450.800	50.01	74.0	23.99	Peak	360.00	300	Vertical	Pass
4**	7450.800	40.54	54.0	13.46	AV	360.00	300	Vertical	Pass
5	11564.349	51.93	74.0	22.07	Peak	5.00	200	Vertical	Pass
5**	11564.349	41.71	54.0	12.29	AV	5.00	200	Vertical	Pass
6	11564.637	48.99	74.0	25.01	Peak	22.00	150	Vertical	Pass
6**	11564.637	45.37	54.0	8.63	AV	22.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.100	40.00	74.0	34.00	Peak	26.00	400	Horizontal	Pass
1**	1443.100	29.89	54.0	24.11	AV	26.00	400	Horizontal	Pass
2	4283.800	49.96	74.0	24.04	Peak	168.00	100	Horizontal	Pass
2**	4283.800	40.20	54.0	13.80	AV	168.00	100	Horizontal	Pass
3	5826.600	107.16	--	--	Peak	290.00	150	Horizontal	N/A
3**	5826.600	99.87	--	--	AV	290.00	150	Horizontal	N/A
4	7500.537	49.76	74.0	24.24	Peak	302.00	100	Horizontal	Pass
4**	7500.537	40.82	54.0	13.18	AV	302.00	100	Horizontal	Pass
5	11796.076	51.45	74.0	22.55	Peak	360.00	100	Horizontal	Pass
5**	11796.076	41.91	54.0	12.09	AV	360.00	100	Horizontal	Pass
6	15834.900	53.71	74.0	20.29	Peak	0.00	100	Horizontal	Pass
6**	15834.900	45.16	54.0	8.84	AV	0.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.300	38.41	74.0	35.59	Peak	268.00	300	Vertical	Pass
1**	1563.300	28.74	54.0	25.26	AV	268.00	300	Vertical	Pass
2	4164.800	49.73	74.0	24.27	Peak	64.00	100	Vertical	Pass
2**	4164.800	40.61	54.0	13.39	AV	64.00	100	Vertical	Pass
3	5822.600	109.63	--	--	Peak	138.00	150	Vertical	N/A
3**	5822.600	102.40	--	--	AV	138.00	150	Vertical	N/A
4	7468.625	50.01	74.0	23.99	Peak	283.00	100	Vertical	Pass
4**	7468.625	41.41	54.0	12.59	AV	283.00	100	Vertical	Pass
5	10922.075	52.60	74.0	21.40	Peak	91.00	100	Vertical	Pass
5**	10922.075	43.19	54.0	10.81	AV	91.00	100	Vertical	Pass
6	15566.363	53.93	74.0	20.07	Peak	225.00	200	Vertical	Pass
6**	15566.363	45.02	54.0	8.98	AV	225.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.500	40.45	74.0	33.55	Peak	0.00	400	Horizontal	Pass
1**	1441.500	29.00	54.0	25.00	AV	0.00	400	Horizontal	Pass
2	4328.800	49.66	74.0	24.34	Peak	315.00	100	Horizontal	Pass
2**	4328.800	40.33	54.0	13.67	AV	315.00	100	Horizontal	Pass
3	5757.000	104.88	--	--	Peak	292.00	100	Horizontal	N/A
3**	5757.000	98.25	--	--	AV	292.00	100	Horizontal	N/A
4	7436.137	50.69	74.0	23.31	Peak	0.00	100	Horizontal	Pass
4**	7436.137	40.55	54.0	13.45	AV	0.00	100	Horizontal	Pass
5	10925.813	52.02	74.0	21.98	Peak	172.00	200	Horizontal	Pass
5**	10925.813	43.62	54.0	10.38	AV	172.00	200	Horizontal	Pass
6	16092.151	53.97	74.0	20.03	Peak	225.00	400	Horizontal	Pass
6**	16092.151	44.42	54.0	9.58	AV	225.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.600	39.15	74.0	34.85	Peak	0.00	400	Vertical	Pass
1**	1602.600	29.20	54.0	24.80	AV	0.00	400	Vertical	Pass
2	3996.200	49.59	74.0	24.41	Peak	53.00	100	Vertical	Pass
2**	3996.200	41.25	54.0	12.75	AV	53.00	100	Vertical	Pass
3	5756.800	108.46	--	--	Peak	140.00	200	Vertical	N/A
3**	5756.800	100.85	--	--	AV	140.00	200	Vertical	N/A
4	7609.500	50.16	74.0	23.84	Peak	141.00	100	Vertical	Pass
4**	7609.500	40.34	54.0	13.66	AV	141.00	100	Vertical	Pass
5	11362.237	51.96	74.0	22.04	Peak	278.00	200	Vertical	Pass
5**	11362.237	41.21	54.0	12.79	AV	278.00	200	Vertical	Pass
6	16139.138	54.84	74.0	19.16	Peak	108.00	100	Vertical	Pass
6**	16139.138	44.73	54.0	9.27	AV	108.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	40.25	74.0	33.75	Peak	360.00	100	Horizontal	Pass
1**	1437.400	28.53	54.0	25.47	AV	360.00	100	Horizontal	Pass
2	4180.000	50.20	74.0	23.80	Peak	8.00	300	Horizontal	Pass
2**	4180.000	40.85	54.0	13.15	AV	8.00	300	Horizontal	Pass
3	5796.400	103.79	--	--	Peak	294.00	100	Horizontal	N/A
3**	5796.400	96.62	--	--	AV	294.00	100	Horizontal	N/A
4	7505.425	49.42	74.0	24.58	Peak	334.00	200	Horizontal	Pass
4**	7505.425	40.98	54.0	13.02	AV	334.00	200	Horizontal	Pass
5	12405.000	51.64	74.0	22.36	Peak	217.00	200	Horizontal	Pass
5**	12405.000	42.93	54.0	11.07	AV	217.00	200	Horizontal	Pass
6	15819.150	53.75	74.0	20.25	Peak	0.00	100	Horizontal	Pass
6**	15819.150	44.79	54.0	9.21	AV	0.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	38.94	74.0	35.06	Peak	290.00	300	Vertical	Pass
1**	1438.000	29.46	54.0	24.54	AV	290.00	300	Vertical	Pass
2	4174.000	50.17	74.0	23.83	Peak	360.00	200	Vertical	Pass
2**	4174.000	40.34	54.0	13.66	AV	360.00	200	Vertical	Pass
3	5796.600	107.54	--	--	Peak	133.00	200	Vertical	N/A
3**	5796.600	100.23	--	--	AV	133.00	200	Vertical	N/A
4	7450.513	49.73	74.0	24.27	Peak	360.00	300	Vertical	Pass
4**	7450.513	40.94	54.0	13.06	AV	360.00	300	Vertical	Pass
5	11810.737	52.28	74.0	21.72	Peak	321.00	150	Vertical	Pass
5**	11810.737	42.06	54.0	11.94	AV	321.00	150	Vertical	Pass
6	15811.800	54.51	74.0	19.49	Peak	150.00	300	Vertical	Pass
6**	15811.800	45.99	54.0	8.01	AV	150.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.900	39.77	74.0	34.23	Peak	69.00	200	Horizontal	Pass
1**	1442.900	28.90	54.0	25.10	AV	69.00	200	Horizontal	Pass
2	4366.400	50.53	74.0	23.47	Peak	91.00	300	Horizontal	Pass
2**	4366.400	40.84	54.0	13.16	AV	91.00	300	Horizontal	Pass
3	5742.800	106.58	--	--	Peak	306.00	100	Horizontal	N/A
3**	5742.800	98.51	--	--	AV	306.00	100	Horizontal	N/A
4	7503.125	49.86	74.0	24.14	Peak	227.00	400	Horizontal	Pass
4**	7503.125	41.61	54.0	12.39	AV	227.00	400	Horizontal	Pass
5	11772.500	51.55	74.0	22.45	Peak	53.00	200	Horizontal	Pass
5**	11772.500	42.18	54.0	11.82	AV	53.00	200	Horizontal	Pass
6	15607.050	53.71	74.0	20.29	Peak	301.00	300	Horizontal	Pass
6**	15607.050	43.08	54.0	10.92	AV	301.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.400	39.35	74.0	34.65	Peak	50.00	400	Vertical	Pass
1**	1566.400	28.84	54.0	25.16	AV	50.00	400	Vertical	Pass
2	4343.000	50.27	74.0	23.73	Peak	313.00	200	Vertical	Pass
2**	4343.000	42.10	54.0	11.90	AV	313.00	200	Vertical	Pass
3	5742.600	109.88	--	--	Peak	149.00	100	Vertical	N/A
3**	5742.600	102.30	--	--	AV	149.00	100	Vertical	N/A
4	7443.038	49.49	74.0	24.51	Peak	161.00	150	Vertical	Pass
4**	7443.038	40.85	54.0	13.15	AV	161.00	150	Vertical	Pass
5	11488.737	50.54	74.0	23.46	Peak	49.00	150	Vertical	Pass
5**	11488.737	45.43	54.0	8.57	AV	49.00	150	Vertical	Pass
6	11490.175	52.44	74.0	21.56	Peak	360.00	100	Vertical	Pass
6**	11490.175	44.20	54.0	9.80	AV	360.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.15	74.0	33.85	Peak	360.00	400	Horizontal	Pass
1**	1438.000	29.27	54.0	24.73	AV	360.00	400	Horizontal	Pass
2	4051.800	50.44	74.0	23.56	Peak	360.00	200	Horizontal	Pass
2**	4051.800	40.62	54.0	13.38	AV	360.00	200	Horizontal	Pass
3	5781.800	106.54	--	--	Peak	306.00	200	Horizontal	N/A
3**	5781.800	98.87	--	--	AV	306.00	200	Horizontal	N/A
4	7534.175	50.55	74.0	23.45	Peak	152.00	300	Horizontal	Pass
4**	7534.175	40.64	54.0	13.36	AV	152.00	300	Horizontal	Pass
5	11325.725	51.54	74.0	22.46	Peak	48.00	200	Horizontal	Pass
5**	11325.725	42.06	54.0	11.94	AV	48.00	200	Horizontal	Pass
6	15814.688	53.94	74.0	20.06	Peak	140.00	100	Horizontal	Pass
6**	15814.688	46.11	54.0	7.89	AV	140.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	40.67	74.0	33.33	Peak	254.00	400	Vertical	Pass
1**	1498.000	32.27	54.0	21.73	AV	254.00	400	Vertical	Pass
2	4381.600	49.68	74.0	24.32	Peak	84.00	200	Vertical	Pass
2**	4381.600	40.33	54.0	13.67	AV	84.00	200	Vertical	Pass
3	5785.600	109.33	--	--	Peak	137.00	100	Vertical	N/A
3**	5785.600	101.75	--	--	AV	137.00	100	Vertical	N/A
4	7448.787	50.11	74.0	23.89	Peak	211.00	300	Vertical	Pass
4**	7448.787	40.69	54.0	13.31	AV	211.00	300	Vertical	Pass
5	11567.799	51.93	74.0	22.07	Peak	0.00	100	Vertical	Pass
5**	11567.799	42.56	54.0	11.44	AV	0.00	100	Vertical	Pass
6	15814.950	54.07	74.0	19.93	Peak	342.00	400	Vertical	Pass
6**	15814.950	44.84	54.0	9.16	AV	342.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.200	42.15	74.0	31.85	Peak	0.00	300	Horizontal	Pass
1**	1443.200	30.15	54.0	23.85	AV	0.00	300	Horizontal	Pass
2	3963.800	49.59	74.0	24.41	Peak	191.00	100	Horizontal	Pass
2**	3963.800	39.95	54.0	14.05	AV	191.00	100	Horizontal	Pass
3	5826.600	106.54	--	--	Peak	294.00	200	Horizontal	N/A
3**	5826.600	99.66	--	--	AV	294.00	200	Horizontal	N/A
4	7503.987	50.19	74.0	23.81	Peak	240.00	100	Horizontal	Pass
4**	7503.987	41.41	54.0	12.59	AV	240.00	100	Horizontal	Pass
5	11934.075	52.23	74.0	21.77	Peak	189.00	100	Horizontal	Pass
5**	11934.075	42.68	54.0	11.32	AV	189.00	100	Horizontal	Pass
6	15816.526	53.84	74.0	20.16	Peak	135.00	150	Horizontal	Pass
6**	15816.526	45.31	54.0	8.69	AV	135.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.800	38.74	74.0	35.26	Peak	113.00	200	Vertical	Pass
1**	1503.800	29.10	54.0	24.90	AV	113.00	200	Vertical	Pass
2	4137.200	50.41	74.0	23.59	Peak	334.00	200	Vertical	Pass
2**	4137.200	40.14	54.0	13.86	AV	334.00	200	Vertical	Pass
3	5826.200	110.01	--	--	Peak	136.00	150	Vertical	N/A
3**	5826.200	102.79	--	--	AV	136.00	150	Vertical	N/A
4	7459.713	49.74	74.0	24.26	Peak	195.00	100	Vertical	Pass
4**	7459.713	40.85	54.0	13.15	AV	195.00	100	Vertical	Pass
5	11647.438	48.89	74.0	25.11	Peak	316.00	150	Vertical	Pass
5**	11647.438	45.34	54.0	8.66	AV	316.00	150	Vertical	Pass
6	15642.225	54.25	74.0	19.75	Peak	16.00	150	Vertical	Pass
6**	15642.225	44.81	54.0	9.19	AV	16.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.99	74.0	34.01	Peak	29.00	200	Horizontal	Pass
1**	1437.900	30.04	54.0	23.96	AV	29.00	200	Horizontal	Pass
2	4215.400	50.17	74.0	23.83	Peak	227.00	200	Horizontal	Pass
2**	4215.400	40.63	54.0	13.37	AV	227.00	200	Horizontal	Pass
3	5756.800	106.25	--	--	Peak	306.00	150	Horizontal	N/A
3**	5756.800	99.56	--	--	AV	306.00	150	Horizontal	N/A
4	7442.175	50.04	74.0	23.96	Peak	202.00	200	Horizontal	Pass
4**	7442.175	40.87	54.0	13.13	AV	202.00	200	Horizontal	Pass
5	11906.763	51.83	74.0	22.17	Peak	0.00	150	Horizontal	Pass
5**	11906.763	42.87	54.0	11.13	AV	0.00	150	Horizontal	Pass
6	15820.463	54.07	74.0	19.93	Peak	265.00	300	Horizontal	Pass
6**	15820.463	45.94	54.0	8.06	AV	265.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.300	39.29	74.0	34.71	Peak	117.00	300	Vertical	Pass
1**	1441.300	29.29	54.0	24.71	AV	117.00	300	Vertical	Pass
2	4120.000	50.07	74.0	23.93	Peak	341.00	400	Vertical	Pass
2**	4120.000	39.96	54.0	14.04	AV	341.00	400	Vertical	Pass
3	5756.800	108.29	--	--	Peak	157.00	100	Vertical	N/A
3**	5756.800	100.64	--	--	AV	157.00	100	Vertical	N/A
4	7383.525	50.10	74.0	23.90	Peak	81.00	300	Vertical	Pass
4**	7383.525	41.25	54.0	12.75	AV	81.00	300	Vertical	Pass
5	11506.275	53.47	74.0	20.53	Peak	343.00	150	Vertical	Pass
5**	11506.275	42.59	54.0	11.41	AV	343.00	150	Vertical	Pass
6	11511.162	50.15	74.0	23.85	Peak	81.00	150	Vertical	Pass
6**	11511.162	45.18	54.0	8.82	AV	81.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	40.87	74.0	33.13	Peak	26.00	400	Horizontal	Pass
1**	1437.200	29.55	54.0	24.45	AV	26.00	400	Horizontal	Pass
2	3844.200	49.14	74.0	24.86	Peak	57.00	150	Horizontal	Pass
2**	3844.200	39.90	54.0	14.10	AV	57.00	150	Horizontal	Pass
3	5797.400	105.53	--	--	Peak	309.00	200	Horizontal	N/A
3**	5797.400	98.38	--	--	AV	309.00	200	Horizontal	N/A
4	7548.263	49.73	74.0	24.27	Peak	231.00	300	Horizontal	Pass
4**	7548.263	40.21	54.0	13.79	AV	231.00	300	Horizontal	Pass
5	12004.799	52.62	74.0	21.38	Peak	55.00	150	Horizontal	Pass
5**	12004.799	43.54	54.0	10.46	AV	55.00	150	Horizontal	Pass
6	15795.526	54.90	74.0	19.10	Peak	360.00	400	Horizontal	Pass
6**	15795.526	44.93	54.0	9.07	AV	360.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	39.42	74.0	34.58	Peak	51.00	200	Vertical	Pass
1**	1498.700	28.55	54.0	25.45	AV	51.00	200	Vertical	Pass
2	4378.200	51.12	74.0	22.88	Peak	0.00	200	Vertical	Pass
2**	4378.200	41.95	54.0	12.05	AV	0.00	200	Vertical	Pass
3	5797.400	107.43	--	--	Peak	162.00	100	Vertical	N/A
3**	5797.400	99.40	--	--	AV	162.00	100	Vertical	N/A
4	7625.312	49.86	74.0	24.14	Peak	16.00	400	Vertical	Pass
4**	7625.312	39.83	54.0	14.17	AV	16.00	400	Vertical	Pass
5	12611.138	52.88	74.0	21.12	Peak	152.00	200	Vertical	Pass
5**	12611.138	43.79	54.0	10.21	AV	152.00	200	Vertical	Pass
6	15772.951	54.40	74.0	19.60	Peak	32.00	200	Vertical	Pass
6**	15772.951	44.90	54.0	9.10	AV	32.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.600	39.44	74.0	34.56	Peak	131.00	200	Horizontal	Pass
1**	1443.600	29.33	54.0	24.67	AV	131.00	200	Horizontal	Pass
2	4299.400	50.21	74.0	23.79	Peak	0.00	300	Horizontal	Pass
2**	4299.400	41.98	54.0	12.02	AV	0.00	300	Horizontal	Pass
3	5781.800	102.47	--	--	Peak	283.00	200	Horizontal	N/A
3**	5781.800	94.83	--	--	AV	283.00	200	Horizontal	N/A
4	7446.200	49.24	74.0	24.76	Peak	360.00	300	Horizontal	Pass
4**	7446.200	40.77	54.0	13.23	AV	360.00	300	Horizontal	Pass
5	12051.088	52.63	74.0	21.37	Peak	172.00	150	Horizontal	Pass
5**	12051.088	43.13	54.0	10.87	AV	172.00	150	Horizontal	Pass
6	15803.662	54.21	74.0	19.79	Peak	360.00	150	Horizontal	Pass
6**	15803.662	45.60	54.0	8.40	AV	360.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	39.74	74.0	34.26	Peak	335.00	300	Vertical	Pass
1**	1498.800	31.54	54.0	22.46	AV	335.00	300	Vertical	Pass
2	4379.000	50.76	74.0	23.24	Peak	91.00	100	Vertical	Pass
2**	4379.000	41.14	54.0	12.86	AV	91.00	100	Vertical	Pass
3	5781.400	105.66	--	--	Peak	174.00	150	Vertical	N/A
3**	5781.400	98.76	--	--	AV	174.00	150	Vertical	N/A
4	7546.825	50.18	74.0	23.82	Peak	266.00	400	Vertical	Pass
4**	7546.825	40.37	54.0	13.63	AV	266.00	400	Vertical	Pass
5	12353.537	53.09	74.0	20.91	Peak	0.00	100	Vertical	Pass
5**	12353.537	42.78	54.0	11.22	AV	0.00	100	Vertical	Pass
6	15783.713	54.10	74.0	19.90	Peak	275.00	150	Vertical	Pass
6**	15783.713	45.17	54.0	8.83	AV	275.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	39.16	74.0	34.84	Peak	314.00	150	Horizontal	Pass
1**	1540.700	30.14	54.0	23.86	AV	314.00	150	Horizontal	Pass
2	4382.400	50.35	74.0	23.65	Peak	217.00	100	Horizontal	Pass
2**	4382.400	42.10	54.0	11.90	AV	217.00	100	Horizontal	Pass
3	5747.200	110.27	--	--	Peak	296.00	150	Horizontal	N/A
3**	5747.200	100.45	--	--	AV	296.00	150	Horizontal	N/A
4	7614.962	49.64	74.0	24.36	Peak	130.00	300	Horizontal	Pass
4**	7614.962	40.19	54.0	13.81	AV	130.00	300	Horizontal	Pass
5	11487.300	53.73	74.0	20.27	Peak	111.00	100	Horizontal	Pass
5**	11487.300	44.89	54.0	9.11	AV	111.00	100	Horizontal	Pass
6	11488.451	50.44	74.0	23.56	Peak	111.00	150	Horizontal	Pass
6**	11488.451	47.37	54.0	6.63	AV	111.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	39.48	74.0	34.52	Peak	98.00	100	Vertical	Pass
1**	1500.600	29.74	54.0	24.26	AV	98.00	100	Vertical	Pass
2	4342.400	50.23	74.0	23.77	Peak	308.00	300	Vertical	Pass
2**	4342.400	40.84	54.0	13.16	AV	308.00	300	Vertical	Pass
3	5747.800	111.36	--	--	Peak	143.00	150	Vertical	N/A
3**	5747.800	103.07	--	--	AV	143.00	150	Vertical	N/A
4	7620.137	49.91	74.0	24.09	Peak	95.00	300	Vertical	Pass
4**	7620.137	40.37	54.0	13.63	AV	95.00	300	Vertical	Pass
5	11938.388	52.32	74.0	21.68	Peak	251.00	150	Vertical	Pass
5**	11938.388	43.37	54.0	10.63	AV	251.00	150	Vertical	Pass
6	15516.225	54.00	74.0	20.00	Peak	233.00	300	Vertical	Pass
6**	15516.225	43.95	54.0	10.05	AV	233.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.200	39.24	74.0	34.76	Peak	298.00	300	Horizontal	Pass
1**	1458.200	29.44	54.0	24.56	AV	298.00	300	Horizontal	Pass
2	4395.000	50.64	74.0	23.36	Peak	159.00	200	Horizontal	Pass
2**	4395.000	41.40	54.0	12.60	AV	159.00	200	Horizontal	Pass
3	5786.400	108.30	--	--	Peak	295.00	100	Horizontal	N/A
3**	5786.400	100.05	--	--	AV	295.00	100	Horizontal	N/A
4	7541.650	49.33	74.0	24.67	Peak	191.00	300	Horizontal	Pass
4**	7541.650	39.76	54.0	14.24	AV	191.00	300	Horizontal	Pass
5	11568.088	53.18	74.0	20.82	Peak	95.00	150	Horizontal	Pass
5**	11568.088	42.10	54.0	11.90	AV	95.00	150	Horizontal	Pass
6	11571.250	48.76	74.0	25.24	Peak	95.00	150	Horizontal	Pass
6**	11571.250	46.03	54.0	7.97	AV	95.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.600	39.40	74.0	34.60	Peak	149.00	200	Vertical	Pass
1**	1476.600	28.91	54.0	25.09	AV	149.00	200	Vertical	Pass
2	4364.200	50.35	74.0	23.65	Peak	295.00	400	Vertical	Pass
2**	4364.200	40.95	54.0	13.05	AV	295.00	400	Vertical	Pass
3	5786.400	111.74	--	--	Peak	173.00	200	Vertical	N/A
3**	5786.400	102.35	--	--	AV	173.00	200	Vertical	N/A
4	7440.450	49.42	74.0	24.58	Peak	360.00	300	Vertical	Pass
4**	7440.450	40.50	54.0	13.50	AV	360.00	300	Vertical	Pass
5	11492.475	52.45	74.0	21.55	Peak	306.00	150	Vertical	Pass
5**	11492.475	42.17	54.0	11.83	AV	306.00	150	Vertical	Pass
6	16175.100	54.28	74.0	19.72	Peak	77.00	100	Vertical	Pass
6**	16175.100	45.08	54.0	8.92	AV	77.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	39.14	74.0	34.86	Peak	14.00	400	Horizontal	Pass
1**	1440.800	29.74	54.0	24.26	AV	14.00	400	Horizontal	Pass
2	4392.600	50.10	74.0	23.90	Peak	129.00	200	Horizontal	Pass
2**	4392.600	41.01	54.0	12.99	AV	129.00	200	Horizontal	Pass
3	5829.800	108.89	--	--	Peak	293.00	200	Horizontal	N/A
3**	5829.800	99.98	--	--	AV	293.00	200	Horizontal	N/A
4	7439.300	49.43	74.0	24.57	Peak	55.00	200	Horizontal	Pass
4**	7439.300	40.71	54.0	13.29	AV	55.00	200	Horizontal	Pass
5	11648.300	54.69	74.0	19.31	Peak	112.00	150	Horizontal	Pass
5**	11648.300	46.00	54.0	8.00	AV	112.00	150	Horizontal	Pass
6	11648.588	51.51	74.0	22.49	Peak	92.00	150	Horizontal	Pass
6**	11648.588	47.69	54.0	6.31	AV	92.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	39.58	74.0	34.42	Peak	110.00	100	Vertical	Pass
1**	1445.800	29.16	54.0	24.84	AV	110.00	100	Vertical	Pass
2	4312.000	50.41	74.0	23.59	Peak	109.00	200	Vertical	Pass
2**	4312.000	40.35	54.0	13.65	AV	109.00	200	Vertical	Pass
3	5819.600	112.42	--	--	Peak	163.00	150	Vertical	N/A
3**	5819.600	102.70	--	--	AV	163.00	150	Vertical	N/A
4	7321.138	49.46	74.0	24.54	Peak	282.00	300	Vertical	Pass
4**	7321.138	40.07	54.0	13.93	AV	282.00	300	Vertical	Pass
5	11919.412	52.63	74.0	21.37	Peak	245.00	200	Vertical	Pass
5**	11919.412	42.57	54.0	11.43	AV	245.00	200	Vertical	Pass
6	15517.275	54.43	74.0	19.57	Peak	233.00	100	Vertical	Pass
6**	15517.275	45.49	54.0	8.51	AV	233.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.400	39.40	74.0	34.60	Peak	14.00	400	Horizontal	Pass
1**	1608.400	28.84	54.0	25.16	AV	14.00	400	Horizontal	Pass
2	4387.800	50.20	74.0	23.80	Peak	121.00	100	Horizontal	Pass
2**	4387.800	42.18	54.0	11.82	AV	121.00	100	Horizontal	Pass
3	5748.400	106.61	--	--	Peak	295.00	100	Horizontal	N/A
3**	5748.400	97.60	--	--	AV	295.00	100	Horizontal	N/A
4	7541.650	49.73	74.0	24.27	Peak	221.00	400	Horizontal	Pass
4**	7541.650	39.82	54.0	14.18	AV	221.00	400	Horizontal	Pass
5	11498.512	52.88	74.0	21.12	Peak	108.00	150	Horizontal	Pass
5**	11498.512	43.06	54.0	10.94	AV	108.00	150	Horizontal	Pass
6	15785.813	54.21	74.0	19.79	Peak	181.00	200	Horizontal	Pass
6**	15785.813	45.31	54.0	8.69	AV	181.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	38.39	74.0	35.61	Peak	314.00	100	Vertical	Pass
1**	1440.800	28.89	54.0	25.11	AV	314.00	100	Vertical	Pass
2	4377.600	50.40	74.0	23.60	Peak	220.00	100	Vertical	Pass
2**	4377.600	41.22	54.0	12.78	AV	220.00	100	Vertical	Pass
3	5757.800	109.88	--	--	Peak	152.00	150	Vertical	N/A
3**	5757.800	101.56	--	--	AV	152.00	150	Vertical	N/A
4	7496.225	49.21	74.0	24.79	Peak	328.00	300	Vertical	Pass
4**	7496.225	40.67	54.0	13.33	AV	328.00	300	Vertical	Pass
5	12044.763	52.21	74.0	21.79	Peak	93.00	150	Vertical	Pass
5**	12044.763	43.29	54.0	10.71	AV	93.00	150	Vertical	Pass
6	15792.113	54.21	74.0	19.79	Peak	342.00	400	Vertical	Pass
6**	15792.113	45.56	54.0	8.44	AV	342.00	400	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	40.82	74.0	33.18	Peak	15.00	400	Horizontal	Pass
1**	1437.400	30.13	54.0	23.87	AV	15.00	400	Horizontal	Pass
2	4283.800	51.08	74.0	22.92	Peak	58.00	200	Horizontal	Pass
2**	4283.800	41.44	54.0	12.56	AV	58.00	200	Horizontal	Pass
3	5796.400	105.99	--	--	Peak	258.00	100	Horizontal	N/A
3**	5796.400	97.01	--	--	AV	258.00	100	Horizontal	N/A
4	7441.600	49.40	74.0	24.60	Peak	132.00	200	Horizontal	Pass
4**	7441.600	40.63	54.0	13.37	AV	132.00	200	Horizontal	Pass
5	11595.688	52.64	74.0	21.36	Peak	95.00	150	Horizontal	Pass
5**	11595.688	45.19	54.0	8.81	AV	95.00	150	Horizontal	Pass
6	16182.187	54.67	74.0	19.33	Peak	277.00	400	Horizontal	Pass
6**	16182.187	44.79	54.0	9.21	AV	277.00	400	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.300	39.18	74.0	34.82	Peak	54.00	300	Vertical	Pass
1**	1496.300	28.96	54.0	25.04	AV	54.00	300	Vertical	Pass
2	4389.800	50.86	74.0	23.14	Peak	18.00	100	Vertical	Pass
2**	4389.800	41.85	54.0	12.15	AV	18.00	100	Vertical	Pass
3	5799.600	108.63	--	--	Peak	161.00	150	Vertical	N/A
3**	5799.600	100.29	--	--	AV	161.00	150	Vertical	N/A
4	7349.313	50.05	74.0	23.95	Peak	227.00	200	Vertical	Pass
4**	7349.313	39.62	54.0	14.38	AV	227.00	200	Vertical	Pass
5	12001.637	52.85	74.0	21.15	Peak	343.00	150	Vertical	Pass
5**	12001.637	43.19	54.0	10.81	AV	343.00	150	Vertical	Pass
6	15796.312	54.78	74.0	19.22	Peak	0.00	400	Vertical	Pass
6**	15796.312	44.85	54.0	9.15	AV	0.00	400	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.000	39.03	74.0	34.97	Peak	46.00	100	Horizontal	Pass
1**	1572.000	29.34	54.0	24.66	AV	46.00	100	Horizontal	Pass
2	4366.600	50.74	74.0	23.26	Peak	93.00	100	Horizontal	Pass
2**	4366.600	40.58	54.0	13.42	AV	93.00	100	Horizontal	Pass
3	5781.800	102.90	--	--	Peak	284.00	100	Horizontal	N/A
3**	5781.800	95.30	--	--	AV	284.00	100	Horizontal	N/A
4	7557.750	48.93	74.0	25.07	Peak	132.00	300	Horizontal	Pass
4**	7557.750	40.82	54.0	13.18	AV	132.00	300	Horizontal	Pass
5	11984.963	53.06	74.0	20.94	Peak	360.00	150	Horizontal	Pass
5**	11984.963	43.57	54.0	10.43	AV	360.00	150	Horizontal	Pass
6	15520.162	55.22	74.0	18.78	Peak	99.00	200	Horizontal	Pass
6**	15520.162	45.40	54.0	8.60	AV	99.00	200	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	40.12	74.0	33.88	Peak	327.00	300	Vertical	Pass
1**	1494.600	29.40	54.0	24.60	AV	327.00	300	Vertical	Pass
2	4364.000	50.47	74.0	23.53	Peak	0.00	100	Vertical	Pass
2**	4364.000	41.11	54.0	12.89	AV	0.00	100	Vertical	Pass
3	5771.800	105.36	--	--	Peak	160.00	100	Vertical	N/A
3**	5771.800	97.89	--	--	AV	160.00	100	Vertical	N/A
4	7709.263	49.08	74.0	24.92	Peak	307.00	200	Vertical	Pass
4**	7709.263	39.76	54.0	14.24	AV	307.00	200	Vertical	Pass
5	11948.738	52.78	74.0	21.22	Peak	14.00	100	Vertical	Pass
5**	11948.738	42.95	54.0	11.05	AV	14.00	100	Vertical	Pass
6	15403.088	54.35	74.0	19.65	Peak	341.00	400	Vertical	Pass
6**	15403.088	45.64	54.0	8.36	AV	341.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
	802.11ax(HE160) (RU26)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass

	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass

	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass

Note ¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

SISO-Antenna 0

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4844.500	54.47	2.15	74.0	19.53	Peak	107.00	150	Horizontal	Pass
1**	4844.500	47.22	2.15	54.0	6.78	AV	107.00	150	Horizontal	Pass
2	5142.850	56.94	2.43	74.0	17.06	Peak	190.00	150	Horizontal	Pass
2**	5142.850	46.11	2.43	54.0	7.89	AV	190.00	150	Horizontal	Pass
3	5149.675	54.92	2.07	74.0	19.08	Peak	152.00	150	Horizontal	Pass
3**	5149.675	45.72	2.07	54.0	8.28	AV	152.00	150	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.47	1.93	74.0	18.53	Peak	33.00	200	Horizontal	Pass
1**	5350.000	45.32	1.93	54.0	8.68	AV	33.00	200	Horizontal	Pass
2	5427.275	57.39	2.53	74.0	16.61	Peak	304.00	150	Horizontal	Pass
2**	5427.275	46.06	2.53	54.0	7.94	AV	304.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.650	57.15	2.40	74.0	16.85	Peak	344.00	150	Horizontal	Pass
1**	5137.650	45.96	2.40	54.0	8.04	AV	344.00	150	Horizontal	Pass
2	5149.675	55.58	2.07	74.0	18.42	Peak	182.00	100	Horizontal	Pass
2**	5149.675	46.46	2.07	54.0	7.54	AV	182.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.79	1.93	74.0	18.21	Peak	293.00	200	Horizontal	Pass
1**	5350.000	46.80	1.93	54.0	7.20	AV	293.00	200	Horizontal	Pass
2	5446.360	57.61	2.39	74.0	16.39	Peak	73.00	150	Horizontal	Pass
2**	5446.360	45.67	2.39	54.0	8.33	AV	73.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	57.80	2.14	74.0	16.20	Peak	97.00	100	Horizontal	Pass
1**	5148.050	47.02	2.14	54.0	6.98	AV	97.00	100	Horizontal	Pass
2	5149.675	56.79	2.07	74.0	17.21	Peak	170.00	200	Horizontal	Pass
2**	5149.675	47.13	2.07	54.0	6.87	AV	170.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.84	1.93	74.0	18.16	Peak	39.00	200	Horizontal	Pass
1**	5350.055	46.33	1.93	54.0	7.67	AV	39.00	200	Horizontal	Pass
2	5365.290	57.51	2.15	74.0	16.49	Peak	15.00	150	Horizontal	Pass
2**	5365.290	45.41	2.15	54.0	8.59	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4792.175	57.11	1.60	74.0	16.89	Peak	302.00	150	Horizontal	Pass
1**	4792.175	45.23	1.60	54.0	8.77	AV	302.00	150	Horizontal	Pass
2	5149.675	55.79	2.07	74.0	18.21	Peak	177.00	100	Horizontal	Pass
2**	5149.675	45.88	2.07	54.0	8.12	AV	177.00	100	Horizontal	Pass
3	4844.175	55.63	2.10	74.0	18.37	Peak	208.00	150	Horizontal	Pass
3**	4844.175	47.42	2.10	54.0	6.58	AV	208.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	1.93	74.0	18.55	Peak	162.00	100	Horizontal	Pass
1**	5350.000	46.88	1.93	54.0	7.12	AV	162.00	100	Horizontal	Pass
2	5360.065	57.78	2.28	74.0	16.22	Peak	200.00	150	Horizontal	Pass
2**	5360.065	45.86	2.28	54.0	8.14	AV	200.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5005.050	57.00	1.92	74.0	17.00	Peak	258.00	200	Horizontal	Pass
1**	5005.050	45.60	1.92	54.0	8.40	AV	258.00	200	Horizontal	Pass
2	5149.675	55.33	2.07	74.0	18.67	Peak	191.00	200	Horizontal	Pass
2**	5149.675	47.09	2.07	54.0	6.91	AV	191.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.37	1.93	74.0	18.63	Peak	273.00	150	Horizontal	Pass
1**	5350.055	46.70	1.93	54.0	7.30	AV	273.00	150	Horizontal	Pass
2	5426.890	57.72	2.49	74.0	16.28	Peak	149.00	150	Horizontal	Pass
2**	5426.890	46.04	2.49	54.0	7.96	AV	149.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	61.63	74.0	12.37	Peak	148.00	200	Horizontal	Pass
1**	5146.100	51.70	54.0	2.30	AV	148.00	200	Horizontal	Pass
2	5149.675	60.48	74.0	13.52	Peak	148.00	100	Horizontal	Pass
2**	5149.675	51.90	54.0	2.10	AV	148.00	100	Horizontal	Pass
3	5145.775	60.59	74.0	13.41	Peak	148.00	150	Horizontal	Pass
3**	5145.775	51.95	54.0	2.05	AV	148.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.03	74.0	17.97	Peak	360.00	150	Horizontal	Pass
1**	5350.055	45.87	54.0	8.13	AV	360.00	150	Horizontal	Pass
2	5361.385	57.92	74.0	16.08	Peak	199.00	150	Horizontal	Pass
2**	5361.385	46.33	54.0	7.67	AV	199.00	150	Horizontal	Pass
3	5370.130	56.35	74.0	17.65	Peak	129.00	150	Horizontal	Pass
3**	5370.130	48.33	54.0	5.67	AV	129.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	60.58	74.0	13.42	Peak	140.00	200	Horizontal	Pass
1**	5146.425	49.88	54.0	4.12	AV	140.00	200	Horizontal	Pass
2	5149.675	56.77	74.0	17.23	Peak	143.00	200	Horizontal	Pass
2**	5149.675	47.81	54.0	6.19	AV	143.00	200	Horizontal	Pass
3	5145.125	59.00	74.0	15.00	Peak	157.00	150	Horizontal	Pass
3**	5145.125	50.67	54.0	3.33	AV	157.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.22	74.0	16.78	Peak	147.00	100	Horizontal	Pass
1**	5350.055	47.52	54.0	6.48	AV	147.00	100	Horizontal	Pass
2	5403.735	62.87	74.0	11.13	Peak	147.00	200	Horizontal	Pass
2**	5403.735	51.86	54.0	2.14	AV	147.00	200	Horizontal	Pass
3	5402.470	62.27	74.0	11.73	Peak	143.00	150	Horizontal	Pass
3**	5402.470	52.91	54.0	1.09	AV	143.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	57.62	2.40	74.0	16.38	Peak	0.00	100	Horizontal	Pass
1**	5088.900	45.78	2.40	54.0	8.22	AV	0.00	100	Horizontal	Pass
2	5149.675	54.98	2.07	74.0	19.02	Peak	357.00	200	Horizontal	Pass
2**	5149.675	45.99	2.07	54.0	8.01	AV	357.00	200	Horizontal	Pass
3	4860.425	55.31	1.72	74.0	18.69	Peak	213.00	150	Horizontal	Pass
3**	4860.425	47.52	1.72	54.0	6.48	AV	213.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.76	1.93	74.0	18.24	Peak	160.00	100	Horizontal	Pass
1**	5350.055	45.49	1.93	54.0	8.51	AV	160.00	100	Horizontal	Pass
2	5427.495	57.46	2.52	74.0	16.54	Peak	110.00	100	Horizontal	Pass
2**	5427.495	46.06	2.52	54.0	7.94	AV	110.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5027.150	57.36	1.99	74.0	16.64	Peak	70.00	200	Horizontal	Pass
1**	5027.150	45.64	1.99	54.0	8.36	AV	70.00	200	Horizontal	Pass
2	5149.675	55.87	2.07	74.0	18.13	Peak	135.00	200	Horizontal	Pass
2**	5149.675	47.17	2.07	54.0	6.83	AV	135.00	200	Horizontal	Pass
3	4870.175	54.98	1.46	74.0	19.02	Peak	226.00	150	Horizontal	Pass
3**	4870.175	47.28	1.46	54.0	6.72	AV	226.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.77	1.93	74.0	19.23	Peak	3.00	150	Horizontal	Pass
1**	5350.055	45.47	1.93	54.0	8.53	AV	3.00	150	Horizontal	Pass
2	5430.575	57.51	2.29	74.0	16.49	Peak	140.00	100	Horizontal	Pass
2**	5430.575	46.11	2.29	54.0	7.89	AV	140.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	62.19	74.0	11.81	Peak	167.00	200	Horizontal	Pass
1**	5149.350	51.28	54.0	2.72	AV	167.00	200	Horizontal	Pass
2	5149.675	60.90	74.0	13.10	Peak	150.00	150	Horizontal	Pass
2**	5149.675	52.49	54.0	1.51	AV	150.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.03	74.0	16.97	Peak	164.00	100	Horizontal	Pass
1**	5350.000	46.27	54.0	7.73	AV	164.00	100	Horizontal	Pass
2	5414.295	58.66	74.0	15.34	Peak	164.00	100	Horizontal	Pass
2**	5414.295	46.46	54.0	7.54	AV	164.00	100	Horizontal	Pass
3	5369.965	56.73	74.0	17.27	Peak	306.00	150	Horizontal	Pass
3**	5369.965	47.83	54.0	6.17	AV	306.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	60.60	74.0	13.40	Peak	167.00	100	Horizontal	Pass
1**	5144.475	49.38	54.0	4.62	AV	167.00	100	Horizontal	Pass
2	5149.675	56.82	74.0	17.18	Peak	339.00	200	Horizontal	Pass
2**	5149.675	47.99	54.0	6.01	AV	339.00	200	Horizontal	Pass

U-NII-1 11ax160 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.59	74.0	14.41	Peak	93.00	150	Horizontal	Pass
1**	5350.055	49.44	54.0	4.56	AV	93.00	150	Horizontal	Pass
2	5403.955	65.36	74.0	8.64	Peak	155.00	150	Horizontal	Pass
2**	5403.955	51.37	54.0	2.63	AV	155.00	150	Horizontal	Pass
3	5386.135	62.41	74.0	11.59	Peak	155.00	150	Horizontal	Pass
3**	5386.135	52.49	54.0	1.51	AV	155.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	57.31	74.0	16.69	Peak	294.00	150	Horizontal	Pass
1**	5131.475	45.85	54.0	8.15	AV	294.00	150	Horizontal	Pass
2	5149.675	56.21	74.0	17.79	Peak	179.00	100	Horizontal	Pass
2**	5149.675	46.05	54.0	7.95	AV	179.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.61	74.0	18.39	Peak	25.00	200	Horizontal	Pass
1**	5350.055	46.00	54.0	8.00	AV	25.00	200	Horizontal	Pass
2	5420.345	57.91	74.0	16.09	Peak	22.00	100	Horizontal	Pass
2**	5420.345	46.31	54.0	7.69	AV	22.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4792.825	57.62	74.0	16.38	Peak	29.00	100	Horizontal	Pass
1**	4792.825	45.34	54.0	8.66	AV	29.00	100	Horizontal	Pass
2	5149.675	55.72	74.0	18.28	Peak	29.00	200	Horizontal	Pass
2**	5149.675	45.91	54.0	8.09	AV	29.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.21	74.0	17.79	Peak	210.00	200	Horizontal	Pass
1**	5350.055	45.81	54.0	8.19	AV	210.00	200	Horizontal	Pass
2	5444.765	58.34	74.0	15.66	Peak	226.00	100	Horizontal	Pass
2**	5444.765	46.22	54.0	7.78	AV	226.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	57.96	74.0	16.04	Peak	296.00	150	Horizontal	Pass
1**	5146.750	46.40	54.0	7.60	AV	296.00	150	Horizontal	Pass
2	5149.675	55.86	74.0	18.14	Peak	249.00	200	Horizontal	Pass
2**	5149.675	46.24	54.0	7.76	AV	249.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.74	74.0	18.26	Peak	341.00	100	Horizontal	Pass
1**	5350.000	45.55	54.0	8.45	AV	341.00	100	Horizontal	Pass
2	5376.620	58.24	74.0	15.76	Peak	0.00	200	Horizontal	Pass
2**	5376.620	45.87	54.0	8.13	AV	0.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.200	63.53	74.0	10.47	Peak	190.00	100	Horizontal	Pass
1**	5116.200	45.79	54.0	8.21	AV	190.00	100	Horizontal	Pass
2	5149.675	59.97	74.0	14.03	Peak	161.00	200	Horizontal	Pass
2**	5149.675	46.88	54.0	7.12	AV	161.00	200	Horizontal	Pass
3	4874.075	56.90	74.0	17.10	Peak	167.00	150	Horizontal	Pass
3**	4874.075	46.78	54.0	7.22	AV	167.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.22	74.0	14.78	Peak	180.00	150	Horizontal	Pass
1**	5350.000	50.43	54.0	3.57	AV	180.00	150	Horizontal	Pass
2	5433.435	59.46	74.0	14.54	Peak	187.00	150	Horizontal	Pass
2**	5433.435	51.78	54.0	2.22	AV	187.00	150	Horizontal	Pass
3	5433.710	59.68	74.0	14.32	Peak	199.00	100	Horizontal	Pass
3**	5433.710	50.56	54.0	3.44	AV	199.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.550	56.89	2.20	74.0	17.11	Peak	198.00	200	Horizontal	Pass
1**	5076.550	45.51	2.20	54.0	8.49	AV	198.00	200	Horizontal	Pass
2	5149.675	55.01	2.07	74.0	18.99	Peak	20.00	200	Horizontal	Pass
2**	5149.675	45.81	2.07	54.0	8.19	AV	20.00	200	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.62	1.93	74.0	18.38	Peak	360.00	200	Horizontal	Pass
1**	5350.055	46.13	1.93	54.0	7.87	AV	360.00	200	Horizontal	Pass
2	5416.715	57.63	2.15	74.0	16.37	Peak	338.00	150	Horizontal	Pass
2**	5416.715	45.82	2.15	54.0	8.18	AV	338.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.750	57.05	2.35	74.0	16.95	Peak	264.00	200	Horizontal	Pass
1**	5081.750	45.58	2.35	54.0	8.42	AV	264.00	200	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	204.00	100	Horizontal	Pass
2**	5149.675	45.94	2.07	54.0	8.06	AV	204.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.85	1.93	74.0	18.15	Peak	151.00	200	Horizontal	Pass
1**	5350.055	46.09	1.93	54.0	7.91	AV	151.00	200	Horizontal	Pass
2	5424.855	57.85	2.36	74.0	16.15	Peak	290.00	100	Horizontal	Pass
2**	5424.855	46.35	2.36	54.0	7.65	AV	290.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.850	57.54	2.23	74.0	16.46	Peak	0.00	150	Horizontal	Pass
1**	5077.850	45.43	2.23	54.0	8.57	AV	0.00	150	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	350.00	100	Horizontal	Pass
2**	5149.675	45.38	2.07	54.0	8.62	AV	350.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.55	1.93	74.0	17.45	Peak	85.00	200	Horizontal	Pass
1**	5350.000	47.38	1.93	54.0	6.62	AV	85.00	200	Horizontal	Pass
2	5419.520	57.81	2.45	74.0	16.19	Peak	126.00	200	Horizontal	Pass
2**	5419.520	46.27	2.45	54.0	7.73	AV	126.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.725	56.97	2.28	74.0	17.03	Peak	33.00	100	Horizontal	Pass
1**	5082.725	45.58	2.28	54.0	8.42	AV	33.00	100	Horizontal	Pass
2	5149.675	54.96	2.07	74.0	19.04	Peak	304.00	100	Horizontal	Pass
2**	5149.675	45.50	2.07	54.0	8.50	AV	304.00	100	Horizontal	Pass
3	4844.175	54.99	2.10	74.0	19.01	Peak	67.00	150	Horizontal	Pass
3**	4844.175	47.05	2.10	54.0	6.95	AV	67.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.75	1.93	74.0	18.25	Peak	344.00	150	Horizontal	Pass
1**	5350.055	45.98	1.93	54.0	8.02	AV	344.00	150	Horizontal	Pass
2	5418.145	57.16	2.36	74.0	16.84	Peak	48.00	100	Horizontal	Pass
2**	5418.145	46.28	2.36	54.0	7.72	AV	48.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.000	56.87	1.98	74.0	17.13	Peak	54.00	150	Horizontal	Pass
1**	5124.000	45.28	1.98	54.0	8.72	AV	54.00	150	Horizontal	Pass
2	5149.675	55.63	2.07	74.0	18.37	Peak	4.00	150	Horizontal	Pass
2**	5149.675	45.40	2.07	54.0	8.60	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	1.93	74.0	17.63	Peak	194.00	150	Horizontal	Pass
1**	5350.000	46.97	1.93	54.0	7.03	AV	194.00	150	Horizontal	Pass
2	5372.275	58.07	2.26	74.0	15.93	Peak	180.00	100	Horizontal	Pass
2**	5372.275	45.93	2.26	54.0	8.07	AV	180.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	57.58	74.0	16.42	Peak	149.00	150	Horizontal	Pass
1**	5088.900	46.07	54.0	7.93	AV	149.00	150	Horizontal	Pass
2	5149.675	55.24	74.0	18.76	Peak	335.00	150	Horizontal	Pass
2**	5149.675	46.24	54.0	7.76	AV	335.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.935	60.01	74.0	13.99	Peak	165.00	150	Horizontal	Pass
1**	5350.935	52.34	54.0	1.66	AV	165.00	150	Horizontal	Pass
2	5350.000	61.51	74.0	12.49	Peak	133.00	200	Horizontal	Pass
2**	5350.000	51.53	54.0	2.47	AV	133.00	200	Horizontal	Pass
3	5357.700	62.47	74.0	11.53	Peak	165.00	150	Horizontal	Pass
3**	5357.700	50.88	54.0	3.12	AV	165.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.875	57.43	2.42	74.0	16.57	Peak	173.00	200	Horizontal	Pass
1**	5102.875	45.86	2.42	54.0	8.14	AV	173.00	200	Horizontal	Pass
2	5149.675	55.52	2.07	74.0	18.48	Peak	100.00	200	Horizontal	Pass
2**	5149.675	45.58	2.07	54.0	8.42	AV	100.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.30	1.93	74.0	17.70	Peak	54.00	150	Horizontal	Pass
1**	5350.055	45.89	1.93	54.0	8.11	AV	54.00	150	Horizontal	Pass
2	5399.720	57.51	2.01	74.0	16.49	Peak	259.00	150	Horizontal	Pass
2**	5399.720	45.84	2.01	54.0	8.16	AV	259.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.875	57.15	2.42	74.0	16.85	Peak	329.00	200	Horizontal	Pass
1**	5141.875	46.01	2.42	54.0	7.99	AV	329.00	200	Horizontal	Pass
2	5149.675	54.98	2.07	74.0	19.02	Peak	98.00	200	Horizontal	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	98.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.63	1.93	74.0	18.37	Peak	65.00	100	Horizontal	Pass
1**	5350.000	47.15	1.93	54.0	6.85	AV	65.00	100	Horizontal	Pass
2	5350.660	58.54	1.89	74.0	15.46	Peak	81.00	100	Horizontal	Pass
2**	5350.660	46.33	1.89	54.0	7.67	AV	81.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	57.63	74.0	16.37	Peak	359.00	200	Horizontal	Pass
1**	5126.600	45.77	54.0	8.23	AV	359.00	200	Horizontal	Pass
2	5149.675	56.40	74.0	17.60	Peak	110.00	100	Horizontal	Pass
2**	5149.675	46.38	54.0	7.62	AV	110.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.59	74.0	13.41	Peak	131.00	100	Horizontal	Pass
1**	5350.000	51.45	54.0	2.55	AV	131.00	100	Horizontal	Pass
2	5361.550	62.66	74.0	11.34	Peak	163.00	150	Horizontal	Pass
2**	5361.550	51.30	54.0	2.70	AV	163.00	150	Horizontal	Pass
3	5361.605	59.46	74.0	14.54	Peak	163.00	150	Horizontal	Pass
3**	5361.605	51.82	54.0	2.18	AV	163.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	57.92	74.0	16.08	Peak	233.00	100	Horizontal	Pass
1**	5141.225	46.15	54.0	7.85	AV	233.00	100	Horizontal	Pass
2	5149.675	55.94	74.0	18.06	Peak	325.00	150	Horizontal	Pass
2**	5149.675	46.02	54.0	7.98	AV	325.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.77	74.0	18.23	Peak	0.00	100	Horizontal	Pass
1**	5350.055	46.14	54.0	7.86	AV	0.00	100	Horizontal	Pass
2	5420.785	57.86	74.0	16.14	Peak	170.00	200	Horizontal	Pass
2**	5420.785	46.20	54.0	7.80	AV	170.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.950	57.62	74.0	16.38	Peak	360.00	150	Horizontal	Pass
1**	5138.950	46.69	54.0	7.31	AV	360.00	150	Horizontal	Pass
2	5149.675	54.99	74.0	19.01	Peak	345.00	150	Horizontal	Pass
2**	5149.675	45.85	54.0	8.15	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.73	74.0	18.27	Peak	140.00	150	Horizontal	Pass
1**	5350.055	45.94	54.0	8.06	AV	140.00	150	Horizontal	Pass
2	5456.975	57.79	74.0	16.21	Peak	83.00	100	Horizontal	Pass
2**	5456.975	46.22	54.0	7.78	AV	83.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.200	57.13	74.0	16.87	Peak	293.00	200	Horizontal	Pass
1**	5090.200	46.10	54.0	7.90	AV	293.00	200	Horizontal	Pass
2	5149.675	56.55	74.0	17.45	Peak	345.00	150	Horizontal	Pass
2**	5149.675	46.08	54.0	7.92	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.61	74.0	13.39	Peak	180.00	200	Horizontal	Pass
1**	5350.000	51.54	54.0	2.46	AV	180.00	200	Horizontal	Pass
2	5350.330	60.35	74.0	13.65	Peak	0.00	100	Horizontal	Pass
2**	5350.330	48.36	54.0	5.64	AV	0.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5414.550	58.31	2.15	74.0	15.69	Peak	159.00	150	Horizontal	Pass
1**	5414.550	46.22	2.15	54.0	7.78	AV	159.00	150	Horizontal	Pass
2	5460.000	55.56	2.50	74.0	18.44	Peak	156.00	200	Horizontal	Pass
2**	5460.000	46.52	2.50	54.0	7.48	AV	156.00	200	Horizontal	Pass
3	5467.650	57.68	3.14	68.2	10.52	Peak	125.00	100	Horizontal	Pass
3**	5467.650	47.59	3.14	--	--	AV	125.00	100	Horizontal	N/A
4	5469.950	57.04	2.87	68.2	11.16	Peak	289.00	100	Horizontal	Pass
4**	5469.950	47.59	2.87	--	--	AV	289.00	100	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.09	2.55	68.2	11.11	Peak	94.00	150	Horizontal	Pass
2	5757.300	58.28	2.55	68.2	9.92	Peak	329.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5417.200	58.65	2.22	74.0	15.35	Peak	314.00	100	Horizontal	Pass
1**	5417.200	46.30	2.22	54.0	7.70	AV	314.00	100	Horizontal	Pass
2	5460.000	55.41	2.50	74.0	18.59	Peak	290.00	150	Horizontal	Pass
2**	5460.000	46.38	2.50	54.0	7.62	AV	290.00	150	Horizontal	Pass
3	5464.800	57.68	2.72	68.2	10.52	Peak	177.00	100	Horizontal	Pass
3**	5464.800	46.49	2.72	--	--	AV	177.00	100	Horizontal	N/A
4	5469.950	56.72	2.87	68.2	11.48	Peak	297.00	100	Horizontal	Pass
4**	5469.950	47.06	2.87	--	--	AV	297.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.68	2.55	68.2	11.52	Peak	276.00	200	Horizontal	Pass
2	5767.250	58.28	2.63	68.2	9.92	Peak	129.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5417.200	57.83	2.22	74.0	16.17	Peak	256.00	100	Horizontal	Pass
1**	5417.200	46.45	2.22	54.0	7.55	AV	256.00	100	Horizontal	Pass
2	5460.000	56.91	2.50	74.0	17.09	Peak	261.00	200	Horizontal	Pass
2**	5460.000	46.77	2.50	54.0	7.23	AV	261.00	200	Horizontal	Pass
3	5469.400	59.23	2.93	68.2	8.97	Peak	151.00	150	Horizontal	Pass
3**	5469.400	48.53	2.93	--	--	AV	151.00	150	Horizontal	N/A
4	5469.950	56.74	2.87	68.2	11.46	Peak	160.00	200	Horizontal	Pass
4**	5469.950	48.30	2.87	--	--	AV	160.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.01	2.55	68.2	12.19	Peak	117.00	100	Horizontal	Pass
2	5800.550	58.10	2.50	68.2	10.10	Peak	332.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.600	57.93	2.49	74.0	16.07	Peak	168.00	100	Horizontal	Pass
1**	5457.600	46.41	2.49	54.0	7.59	AV	168.00	100	Horizontal	Pass
2	5460.000	56.37	2.50	74.0	17.63	Peak	28.00	150	Horizontal	Pass
2**	5460.000	46.47	2.50	54.0	7.53	AV	28.00	150	Horizontal	Pass
3	5469.350	58.04	2.94	68.2	10.16	Peak	156.00	150	Horizontal	Pass
3**	5469.350	47.14	2.94	--	--	AV	156.00	150	Horizontal	N/A
4	5469.950	56.76	2.87	68.2	11.44	Peak	154.00	100	Horizontal	Pass
4**	5469.950	46.82	2.87	--	--	AV	154.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.24	2.55	68.2	11.96	Peak	72.00	200	Horizontal	Pass
2	5728.000	58.29	2.58	68.2	9.91	Peak	150.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.100	57.93	2.20	74.0	16.07	Peak	100.00	100	Horizontal	Pass
1**	5445.100	46.26	2.20	54.0	7.74	AV	100.00	100	Horizontal	Pass
2	5460.000	56.14	2.50	74.0	17.86	Peak	170.00	100	Horizontal	Pass
2**	5460.000	46.62	2.50	54.0	7.38	AV	170.00	100	Horizontal	Pass
3	5467.500	59.24	3.11	68.2	8.96	Peak	162.00	150	Horizontal	Pass
3**	5467.500	47.81	3.11	--	--	AV	162.00	150	Horizontal	N/A
4	5469.950	57.52	2.87	68.2	10.68	Peak	82.00	150	Horizontal	Pass
4**	5469.950	48.05	2.87	--	--	AV	82.00	150	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.78	2.55	68.2	12.42	Peak	201.00	150	Horizontal	Pass
2	5817.550	58.57	2.57	68.2	9.63	Peak	164.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.350	63.25	74.0	10.75	Peak	148.00	100	Horizontal	Pass
1**	5450.350	50.23	54.0	3.77	AV	148.00	100	Horizontal	Pass
2	5460.000	61.22	74.0	12.78	Peak	143.00	200	Horizontal	Pass
2**	5460.000	51.28	54.0	2.72	AV	143.00	200	Horizontal	Pass
3	5469.700	65.89	68.2	2.31	Peak	155.00	100	Horizontal	Pass
3**	5469.700	54.75	--	--	AV	155.00	100	Horizontal	N/A
4	5469.950	64.40	68.2	3.80	Peak	143.00	150	Horizontal	Pass
4**	5469.950	55.55	--	--	AV	143.00	150	Horizontal	N/A
5	5458.300	60.18	74.0	13.82	Peak	143.00	150	Horizontal	Pass
5**	5458.300	52.81	54.0	1.19	AV	143.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.24	68.2	8.96	Peak	139.00	100	Horizontal	Pass
2	5730.300	59.96	68.2	8.24	Peak	160.00	150	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.400	62.45	74.0	11.55	Peak	148.00	100	Horizontal	Pass
1**	5447.400	51.34	54.0	2.66	AV	148.00	100	Horizontal	Pass
2	5460.000	59.45	74.0	14.55	Peak	156.00	200	Horizontal	Pass
2**	5460.000	49.75	54.0	4.25	AV	156.00	200	Horizontal	Pass
3	5465.600	62.42	68.2	5.78	Peak	144.00	150	Horizontal	Pass
3**	5465.600	51.04	--	--	AV	144.00	150	Horizontal	N/A
4	5469.950	60.63	68.2	7.57	Peak	144.00	150	Horizontal	Pass
4**	5469.950	51.21	--	--	AV	144.00	150	Horizontal	N/A
5	5452.400	60.86	74.0	13.14	Peak	144.00	150	Horizontal	Pass
5**	5452.400	51.88	54.0	2.12	AV	144.00	150	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	62.73	68.2	5.47	Peak	142.00	150	Horizontal	Pass
2	5726.100	62.84	68.2	5.36	Peak	149.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.400	58.08	2.24	74.0	15.92	Peak	200.00	100	Horizontal	Pass
1**	5371.400	46.13	2.24	54.0	7.87	AV	200.00	100	Horizontal	Pass
2	5460.000	55.76	2.50	74.0	18.24	Peak	177.00	150	Horizontal	Pass
2**	5460.000	46.70	2.50	54.0	7.30	AV	177.00	150	Horizontal	Pass
3	5467.700	58.23	3.16	68.2	9.97	Peak	292.00	200	Horizontal	Pass
3**	5467.700	47.48	3.16	--	--	AV	292.00	200	Horizontal	N/A
4	5469.950	56.62	2.87	68.2	11.58	Peak	292.00	100	Horizontal	Pass
4**	5469.950	47.07	2.87	--	--	AV	292.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.32	2.55	68.2	10.88	Peak	328.00	150	Horizontal	Pass
2	5765.100	58.49	2.71	68.2	9.71	Peak	283.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.150	57.83	2.22	74.0	16.17	Peak	100.00	150	Horizontal	Pass
1**	5454.150	46.47	2.22	54.0	7.53	AV	100.00	150	Horizontal	Pass
2	5460.000	56.23	2.50	74.0	17.77	Peak	19.00	100	Horizontal	Pass
2**	5460.000	47.35	2.50	54.0	6.65	AV	19.00	100	Horizontal	Pass
3	5468.100	58.73	3.11	68.2	9.47	Peak	288.00	100	Horizontal	Pass
3**	5468.100	48.12	3.11	--	--	AV	288.00	100	Horizontal	N/A
4	5469.950	57.59	2.87	68.2	10.61	Peak	288.00	200	Horizontal	Pass
4**	5469.950	48.79	2.87	--	--	AV	288.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.95	2.55	68.2	11.25	Peak	150.00	150	Horizontal	Pass
2	5806.650	58.30	2.73	68.2	9.90	Peak	318.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.800	60.04	74.0	13.96	Peak	133.00	150	Horizontal	Pass
1**	5453.800	52.40	54.0	1.60	AV	133.00	150	Horizontal	Pass
2	5448.150	62.93	74.0	11.07	Peak	148.00	100	Horizontal	Pass
2**	5448.150	50.45	54.0	3.55	AV	148.00	100	Horizontal	Pass
3	5460.000	59.33	74.0	14.67	Peak	161.00	100	Horizontal	Pass
3**	5460.000	50.96	54.0	3.04	AV	161.00	100	Horizontal	Pass
4	5469.700	65.30	68.2	2.90	Peak	146.00	200	Horizontal	Pass
4**	5469.700	54.29	--	--	AV	146.00	200	Horizontal	N/A
5	5469.950	63.90	68.2	4.30	Peak	148.00	150	Horizontal	Pass
5**	5469.950	54.82	--	--	AV	148.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.27	68.2	9.93	Peak	147.00	100	Horizontal	Pass
2	5741.050	60.56	68.2	7.64	Peak	156.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.850	61.25	74.0	12.75	Peak	157.00	150	Horizontal	Pass
1**	5453.850	51.92	54.0	2.08	AV	157.00	150	Horizontal	Pass
2	5451.300	62.35	74.0	11.65	Peak	147.00	150	Horizontal	Pass
2**	5451.300	50.55	54.0	3.45	AV	147.00	150	Horizontal	Pass
3	5460.000	57.68	74.0	16.32	Peak	143.00	150	Horizontal	Pass
3**	5460.000	49.53	54.0	4.47	AV	143.00	150	Horizontal	Pass
4	5464.450	64.05	68.2	4.15	Peak	143.00	100	Horizontal	Pass
4**	5464.450	51.21	--	--	AV	143.00	100	Horizontal	N/A
5	5469.950	60.88	68.2	7.32	Peak	143.00	100	Horizontal	Pass
5**	5469.950	51.02	--	--	AV	143.00	100	Horizontal	N/A

U-NII-2C 11ax160 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.95	68.2	4.25	Peak	148.00	200	Horizontal	Pass
2	5725.600	63.14	68.2	5.06	Peak	149.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.750	58.73	74.0	15.27	Peak	189.00	200	Horizontal	Pass
1**	5456.750	47.46	54.0	6.54	AV	189.00	200	Horizontal	Pass
2	5460.000	56.95	74.0	17.05	Peak	192.00	200	Horizontal	Pass
2**	5460.000	46.80	54.0	7.20	AV	192.00	200	Horizontal	Pass
3	5465.050	57.95	68.2	10.25	Peak	209.00	150	Horizontal	Pass
3**	5465.050	46.77	--	--	AV	209.00	150	Horizontal	N/A
4	5469.950	56.60	68.2	11.60	Peak	160.00	100	Horizontal	Pass
4**	5469.950	46.86	--	--	AV	160.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.62	68.2	11.58	Peak	138.00	150	Horizontal	Pass
2	5746.100	58.64	68.2	9.56	Peak	50.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.000	59.84	74.0	14.16	Peak	324.00	100	Horizontal	Pass
1**	5456.000	46.61	54.0	7.39	AV	324.00	100	Horizontal	Pass
2	5460.000	56.67	74.0	17.33	Peak	130.00	150	Horizontal	Pass
2**	5460.000	46.53	54.0	7.47	AV	130.00	150	Horizontal	Pass
3	5464.400	63.42	68.2	4.78	Peak	123.00	100	Horizontal	Pass
3**	5464.400	47.11	--	--	AV	123.00	100	Horizontal	N/A
4	5469.950	57.50	68.2	10.70	Peak	147.00	150	Horizontal	Pass
4**	5469.950	46.74	--	--	AV	147.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.80	68.2	11.40	Peak	330.00	100	Horizontal	Pass
2	5752.050	58.36	68.2	9.84	Peak	185.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.200	58.20	74.0	15.80	Peak	177.00	100	Horizontal	Pass
1**	5448.200	46.68	54.0	7.32	AV	177.00	100	Horizontal	Pass
2	5460.000	56.20	74.0	17.80	Peak	305.00	100	Horizontal	Pass
2**	5460.000	46.70	54.0	7.30	AV	305.00	100	Horizontal	Pass
3	5468.800	58.79	68.2	9.41	Peak	344.00	150	Horizontal	Pass
3**	5468.800	47.20	--	--	AV	344.00	150	Horizontal	N/A
4	5469.950	56.56	68.2	11.64	Peak	12.00	100	Horizontal	Pass
4**	5469.950	46.91	--	--	AV	12.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.64	68.2	11.56	Peak	89.00	150	Horizontal	Pass
2	5815.250	59.07	68.2	9.13	Peak	7.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.800	64.61	74.0	9.39	Peak	196.00	150	Horizontal	Pass
1**	5428.800	46.13	54.0	7.87	AV	196.00	150	Horizontal	Pass
2	5460.000	55.92	74.0	18.08	Peak	360.00	100	Horizontal	Pass
2**	5460.000	46.47	54.0	7.53	AV	360.00	100	Horizontal	Pass
3	5466.050	62.59	68.2	5.61	Peak	182.00	200	Horizontal	Pass
3**	5466.050	46.75	--	--	AV	182.00	200	Horizontal	N/A
4	5469.950	58.72	68.2	9.48	Peak	139.00	150	Horizontal	Pass
4**	5469.950	46.83	--	--	AV	139.00	150	Horizontal	N/A

U-NII-2C 11ax160 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.73	68.2	12.47	Peak	250.00	150	Horizontal	Pass
2	5752.350	59.35	68.2	8.85	Peak	170.00	200	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.250	57.80	68.2	10.40	Peak	162.00	150	Vertical	Pass	Pass
2	5650.000	56.08	68.2	12.12	Peak	32.00	150	Vertical	Pass	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.60	68.2	11.60	Peak	8.00	200	Vertical	Pass	Pass
2	5949.450	58.76	68.2	9.44	Peak	93.00	100	Vertical	Pass	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.750	57.78	68.2	10.42	Peak	360.00	200	Vertical	Pass	Pass
2	5650.000	56.51	68.2	11.69	Peak	203.00	100	Vertical	Pass	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.17	68.2	12.03	Peak	320.00	150	Vertical	Pass	Pass
2	5941.700	58.25	68.2	9.95	Peak	244.00	200	Vertical	Pass	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.550	57.59	68.2	10.61	Peak	74.00	100	Vertical	Pass	Pass
2	5650.000	56.30	68.2	11.90	Peak	166.00	150	Vertical	Pass	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.83	68.2	12.37	Peak	1.00	150	Vertical	Pass	Pass
2	5941.950	58.75	68.2	9.45	Peak	106.00	100	Vertical	Pass	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.550	57.69	68.2	10.51	Peak	201.00	150	Vertical	Pass	Pass
2	5650.000	55.92	68.2	12.28	Peak	182.00	200	Vertical	Pass	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.28	68.2	11.92	Peak	179.00	200	Vertical	Pass	Pass
2	5938.100	59.32	68.2	8.88	Peak	174.00	200	Vertical	Pass	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.450	57.83	68.2	10.37	Peak	244.00	200	Vertical	Pass
2	5650.000	56.49	68.2	11.71	Peak	333.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.98	68.2	11.22	Peak	163.00	150	Vertical	Pass
2	5942.700	59.38	68.2	8.82	Peak	161.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.800	58.41	68.2	9.79	Peak	147.00	100	Vertical	Pass
2	5650.000	57.19	68.2	11.01	Peak	140.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	58.01	68.2	10.19	Peak	177.00	200	Vertical	Pass
2	5927.600	61.70	68.2	6.50	Peak	164.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.700	57.76	68.2	10.44	Peak	28.00	150	Vertical	Pass
2	5650.000	55.60	68.2	12.60	Peak	0.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.59	68.2	11.61	Peak	341.00	200	Vertical	Pass
2	5943.150	58.16	68.2	10.04	Peak	246.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.450	57.87	68.2	10.33	Peak	103.00	100	Vertical	Pass
2	5650.000	56.01	68.2	12.19	Peak	13.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.15	68.2	12.05	Peak	111.00	200	Vertical	Pass
2	5940.450	58.91	68.2	9.29	Peak	102.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.650	59.58	68.2	8.62	Peak	180.00	100	Vertical	Pass
2	5650.000	57.56	68.2	10.64	Peak	140.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.40	68.2	11.80	Peak	162.00	150	Vertical	Pass
2	5936.000	59.43	68.2	8.77	Peak	146.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.650	58.02	68.2	10.18	Peak	186.00	150	Horizontal	Pass
2	5650.000	56.40	68.2	11.80	Peak	90.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.34	68.2	11.86	Peak	63.00	100	Horizontal	Pass
2	5943.500	58.50	68.2	9.70	Peak	207.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.700	58.78	68.2	9.42	Peak	131.00	200	Horizontal	Pass
2	5650.000	57.08	68.2	11.12	Peak	187.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.28	68.2	10.92	Peak	0.00	150	Horizontal	Pass
2	5936.850	58.89	68.2	9.31	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.500	63.25	68.2	4.95	Peak	161.00	200	Horizontal	Pass
2	5650.000	56.61	68.2	11.59	Peak	308.00	100	Horizontal	Pass
3	5665.800	77.10	79.9	2.80	Peak	192.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	58.19	68.2	10.01	Peak	127.00	200	Horizontal	Pass
2	5946.400	58.38	68.2	9.82	Peak	155.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2481270-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2481270-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2481270-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--