



FETUKEJI											
Frequency ID	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0
Point Values											
Ant. Port Input Pwr. (dBm)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tot. Rad. Pwr. (dBm)	-8.42	-8.19	-7.98	-7.54	-7.38	-7.09	-7.04	-7.41	-7.39	-7.36	-7.47
Peak EIRP (dBm)	-4.13	-4.02	-3.91	-3.52	-3.34	-3.04	-3.02	-3.27	-3.09	-2.97	-3.06
Directivity (dBi)	4.29	4.17	4.06	4.02	4.04	4.05	4.01	4.14	4.30	4.39	4.41
Efficiency (dB)	-8.42	-8.19	-7.98	-7.54	-7.38	-7.09	-7.04	-7.41	-7.39	-7.36	-7.47
Efficiency (%)	14.40	15.20	15.90	17.60	18.30	19.60	19.80	18.20	18.20	18.30	17.90
Gain (dBi)	-4.13	-4.02	-3.91	-3.52	-3.34	-3.04	-3.02	-3.27	-3.09	-2.97	-3.06
NHPRP $\pm$ Pi/4 (dBm)	-9.16	-8.92	-8.70	-8.25	-8.09	-7.80	-7.75	-8.11	-8.09	-8.05	-8.17
NHPRP $\pm$ Pi/6 (dBm)	-10.32	-10.09	-9.88	-9.44	-9.28	-9.00	-8.96	-9.32	-9.28	-9.24	-9.34
NHPRP $\pm$ Pi/8 (dBm)	-11.24	-11.03	-10.84	-10.41	-10.27	-9.99	-9.95	-10.31	-10.26	-10.20	-10.28
Upper Hem. PRP (dBm)	-11.05	-10.84	-10.65	-10.24	-10.12	-9.88	-9.93	-10.40	-10.44	-10.42	-10.53
Lower Hem. PRP (dBm)	-11.85	-11.59	-11.34	-10.87	-10.68	-10.32	-10.17	-10.44	-10.37	-10.33	-10.43
Upper Hem. PRP (%)	7.85	8.24	8.60	9.46	9.72	10.27	10.17	9.11	9.04	9.07	8.86
Lower Hem. PRP (%)	6.54	6.94	7.34	8.18	8.55	9.29	9.62	9.04	9.19	9.28	9.05

—◆— Efficiency (%)







