


5.2G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	97.57	0.11	0.72
NVNT	a	5200	Ant1	97.57	0.11	0.71
NVNT	a	5240	Ant1	97.57	0.11	0.72
NVNT	n20	5180	Ant1	97.41	0.11	0.77
NVNT	n20	5200	Ant1	97.44	0.11	0.77
NVNT	n20	5240	Ant1	97.43	0.11	0.77
NVNT	n40	5190	Ant1	95.08	0.22	1.54
NVNT	n40	5230	Ant1	95.04	0.22	1.56
NVNT	ac20	5180	Ant1	97.45	0.11	0.76
NVNT	ac20	5200	Ant1	97.45	0.11	0.76
NVNT	ac20	5240	Ant1	97.45	0.11	0.76
NVNT	ac40	5190	Ant1	95.13	0.22	1.54
NVNT	ac40	5230	Ant1	95.09	0.22	1.54
NVNT	ac80	5210	Ant1	90.58	0.43	3.03

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1



Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.26	0.11	11.37	24	Pass
NVNT	a	5200	Ant1	12.09	0.11	12.2	24	Pass
NVNT	a	5240	Ant1	12.23	0.11	12.34	24	Pass
NVNT	n20	5180	Ant1	11.21	0.11	11.32	24	Pass
NVNT	n20	5200	Ant1	12.06	0.11	12.17	24	Pass
NVNT	n20	5240	Ant1	11.18	0.11	11.29	24	Pass
NVNT	n40	5190	Ant1	8.89	0.22	9.11	24	Pass
NVNT	n40	5230	Ant1	9.68	0.22	9.9	24	Pass
NVNT	ac20	5180	Ant1	10.24	0.11	10.35	24	Pass
NVNT	ac20	5200	Ant1	11.64	0.11	11.75	24	Pass
NVNT	ac20	5240	Ant1	11.64	0.11	11.75	24	Pass
NVNT	ac40	5190	Ant1	9.88	0.22	10.1	24	Pass
NVNT	ac40	5230	Ant1	10.78	0.22	11	24	Pass
NVNT	ac80	5210	Ant1	9.43	0.43	9.86	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.19	Pass
NVNT	a	5200	Ant1	20.352	Pass
NVNT	a	5240	Ant1	20.457	Pass
NVNT	n20	5180	Ant1	22.326	Pass
NVNT	n20	5200	Ant1	20.331	Pass
NVNT	n20	5240	Ant1	21.564	Pass
NVNT	n40	5190	Ant1	40.458	Pass
NVNT	n40	5230	Ant1	40.596	Pass
NVNT	ac20	5180	Ant1	20.757	Pass
NVNT	ac20	5200	Ant1	20.424	Pass
NVNT	ac20	5240	Ant1	20.358	Pass
NVNT	ac40	5190	Ant1	40.812	Pass
NVNT	ac40	5230	Ant1	40.818	Pass
NVNT	ac80	5210	Ant1	81.192	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.468
NVNT	a	5200	Ant1	16.423
NVNT	a	5240	Ant1	16.537
NVNT	n20	5180	Ant1	17.602
NVNT	n20	5200	Ant1	17.644
NVNT	n20	5240	Ant1	17.824
NVNT	n40	5190	Ant1	36.014
NVNT	n40	5230	Ant1	36.026
NVNT	ac20	5180	Ant1	17.548
NVNT	ac20	5200	Ant1	17.548
NVNT	ac20	5240	Ant1	17.578
NVNT	ac40	5190	Ant1	36.02
NVNT	ac40	5230	Ant1	36.032
NVNT	ac80	5210	Ant1	75.172

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac80 5210MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.44	0.11	-0.33	11	Pass
NVNT	a	5200	Ant1	0.32	0.11	0.43	11	Pass
NVNT	a	5240	Ant1	0.68	0.11	0.79	11	Pass
NVNT	n20	5180	Ant1	-1.32	0.11	-1.21	11	Pass
NVNT	n20	5200	Ant1	-0.01	0.11	0.1	11	Pass
NVNT	n20	5240	Ant1	-0.6	0.11	-0.49	11	Pass
NVNT	n40	5190	Ant1	-6.58	0.22	-6.36	11	Pass
NVNT	n40	5230	Ant1	-4.48	0.22	-4.26	11	Pass
NVNT	ac20	5180	Ant1	-0.99	0.11	-0.88	11	Pass
NVNT	ac20	5200	Ant1	-0.49	0.11	-0.38	11	Pass
NVNT	ac20	5240	Ant1	1.3	0.11	1.41	11	Pass
NVNT	ac40	5190	Ant1	-5.51	0.22	-5.29	11	Pass
NVNT	ac40	5230	Ant1	-4.65	0.22	-4.43	11	Pass
NVNT	ac80	5210	Ant1	-10.87	0.43	-10.44	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-27.14	-27	Pass
NVNT	a	5240	Ant1	-35.86	-27	Pass
NVNT	n20	5180	Ant1	-28.07	-27	Pass
NVNT	n20	5240	Ant1	-36.25	-27	Pass
NVNT	n40	5190	Ant1	-32.8	-27	Pass
NVNT	n40	5230	Ant1	-31.07	-27	Pass
NVNT	ac20	5180	Ant1	-27.43	-27	Pass
NVNT	ac20	5240	Ant1	-36.03	-27	Pass
NVNT	ac40	5190	Ant1	-27.31	-27	Pass
NVNT	ac40	5230	Ant1	-36.59	-27	Pass
NVNT	ac80	5210	Ant1	-38.92	-27	Pass

Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1






Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5200	Ant1	-32.22	-27	Pass
NVNT	a	5240	Ant1	-31.86	-27	Pass
NVNT	n20	5180	Ant1	-31.51	-27	Pass
NVNT	n20	5200	Ant1	-32.27	-27	Pass
NVNT	n20	5240	Ant1	-31.82	-27	Pass
NVNT	n40	5190	Ant1	-32.49	-27	Pass
NVNT	n40	5230	Ant1	-31.36	-27	Pass
NVNT	ac20	5180	Ant1	-33.19	-27	Pass
NVNT	ac20	5200	Ant1	-31.86	-27	Pass
NVNT	ac20	5240	Ant1	-32.07	-27	Pass
NVNT	ac40	5190	Ant1	-31.58	-27	Pass
NVNT	ac40	5230	Ant1	-31.97	-27	Pass
NVNT	ac80	5210	Ant1	-30.35	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission







Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission






5.3G WIFI

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	97.54	0.11	0.72
NVNT	a	5280	Ant1	97.57	0.11	0.72
NVNT	a	5320	Ant1	97.55	0.11	0.72
NVNT	n20	5260	Ant1	97.44	0.11	0.77
NVNT	n20	5280	Ant1	97.4	0.11	0.77
NVNT	n20	5320	Ant1	97.41	0.11	0.77
NVNT	n40	5270	Ant1	95.09	0.22	1.54
NVNT	n40	5310	Ant1	95.08	0.22	1.54
NVNT	ac20	5260	Ant1	97.44	0.11	0.76
NVNT	ac20	5280	Ant1	97.44	0.11	0.76
NVNT	ac20	5320	Ant1	97.44	0.11	0.76
NVNT	ac40	5270	Ant1	95.13	0.22	1.54
NVNT	ac40	5310	Ant1	95.09	0.22	1.52
NVNT	ac80	5290	Ant1	90.63	0.43	3.03

Test Graphs

Duty Cycle NVNT a 5260MHz Ant1



Duty Cycle NVNT a 5280MHz Ant1

