

Oklahoma Sound



Model # PRA8000+PRA8-5

Instruction Manual

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

***RF warning for Mobile device:**

This equipment should be installed and operated with minimum distance 20cm between the radiator& your body.

www.nationalpublicseating.com ♦ info@nationalpublicseating.com




Functions:

- 1.USB Port
- 2.SD MMC Port
- 3.LCD Display
- 4.Function buttons—This will allow to play/pause/forward music played through the unit..
- 5.MIC 1 IN: Use 1/4" jack connector (balanced or unbalanced.)
- 6.Volume control for Mic1
- 7.MIC 2 /Guitar IN: Use 1/4" jack (balanced or unbalanced).
- 8.Volume control for input 2
- 9.AUX IN: Use 1/4" jack, RCA or 3.5mm jack .
- 10.AUX In volume control
- 11.Wireless microphone volume control.
- 12.ECHO Control: Controls the degree of ECHO.
- 13.Equalizer: These controls adjust the overall tone of the mixer,. Each slide control adjusts the amount of a specific frequency + or – 12dB.
- 14.Power/clip Indicator: The green LED light up when turn on. / The red LED light up when signal distortion occurs. Turn down the volume control until the CLIP LED does no light up any more .
- 15.Signal Indicator for wireless MIC: The LED lights up when the wireless Mic is turned on. It remains green while the wireless signal from the wireless is strong.
- 16.Master level: Controls the total volume of the PA system.
- 17.Charge Indicator: The red & green LED lights flash alternately when charging, and the green light on when fully charged
- 18.Power Supply Switch.
- 19.Voltage selector: Change AC power between 115V and 230V.
- 20.Power Supply Input connector:
- 21.Mode— This button will allow you switch from the various sources of media you want to play from.

Bluetooth

To play a media file via Bluetooth begin by pressing the M button #21 until "br" appears on the screen and the small Bluetooth icon in the right hand corner of the screen begins to flash. This indicates that your unit is in discoverable mode. Once your unit is in discoverable mode begin pairing your media device to the unit by initiating the pair from your media device. Your media device will recognize the PA system as "PRA8000". Once the media device and the PA system has successfully been paired, the small bluetooth icon will stop flashing and turn solid. You can then begin to play your media file through the PA system from directly from your media player.

Control Panel





TECHNICAL SPECIFICATIONS

Dimensions (W*D*H).....10.5" x 11.5" x 16"
Max. Output power40W
Frequency Response62Hz ~18kHz
THD.....<1% @ 1kHz
Speaker Drivers.....LF: 8 inch (20cm) Cone
Audio Inputs .(2)....., 1 /4 inch for microphone and instrument
Aux Input .(1)....., 3.5mm for media player jack
Power Requirements.....Internal 1x12v /4.5AH recharging battery or
Recharging time.....5 hours charging, 6-8 hours operation
Enclosure Material.....Plastic
Mounting.....Integral 1 3 /8-inch Pole Mount Receptacle
Net Weight.....23lb

Manufactures Warranty


Our carts undergo the most rigid and exacting test for superior quality and performance before leaving our factory. Oklahoma Sound warrants this product to be free from defective material and workmanship on this unit for five years from the date of resale by an authorized Oklahoma Sound distributor. Oklahoma Sound will replace defective parts and repair malfunctioning products under this warranty when the defect occurs under normal installation and use, provided that the unit is returned to our factory via prepaid transportation after direct authorization and approval form Oklahoma Sound. This warranty provides that examination of the returned product must disclose in our judgment a manufacturing defect. This warranty does not extend to any product which has been subject to misuse, neglect, accident, improper installation or where the serial number has been removed if defective and is given in lieu of any other warranty implied or expressed and will not cover any damage.



Other Sound and Non-Sound Lecterns from Oklahoma Sound



Model #WZD



Model #612



Model #LSS



Model #111PLS



Model #SCL