



Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.405MHz	-77.04	-13.00	-64.04	PK	Hor
2*	496.813MHz	-72.17	-13.00	-59.17	PK	Hor
3*	988.239MHz	-61.23	-13.00	-48.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.070MHz	-76.04	-13.00	-63.04	PK	Ver
2*	572.836MHz	-67.52	-13.00	-54.52	PK	Ver
3*	979.388MHz	-61.41	-13.00	-48.41	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.770MHz	-77.32	-13.00	-64.32	PK	Hor
2*	491.235MHz	-72.27	-13.00	-59.27	PK	Hor
3*	978.539MHz	-62.25	-13.00	-49.25	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	170.529MHz	-75.65	-13.00	-62.65	PK	Ver
2*	521.184MHz	-70.69	-13.00	-57.69	PK	Ver
3*	994.059MHz	-60.13	-13.00	-47.13	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.676MHz	-77.49	-13.00	-64.49	PK	Hor
2*	501.784MHz	-70.96	-13.00	-57.96	PK	Hor
3*	943.134MHz	-61.11	-13.00	-48.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.190MHz	-76.86	-13.00	-63.86	PK	Ver
2*	567.501MHz	-68.66	-13.00	-55.66	PK	Ver
3*	944.710MHz	-61.42	-13.00	-48.42	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.340MHz	-77.12	-13.00	-64.12	PK	Hor
2*	459.346MHz	-72.55	-13.00	-59.55	PK	Hor
3*	978.175MHz	-60.74	-13.00	-47.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.464MHz	-76.38	-13.00	-63.38	PK	Ver
2*	529.550MHz	-70.61	-13.00	-57.61	PK	Ver
3*	972.113MHz	-61.48	-13.00	-48.48	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.648MHz	-76.75	-13.00	-63.75	PK	Hor
2*	534.158MHz	-69.91	-13.00	-56.91	PK	Hor
3*	967.384MHz	-61.68	-13.00	-48.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.254MHz	-75.33	-13.00	-62.33	PK	Ver
2*	517.789MHz	-70.93	-13.00	-57.93	PK	Ver
3*	988.118MHz	-61.12	-13.00	-48.12	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.916MHz	-76.48	-13.00	-63.48	PK	Hor
2*	563.258MHz	-69.30	-13.00	-56.30	PK	Hor
3*	995.635MHz	-61.31	-13.00	-48.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.553MHz	-76.87	-13.00	-63.87	PK	Ver
2*	622.791MHz	-65.70	-13.00	-52.70	PK	Ver
3*	968.718MHz	-61.71	-13.00	-48.71	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 38 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	172.711MHz	-77.71	-13.00	-64.71	PK	Hor
2*	498.874MHz	-72.87	-13.00	-59.87	PK	Hor
3*	980.358MHz	-62.14	-13.00	-49.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.766MHz	-76.52	-13.00	-63.52	PK	Ver
2*	540.705MHz	-69.11	-13.00	-56.11	PK	Ver
3*	977.084MHz	-60.96	-13.00	-47.96	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 38 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	142.399MHz	-77.11	-13.00	-64.11	PK	Hor
2*	507.846MHz	-70.86	-13.00	-57.86	PK	Hor
3*	986.420MHz	-61.78	-13.00	-48.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.494MHz	-76.74	-13.00	-63.74	PK	Ver
2*	551.254MHz	-70.97	-13.00	-57.97	PK	Ver
3*	991.876MHz	-62.39	-13.00	-49.39	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.825MHz	-75.92	-13.00	-62.92	PK	Hor
2*	490.023MHz	-72.73	-13.00	-59.73	PK	Hor
3*	966.293MHz	-61.07	-13.00	-48.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.161MHz	-76.06	-13.00	-63.06	PK	Ver
2*	433.884MHz	-72.90	-13.00	-59.90	PK	Ver
3*	988.239MHz	-61.57	-13.00	-48.57	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	165.436MHz	-77.36	-13.00	-64.36	PK	Hor
2*	521.911MHz	-69.51	-13.00	-56.51	PK	Hor
3*	983.268MHz	-61.97	-13.00	-48.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.281MHz	-77.10	-13.00	-64.10	PK	Ver
2*	457.406MHz	-72.64	-13.00	-59.64	PK	Ver
3*	975.386MHz	-61.88	-13.00	-48.88	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.766MHz	-76.84	-13.00	-63.84	PK	Hor
2*	426.245MHz	-72.82	-13.00	-59.82	PK	Hor
3*	991.028MHz	-61.23	-13.00	-48.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.498MHz	-76.64	-13.00	-63.64	PK	Ver
2*	518.395MHz	-70.71	-13.00	-57.71	PK	Ver
3*	991.634MHz	-60.76	-13.00	-47.76	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	135.366MHz	-76.97	-13.00	-63.97	PK	Hor
2*	460.195MHz	-70.91	-13.00	-57.91	PK	Hor
3*	878.023MHz	-61.28	-13.00	-48.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.494MHz	-75.96	-13.00	-62.96	PK	Ver
2*	564.470MHz	-69.08	-13.00	-56.08	PK	Ver
3*	957.805MHz	-61.46	-13.00	-48.46	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.886MHz	-76.05	-13.00	-63.05	PK	Hor
2*	454.375MHz	-72.19	-13.00	-59.19	PK	Hor
3*	986.420MHz	-61.53	-13.00	-48.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	169.680MHz	-76.56	-13.00	-63.56	PK	Ver
2*	401.510MHz	-73.47	-13.00	-60.47	PK	Ver
3*	966.535MHz	-61.09	-13.00	-48.09	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	144.824MHz	-77.44	-13.00	-64.44	PK	Hor
2*	474.624MHz	-71.99	-13.00	-58.99	PK	Hor
3*	949.560MHz	-62.44	-13.00	-49.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	165.679MHz	-76.87	-13.00	-63.87	PK	Ver
2*	601.209MHz	-66.98	-13.00	-53.98	PK	Ver
3*	942.528MHz	-61.87	-13.00	-48.87	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 22.1°C
M/N: T2	Humidity: 47%RH
Test Voltage: DC 12V	Test Data: 2023-01-07
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.860MHz	-76.61	-13.00	-63.61	PK	Hor
2*	486.991MHz	-72.34	-13.00	-59.34	PK	Hor
3*	983.389MHz	-61.61	-13.00	-48.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.133MHz	-76.55	-13.00	-63.55	PK	Ver
2*	490.871MHz	-71.49	-13.00	-58.49	PK	Ver
3*	992.968MHz	-60.53	-13.00	-47.53	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.668GHz	-46.01	-13.00	-33.01	PK	Hor
2*	10.856GHz	-40.29	-13.00	-27.29	PK	Hor
3*	14.838GHz	-38.89	-13.00	-25.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.706GHz	-46.88	-13.00	-33.88	PK	Ver
2*	9.428GHz	-42.18	-13.00	-29.18	PK	Ver
3*	14.410GHz	-37.79	-13.00	-24.79	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.892GHz	-46.76	-13.00	-33.76	PK	Hor
2*	11.928GHz	-40.69	-13.00	-27.69	PK	Hor
3*	16.356GHz	-38.01	-13.00	-25.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.796GHz	-47.01	-13.00	-34.01	PK	Ver
2*	9.412GHz	-40.53	-13.00	-27.53	PK	Ver
3*	16.366GHz	-38.09	-13.00	-25.09	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.844GHz	-47.55	-13.00	-34.55	PK	Hor
2*	11.440GHz	-39.40	-13.00	-26.40	PK	Hor
3*	16.942GHz	-38.74	-13.00	-25.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.790GHz	-47.23	-13.00	-34.23	PK	Ver
2*	9.004GHz	-42.15	-13.00	-29.15	PK	Ver
3*	16.458GHz	-37.89	-13.00	-24.89	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.039GHz	-49.35	-13.00	-36.35	PK	Hor
2*	4.823GHz	-47.60	-13.00	-34.60	PK	Hor
3*	8.434GHz	-42.45	-13.00	-29.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.592GHz	-50.07	-13.00	-37.07	PK	Ver
2*	4.853GHz	-46.36	-13.00	-33.36	PK	Ver
3*	8.958GHz	-42.08	-13.00	-29.08	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.240GHz	-49.45	-13.00	-36.45	PK	Hor
2*	4.793GHz	-47.24	-13.00	-34.24	PK	Hor
3*	8.883GHz	-42.06	-13.00	-29.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.479GHz	-49.19	-13.00	-36.19	PK	Ver
2*	6.197GHz	-45.82	-13.00	-32.82	PK	Ver
3*	8.768GHz	-42.39	-13.00	-29.39	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.645GHz	-49.77	-13.00	-36.77	PK	Hor
2*	6.740GHz	-45.53	-13.00	-32.53	PK	Hor
3*	8.866GHz	-40.60	-13.00	-27.60	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.134GHz	-49.86	-13.00	-36.86	PK	Ver
2*	6.196GHz	-45.16	-13.00	-32.16	PK	Ver
3*	9.000GHz	-41.95	-13.00	-28.95	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 38 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.851GHz	-47.72	-13.00	-34.72	PK	Hor
2*	11.260GHz	-40.51	-13.00	-27.51	PK	Hor
3*	16.368GHz	-37.71	-13.00	-24.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.825GHz	-46.69	-13.00	-33.69	PK	Ver
2*	11.393GHz	-40.38	-13.00	-27.38	PK	Ver
3*	16.457GHz	-37.55	-13.00	-24.55	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 38 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	7.180GHz	-44.31	-13.00	-31.31	PK	Hor
2*	11.487GHz	-40.92	-13.00	-27.92	PK	Hor
3*	16.457GHz	-37.94	-13.00	-24.94	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.806GHz	-47.60	-13.00	-34.60	PK	Ver
2*	11.466GHz	-40.81	-13.00	-27.81	PK	Ver
3*	17.934GHz	-37.34	-13.00	-24.34	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.319GHz	-47.87	-13.00	-34.87	PK	Hor
2*	11.427GHz	-41.44	-13.00	-28.44	PK	Hor
3*	17.717GHz	-38.49	-13.00	-25.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.717GHz	-47.37	-13.00	-34.37	PK	Ver
2*	11.317GHz	-40.47	-13.00	-27.47	PK	Ver
3*	16.374GHz	-37.67	-13.00	-24.67	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 40 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	6.160GHz	-45.91	-13.00	-32.91	PK	Hor
2*	11.406GHz	-40.35	-13.00	-27.35	PK	Hor
3*	17.010GHz	-37.75	-13.00	-24.75	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.851GHz	-47.19	-13.00	-34.19	PK	Ver
2*	8.446GHz	-41.44	-13.00	-28.44	PK	Ver
3*	17.839GHz	-38.15	-13.00	-25.15	PK	Ver