



Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.836GHz	-47.29	-13.00	-34.29	PK	Hor
2*	11.398GHz	-40.41	-13.00	-27.41	PK	Hor
3*	17.571GHz	-37.74	-13.00	-24.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.657GHz	-48.11	-13.00	-35.11	PK	Ver
2*	10.815GHz	-41.03	-13.00	-28.03	PK	Ver
3*	16.366GHz	-37.59	-13.00	-24.59	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.761GHz	-48.04	-13.00	-35.04	PK	Hor
2*	9.424GHz	-40.66	-13.00	-27.66	PK	Hor
3*	17.926GHz	-38.24	-13.00	-25.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.793GHz	-47.66	-13.00	-34.66	PK	Ver
2*	11.340GHz	-40.43	-13.00	-27.43	PK	Ver
3*	16.370GHz	-37.54	-13.00	-24.54	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.736GHz	-47.70	-13.00	-34.70	PK	Hor
2*	8.863GHz	-41.61	-13.00	-28.61	PK	Hor
3*	17.902GHz	-38.10	-13.00	-25.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.706GHz	-46.74	-13.00	-33.74	PK	Ver
2*	8.875GHz	-41.63	-13.00	-28.63	PK	Ver
3*	17.552GHz	-37.46	-13.00	-24.46	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.763GHz	-47.36	-13.00	-34.36	PK	Hor
2*	11.272GHz	-40.26	-13.00	-27.26	PK	Hor
3*	17.722GHz	-37.30	-13.00	-24.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.787GHz	-46.72	-13.00	-33.72	PK	Ver
2*	11.493GHz	-39.97	-13.00	-26.97	PK	Ver
3*	17.836GHz	-36.75	-13.00	-23.75	PK	Ver

Project: LGT22K057	Test Engineer: Dylan.shi
EUT: dash camera	Temperature: 21°C
M/N: T2	Humidity: 52%RH
Test Voltage: DC 12V	Test Data: 2023-01-05
Test Mode: LTE Band 41 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.755GHz	-48.31	-13.00	-35.31	PK	Hor
2*	11.266GHz	-41.24	-13.00	-28.24	PK	Hor
3*	17.896GHz	-38.17	-13.00	-25.17	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	7.596GHz	-42.69	-13.00	-29.69	PK	Ver
2*	11.400GHz	-40.38	-13.00	-27.38	PK	Ver
3*	17.915GHz	-37.36	-13.00	-24.36	PK	Ver

※※※※※END OF THE REPORT※※※※※