








MANUAL

HALO NANOCAM

HALO

PRODUCT INFORMATION:



MANUAL

HALO NANOCAM

HALO

BUTTON INFORMATION:

Button	Short press	Double tap
Record	N/A	-Recording Start/Stop - Panic Alert - Livestream Server Active
FN	N/A	N/A
Power	Brighten screen	Torch ON/OFF



LED INFORMATION:

LED Indicator	Colour	Description
Left LED	Green	FlashingStandby
	Red	Flashing: Recording
Right LED	Blue	ON: Charging
	Green	ON: Charging completed




MANUAL

HALO NANOCAM

HALO

SCREEN INFORMATION:

WIFI connected	
WIFI disconnected	
Camera is live streaming	
Battery level	
Recording resolution (1080P means the resolution is 1920x1080)	
Remain storage and Total storage space	
Ethernet connected - Live connection	
Number of files uploading - E.g file number 6 out of 10 is about to upload	 6/10
File upload progress - E.g. file is 59% uploaded into Vault	 59%



CHARGING:

1. Plugin the type-C USB provided into the back of the charging dock.
2. Once you have turned on the plug, the right LED should turn to constant blue. This means the camera is charging.
3. To remove the camera from the dock - Do not do so in an upward motion. The camera must be titled forward and then lifted from the dock.

MANUAL

HALO NANOCAM

HALO

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Specific Absorption Rate (SAR) information:

This Body Camera meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement

the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Body Camera has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the Body Camera kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 0mm separation distance between the user's body and the back of the Body Camera. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.