





Smart Humidity Sensor

Product Description



Preparation for use




Ensure that the product is within the effective coverage range of the Tuya zigbee gateway network to ensure effective connection between the product and the gateway.


*Ensure that the Tuya zigbee gateway has been added when connecting to app

Network Setting

1. Power on the product.




Rotate the battery cover counterclockwise to open it.



Install two AAA batteries.

2. Press the reset button for 5s, the signal icon flashes, the detector is in network setting status.



3. Single click the button to switch °C/°F, double click the button to update the temperature and humidity data immediately.




Distribution network hint:


- Press the button for 5s-10s, when signal icon flashes fast, release the button for network setting. It will last for 20s for network setting, and the signal icon keeps on flashing. If pressing for more than 10s, network setting is cancelled.
- The signal icon will stay to indicate network setting succeeds. If fails, the signal icon will disappear.

Installation Instructions

Installation method 1: Use a 3M sticker to affix the product to the target position.



Installation method 2: Place the product on the table.



Technical Parameters

Wireless Technology	ZigBee
Working Voltage	DC 3 V (Two AAA batteries)
Transmission Frequency	2.4 GHz
Working Temperature	-10°C to +55°C 0% to 99.9% RH
Undervoltage Alarm	Supported
Dimensions	φ61.2 mm x 23 mm

Toxic or Hazardous Substances or Elements of this Product

Component Name	Toxic or Hazardous Substances or Elements					
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent chromium (Cr (VI))	Polybrominated biphenyls (PBBs)	Polybrominated diphenyl ethers (PBDEs)
LED	O	O	O	O	O	O
PCB	O	O	O	O	O	O
Cover and other components	O	O	O	O	O	O

This table complies with SJ/T 11364.

O: indicates that the toxic or hazardous substance amount contained in all homogeneous materials of a component does not exceed that stipulated in GB/T 26572.

X: indicates that the toxic or hazardous substance amount contained in at least one of the homogeneous materials of a component exceeds that stipulated in GB/T 26572.



Warranty Certificate

Warranty policy:

1. If the product has quality problems within 7 days of the payment date, you can apply for a refund based on the invoice price or to replace with the same model or have it repaired..
2. If the product has quality problems within 15 days of the payment date, you can apply to replace the product with the same model or have it repaired.
3. If the product has quality problems within 12 months of the payment date, you can apply to have it repaired.

What is not covered under this warranty:

1. The product owner has no warranty certificate or the warranty service has expired.
2. Damage caused by improper use, maintenance, or storage
3. Damage caused by disassembly and repair without Tuya's authorization
4. Damage caused by force majeure
5. Normal discoloration and depreciation after the product has been used

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.