

1. Conducted Output Power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dBi)	ERP (dBm)	Verdict
n26(814-824)	15	5	163300	25@0	DFT_BPSK	21.75	-2.00	17.60	PASS
n26(814-824)	15	5	163300	12@6	DFT_BPSK	22.76	-2.00	18.61	PASS
n26(814-824)	15	5	163300	1@1	DFT_BPSK	22.68	-2.00	18.53	PASS
n26(814-824)	15	5	163300	1@23	DFT_BPSK	22.63	-2.00	18.48	PASS
n26(814-824)	15	5	163300	25@0	DFT_QPSK	21.82	-2.00	17.67	PASS
n26(814-824)	15	5	163300	12@6	DFT_QPSK	22.74	-2.00	18.59	PASS
n26(814-824)	15	5	163300	1@1	DFT_QPSK	22.65	-2.00	18.50	PASS
n26(814-824)	15	5	163300	1@23	DFT_QPSK	22.63	-2.00	18.48	PASS
n26(814-824)	15	5	163300	25@0	DFT_16QAM	21.77	-2.00	17.62	PASS
n26(814-824)	15	5	163300	12@6	DFT_16QAM	22.81	-2.00	18.66	PASS
n26(814-824)	15	5	163300	1@1	DFT_16QAM	22.66	-2.00	18.51	PASS
n26(814-824)	15	5	163300	1@23	DFT_16QAM	22.63	-2.00	18.48	PASS
n26(814-824)	15	5	163300	25@0	DFT_64QAM	21.85	-2.00	17.70	PASS
n26(814-824)	15	5	163300	12@6	DFT_64QAM	22.92	-2.00	18.77	PASS
n26(814-824)	15	5	163300	1@1	DFT_64QAM	22.64	-2.00	18.49	PASS
n26(814-824)	15	5	163300	1@23	DFT_64QAM	22.69	-2.00	18.54	PASS
n26(814-824)	15	5	163300	25@0	DFT_256QAM	20.50	-2.00	16.35	PASS
n26(814-824)	15	5	163300	12@6	DFT_256QAM	20.44	-2.00	16.29	PASS
n26(814-824)	15	5	163300	1@1	DFT_256QAM	20.11	-2.00	15.96	PASS
n26(814-824)	15	5	163300	1@23	DFT_256QAM	20.15	-2.00	16.00	PASS
n26(814-824)	15	5	163800	25@0	DFT_BPSK	21.76	-2.00	17.61	PASS
n26(814-824)	15	5	163800	12@6	DFT_BPSK	21.66	-2.00	17.51	PASS
n26(814-824)	15	5	163800	1@1	DFT_BPSK	21.38	-2.00	17.23	PASS
n26(814-824)	15	5	163800	1@23	DFT_BPSK	22.47	-2.00	18.32	PASS
n26(814-824)	15	5	163800	25@0	DFT_QPSK	21.67	-2.00	17.52	PASS
n26(814-824)	15	5	163800	12@6	DFT_QPSK	22.61	-2.00	18.46	PASS
n26(814-824)	15	5	163800	1@1	DFT_QPSK	22.39	-2.00	18.24	PASS
n26(814-824)	15	5	163800	1@23	DFT_QPSK	22.51	-2.00	18.36	PASS
n26(814-824)	15	5	163800	25@0	DFT_16QAM	21.67	-2.00	17.52	PASS
n26(814-824)	15	5	163800	12@6	DFT_16QAM	21.66	-2.00	17.51	PASS
n26(814-824)	15	5	163800	1@1	DFT_16QAM	22.32	-2.00	18.17	PASS
n26(814-824)	15	5	163800	1@23	DFT_16QAM	21.43	-2.00	17.28	PASS
n26(814-824)	15	5	163800	25@0	DFT_64QAM	21.68	-2.00	17.53	PASS
n26(814-824)	15	5	163800	12@6	DFT_64QAM	21.62	-2.00	17.47	PASS
n26(814-824)	15	5	163800	1@1	DFT_64QAM	22.30	-2.00	18.15	PASS
n26(814-824)	15	5	163800	1@23	DFT_64QAM	21.45	-2.00	17.30	PASS
n26(814-824)	15	5	163800	25@0	DFT_256QAM	22.64	-2.00	18.49	PASS

n26(814-824)	15	5	163800	12@6	DFT_256QAM	21.60	-2.00	17.45	PASS
n26(814-824)	15	5	163800	1@1	DFT_256QAM	21.26	-2.00	17.11	PASS
n26(814-824)	15	5	163800	1@23	DFT_256QAM	22.33	-2.00	18.18	PASS
n26(814-824)	15	5	164300	25@0	DFT_BPSK	21.71	-2.00	17.56	PASS
n26(814-824)	15	5	164300	12@6	DFT_BPSK	21.23	-2.00	17.08	PASS
n26(814-824)	15	5	164300	1@1	DFT_BPSK	21.44	-2.00	17.29	PASS
n26(814-824)	15	5	164300	1@23	DFT_BPSK	22.41	-2.00	18.26	PASS
n26(814-824)	15	5	164300	25@0	DFT_QPSK	21.71	-2.00	17.56	PASS
n26(814-824)	15	5	164300	12@6	DFT_QPSK	21.75	-2.00	17.60	PASS
n26(814-824)	15	5	164300	1@1	DFT_QPSK	22.34	-2.00	18.19	PASS
n26(814-824)	15	5	164300	1@23	DFT_QPSK	21.47	-2.00	17.32	PASS
n26(814-824)	15	5	164300	25@0	DFT_16QAM	22.74	-2.00	18.59	PASS
n26(814-824)	15	5	164300	12@6	DFT_16QAM	21.77	-2.00	17.62	PASS
n26(814-824)	15	5	164300	1@1	DFT_16QAM	22.39	-2.00	18.24	PASS
n26(814-824)	15	5	164300	1@23	DFT_16QAM	21.45	-2.00	17.30	PASS
n26(814-824)	15	5	164300	25@0	DFT_64QAM	21.73	-2.00	17.58	PASS
n26(814-824)	15	5	164300	12@6	DFT_64QAM	21.74	-2.00	17.59	PASS
n26(814-824)	15	5	164300	1@1	DFT_64QAM	22.39	-2.00	18.24	PASS
n26(814-824)	15	5	164300	1@23	DFT_64QAM	21.51	-2.00	17.36	PASS
n26(814-824)	15	5	164300	25@0	DFT_256QAM	21.76	-2.00	17.61	PASS
n26(814-824)	15	5	164300	12@6	DFT_256QAM	21.63	-2.00	17.48	PASS
n26(814-824)	15	5	164300	1@1	DFT_256QAM	21.33	-2.00	17.18	PASS
n26(814-824)	15	5	164300	1@23	DFT_256QAM	22.41	-2.00	18.26	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	22.63	-2.00	18.48	PASS
n26(814-824)	15	10	163800	25@12	DFT_BPSK	21.74	-2.00	17.59	PASS
n26(814-824)	15	10	163800	1@1	DFT_BPSK	22.41	-2.00	18.26	PASS
n26(814-824)	15	10	163800	1@50	DFT_BPSK	21.59	-2.00	17.44	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	22.68	-2.00	18.53	PASS
n26(814-824)	15	10	163800	25@12	DFT_QPSK	22.65	-2.00	18.50	PASS
n26(814-824)	15	10	163800	1@1	DFT_QPSK	21.45	-2.00	17.30	PASS
n26(814-824)	15	10	163800	1@50	DFT_QPSK	22.48	-2.00	18.33	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	22.57	-2.00	18.42	PASS
n26(814-824)	15	10	163800	25@12	DFT_16QAM	21.74	-2.00	17.59	PASS
n26(814-824)	15	10	163800	1@1	DFT_16QAM	22.38	-2.00	18.23	PASS
n26(814-824)	15	10	163800	1@50	DFT_16QAM	21.50	-2.00	17.35	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	22.10	-2.00	17.95	PASS
n26(814-824)	15	10	163800	25@12	DFT_64QAM	21.82	-2.00	17.67	PASS
n26(814-824)	15	10	163800	1@1	DFT_64QAM	21.42	-2.00	17.27	PASS
n26(814-824)	15	10	163800	1@50	DFT_64QAM	21.58	-2.00	17.43	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	21.57	-2.00	17.42	PASS
n26(814-824)	15	10	163800	25@12	DFT_256QAM	22.73	-2.00	18.58	PASS
n26(814-824)	15	10	163800	1@1	DFT_256QAM	21.36	-2.00	17.21	PASS


n26(814-824)	15	10	163800	1@50	DFT_256QAM	21.48	-2.00	17.33	PASS
--------------	----	----	--------	------	------------	-------	-------	-------	------

2. Frequency Stability for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage	Temperature	Result (Hz)	Result (ppm)	Limit (ppm)	Verdict
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	-30	-3.90	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	-20	-0.20	0.000	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	-10	-4.30	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	0	-5.70	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	10	-7.50	-0.003	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	20	-5.60	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	30	-3.70	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	40	-1.90	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	NV	50	-7.90	-0.003	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	VH	NT	-3.20	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	VN	NT	-6.00	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	VL	NT	-4.00	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	-30	-2.20	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	-20	-2.20	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	-10	-2.30	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	0	2.00	0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	10	-5.20	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	20	-0.40	0.000	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	30	0.50	0.000	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	40	-2.80	-0.001	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	NV	50	-5.80	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	VH	NT	-4.20	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	VN	NT	-4.20	-0.002	±2.5	PASS
n26(814-824)	15	10	163800	50@0	CP_QPSK	VL	NT	-5.10	-0.002	±2.5	PASS

3. Peak-to-average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n26(814-824)	15	5	163300	25@0	DFT_BPSK	6.72	13	PASS
n26(814-824)	15	5	163300	25@0	DFT_QPSK	6.72	13	PASS
n26(814-824)	15	5	163300	25@0	DFT_16QAM	6.72	13	PASS
n26(814-824)	15	5	163300	25@0	DFT_64QAM	6.72	13	PASS
n26(814-824)	15	5	163300	25@0	DFT_256QAM	6.43	13	PASS
n26(814-824)	15	5	163800	25@0	DFT_BPSK	6.70	13	PASS
n26(814-824)	15	5	163800	25@0	DFT_QPSK	6.64	13	PASS
n26(814-824)	15	5	163800	25@0	DFT_16QAM	6.49	13	PASS
n26(814-824)	15	5	163800	25@0	DFT_64QAM	6.64	13	PASS
n26(814-824)	15	5	163800	25@0	DFT_256QAM	6.58	13	PASS
n26(814-824)	15	5	164300	25@0	DFT_BPSK	6.46	13	PASS
n26(814-824)	15	5	164300	25@0	DFT_QPSK	6.61	13	PASS
n26(814-824)	15	5	164300	25@0	DFT_16QAM	6.61	13	PASS
n26(814-824)	15	5	164300	25@0	DFT_64QAM	6.61	13	PASS
n26(814-824)	15	5	164300	25@0	DFT_256QAM	6.32	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	6.70	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	6.72	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	6.43	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	6.70	13	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	6.75	13	PASS




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=163300 RB=25@0



n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz Channel=163300 RB=25@0



n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz Channel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_QPSK BW=10MHz Channel=163800 RB=50@0



n26(814-824) SCS=15kHz DFT_16QAM BW=10MHz Channel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_64QAM BW=10MHz Channel=163800 RB=50@0




n26(814-824) SCS=15kHz DFT_256QAM BW=10MHz Channel=163800 RB=50@0

4. Occupied Bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n26(814-824)	15	5	163300	816.5	25@0	DFT_BPSK	4.476	4.930	PASS
n26(814-824)	15	5	163300	816.5	25@0	CP_QPSK	4.486	4.970	PASS
n26(814-824)	15	5	163300	816.5	25@0	CP_16QAM	4.486	4.930	PASS
n26(814-824)	15	5	163300	816.5	25@0	CP_64QAM	4.486	4.990	PASS
n26(814-824)	15	5	163300	816.5	25@0	CP_256QAM	4.476	4.940	PASS
n26(814-824)	15	5	163800	819	25@0	DFT_BPSK	4.466	4.920	PASS
n26(814-824)	15	5	163800	819	25@0	CP_QPSK	4.486	4.980	PASS
n26(814-824)	15	5	163800	819	25@0	CP_16QAM	4.486	4.920	PASS
n26(814-824)	15	5	163800	819	25@0	CP_64QAM	4.496	4.920	PASS
n26(814-824)	15	5	163800	819	25@0	CP_256QAM	4.486	4.970	PASS
n26(814-824)	15	5	164300	821.5	25@0	DFT_BPSK	4.466	4.930	PASS
n26(814-824)	15	5	164300	821.5	25@0	CP_QPSK	4.476	4.920	PASS
n26(814-824)	15	5	164300	821.5	25@0	CP_16QAM	4.476	4.950	PASS
n26(814-824)	15	5	164300	821.5	25@0	CP_64QAM	4.476	4.910	PASS
n26(814-824)	15	5	164300	821.5	25@0	CP_256QAM	4.486	4.970	PASS
n26(814-824)	15	10	163800	819	50@0	DFT_BPSK	8.951	9.600	PASS
n26(814-824)	15	10	163800	819	52@0	CP_QPSK	9.291	9.980	PASS
n26(814-824)	15	10	163800	819	52@0	CP_16QAM	9.291	10.000	PASS
n26(814-824)	15	10	163800	819	52@0	CP_64QAM	9.311	10.000	PASS
n26(814-824)	15	10	163800	819	52@0	CP_256QAM	9.311	10.000	PASS




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz CP_QPSK BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz CP_16QAM BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz CP_64QAM BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz CP_256QAM BW=5MHz Channel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_QPSK BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_16QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_64QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz CP_256QAM BW=5MHz Channel=163800 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz CP_QPSK BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz CP_16QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz CP_64QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz CP_256QAM BW=5MHz Channel=164300 RB=25@0




n26(814-824) SCS=15kHz DFT_BPSK BW=10MHz Channel=163800 RB=50@0




n26(814-824) SCS=15kHz CP_QPSK BW=10MHz Channel=163800 RB=52@0



n26(814-824) SCS=15kHz CP_16QAM BW=10MHz Channel=163800 RB=52@0




n26(814-824) SCS=15kHz CP_64QAM BW=10MHz Channel=163800 RB=52@0




n26(814-824) SCS=15kHz CP_256QAM BW=10MHz Channel=163800 RB=52@0

5. Conducted Band Edge for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n26(814-824)	15	5	163300	25@0	DFT_BPSK	813.96	-30.04	-13	PASS
n26(814-824)	15	5	163300	25@0	DFT_QPSK	813.99	-37.95	-20	PASS
n26(814-824)	15	5	163300	25@0	DFT_16QAM	819.00	-37.81	-20	PASS
n26(814-824)	15	5	163300	25@0	DFT_64QAM	819.00	-38.10	-20	PASS
n26(814-824)	15	5	163300	25@0	DFT_256QAM	819.01	-39.02	-20	PASS
n26(814-824)	15	5	163300	25@0	CP_QPSK	813.96	-36.57	-13	PASS
n26(814-824)	15	5	164300	25@0	DFT_BPSK	818.96	-28.69	-13	PASS
n26(814-824)	15	5	164300	25@0	DFT_QPSK	818.99	-36.19	-20	PASS
n26(814-824)	15	5	164300	25@0	DFT_16QAM	818.99	-36.45	-20	PASS
n26(814-824)	15	5	164300	25@0	DFT_64QAM	818.95	-29.51	-13	PASS
n26(814-824)	15	5	164300	25@0	DFT_256QAM	818.96	-30.28	-13	PASS
n26(814-824)	15	5	164300	25@0	CP_QPSK	818.95	-35.10	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	813.99	-42.17	-20	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	813.94	-34.87	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	813.94	-35.11	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	813.99	-41.34	-20	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	814.00	-44.30	-20	PASS
n26(814-824)	15	10	163800	52@0	CP_QPSK	813.99	-47.55	-20	PASS
n26(814-824)	15	10	163800	50@0	DFT_BPSK	813.96	-34.48	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_QPSK	813.99	-42.00	-20	PASS
n26(814-824)	15	10	163800	50@0	DFT_16QAM	813.96	-34.44	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_64QAM	813.94	-34.67	-13	PASS
n26(814-824)	15	10	163800	50@0	DFT_256QAM	814.00	-44.31	-20	PASS
n26(814-824)	15	10	163800	52@0	CP_QPSK	813.99	-47.04	-20	PASS




n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_16QAM BW=5MHz LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_64QAM BW=5MHz LowChannel=163300 RB=25@0




n26(814-824) SCS=15kHz DFT_256QAM BW=5MHz LowChannel=163300 RB=25@0



n26(814-824) SCS=15kHz CP_QPSK BW=5MHz LowChannel=163300 RB=25@0



n26(814-824) SCS=15kHz DFT_BPSK BW=5MHz HighChannel=164300 RB=25@0



n26(814-824) SCS=15kHz DFT_QPSK BW=5MHz HighChannel=164300 RB=25@0