User Manual

Getting Started

CYPHEROCK

X1 Vault

NFC Based Technology

Tap here

X1 Card

X1 Vault

Joystick

Display

USB Type C Port

EAL 5+ Secure chip

X1 Card

https://www.cypherock.com/manuals

Introduction to Cypherock X1

Cypherock X1 is the world's first hardware wallet that never stores the private keys in a single place giving it 10x more security than a normal hardware wallet. It doesn't require you to back up your seed phrase anywhere and helps in inheritance of your crypto without compromising privacy & control.

Contents of the box
- X1 Vault
- 4 X1 Cards
- USB Type-C to USB Type-A Cable
- Lanyard String, Card Sleeves, Converter
- Product Manual, Warranty card, Webcam cover

Basic Parameters

Product Name	Cypherock X1
CPU	STM32 Arm Cortex M4 32-bit
Display	OLED 128x64 pixels
Input Interface	5 Way Joystick
X1 Wallet Communication Interface:	USB Type-C 2.0 FS, NFC (Reader & Target)
X1 Card Communication Interface:	NFC (Target)
NFC frequency	13.56 MHz
X1 Card Secure Chip	EAL 5+ Certified
Card Tapping Distance	15mm Optimum From top and bottom
Secure Card Applet	X1 Card Applet
Size	3x 6.4 x 1.5 cm
Weight	200g
Power	5V USB (200mA Max)
Working Temperature	0-60 ^{0}C
Country of origin	India
Supported Language	English
Compatibility	Windows, Mac, Linux, Android & IOS

USE, CARE & COMPLIANCE STATEMENT

US Regulatory statement

FℂC

FCC ID: 2A9MU-X1-VAULT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

Shielded USB cable must be used with this unit to ensure compliance with the Class B FCC limits.

CE regulatory mark

C E

Warning: Changes or modifications to this unit not expressly approved by HODL TECH PTE LTD could void the user's authority to operate the equipment.

WEEE Mark

Steps to view compliance information on the X1 Vault:

1. On the device's main menu, move the joystick(next to the OLED Display) towards right & navigate to the settings option.
2. Press the center button on joystick & navigate to the Regulatory Info option,
3. Press the center button on joystick to view compliance-related information.