






NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS



NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-30-1000-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS



NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS




NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS




NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS






NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS







NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS





NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS

NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Le
ft-0.15-30-PASS

NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASS


NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Le
ft-1000-3000-PASS

NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_L
eft-3000-12000-PASS

NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Le
ft-12000-20000-PASS


NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-0.15-30-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-1000-3000-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-3000-12000-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_L
eft-12000-20000-PASS



NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS

NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Le
ft-0.15-30-PASS

NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASS

NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Le
ft-1000-3000-PASS

NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_L
eft-3000-12000-PASS


NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Le
ft-12000-20000-PASS



NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-0.009-0.15-PASS




NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-0.15-30-PASS



NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-30-1000-PASS









NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-1000-3000-PASS










NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-3000-12000-PASS




NTNV-n26(814-824)-PC3-15-10-L-DFT-BPSK-Inner_1RB_
Left-12000-20000-PASS


NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-0.009-0.15-PASS

NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-0.15-30-PASS

NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-30-1000-PASS

NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-1000-3000-PASS

NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-3000-12000-PASS

NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_
Left-12000-20000-PASS



NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-0.009-0.15-PASS

NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-0.15-30-PASS

NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-30-1000-PASS

NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-1000-3000-PASS

NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-3000-12000-PASS

NTNV-n26(814-824)-PC3-15-10-H-DFT-BPSK-Inner_1RB_L
Left-12000-20000-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-0.009-0.15-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-0.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-30-1000-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-1000-3000-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-3000-12000-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_
Left-12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_

Left-0.009-0.15-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_

Left-0.15-30-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_

Left-30-1000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_

Left-1000-3000-PASS



NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_

Left-3000-12000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_


Left-12000-20000-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_ Left-0.009-0.15-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_L eft-0.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_ Left-30-1000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_L eft-1000-3000-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_ Left-3000-12000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_L eft-12000-20000-PASS




NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS




NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-3000-0-18000-PASS









NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-18000-0-30000-PASS







NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-30-1000-1000-PASS








NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS





NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-300
0-18000-PASS

NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-1800
0-30000-PASS

NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-30-1
000-PASS

NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-1000
-3000-PASS

NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-300
0-18000-PASS

NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-1800
0-30000-PASS


NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.009
-0.15-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.153
0-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-30.10
00-PASS


NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-1000.3
000-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-3000.12000
12000-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-12000.20000
20000-PASS


NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.00
9-0.15-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.15-3
0-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-30-1
000-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-1000-3
3000-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-3000-1
-12000-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-12000-3
-20000-PASS


NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.009
-0.15-PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.153
0-PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-30.10
00-PASS



NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS




NTNV-n7-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n7-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.15-3.0-PASS




NTNV-n7-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS








NTNV-n7-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n7-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-12000-26500-PASS




NTNV-n7-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS


NTNV-n7-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.15-3
0-PASS

NTNV-n7-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-30-100
0-PASS

NTNV-n7-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-3000-
12000-PASS

NTNV-n7-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-12000-
26500-PASS

NTNV-n7-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.009-
0.15-PASS

NTNV-n7-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.15-30
-PASS



NTNV-n7-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS




NTNV-n7-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n7-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-12000-26500-PASS







NTNV-n77(3450-3550)-PC3-30-100-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS







NTNV-n77(3450-3550)-PC3-30-100-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS









NTNV-n77(3450-3550)-PC3-30-100-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS









NTNV-n77(3450-3550)-PC3-30-100-M-DFT-BPSK-Inner_1R
B_Left-30-1000-PASS




NTNV-n77(3450-3550)-PC3-30-100-M-DFT-BPSK-Inner_1
RB_Left-1000-3000-PASS

NTNV-n77(3450-3550)-PC3-30-100-M-DFT-BPSK-Inner_1R
B_Left-3000-6000-PASS

NTNV-n77(3450-3550)-PC3-30-100-M-DFT-BPSK-Inner_1
RB_Left-6000-20000-PASS

NTNV-n77(3450-3550)-PC3-30-100-M-DFT-BPSK-Inner_1R
B_Left-20000-40000-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1
RB_Left-0.009-0.15-PASS


NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1
RB_Left-0.15-30-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1R
B_Left-30-1000-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1
RB_Left-1000-3000-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1R
B_Left-3000-6000-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1
RB_Left-6000-20000-PASS

NTNV-n77(3450-3550)-PC3-30-100-H-DFT-BPSK-Inner_1R
B_Left-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1
RB_Left-0.009-0.15-PASS

NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1R
B_Left-0.15-30-PASS

NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1
RB_Left-30-1000-PASS

NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1R
B_Left-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1
RB_Left-3000-6000-PASS

NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1R
B_Left-6000-20000-PASS


NTNV-n78(3450-3550)-PC2-30-100-L-DFT-BPSK-Inner_1R
B_Left-20000-40000-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1
RB_Left-0.009-0.15-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1R
B_Left-0.15-30-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1
RB_Left-30-1000-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1R
B_Left-1000-3000-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1
RB_Left-3000-6000-PASS


NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1
RB_Left-6000-20000-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1R
B_Left-20000-40000-PASS

NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1
RB_Left-0.009-0.15-PASS

NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1R
B_Left-0.15-30-PASS

NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1
RB_Left-30-1000-PASS

NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1R
B_Left-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1R
B_Left-3000-6000-PASS



NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1
RB_Left-6000-20000-PASS



NTNV-n78(3450-3550)-PC2-30-100-H-DFT-BPSK-Inner_1R
B_Left-20000-40000-PASS

Frequency Stability

Test Result and Data

NR Band n2_20MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-6.19	-0.003293	Within authorized band for Band n2	PASS
LV	NT	-5.8	-0.003085		PASS
HV	NT	-8.12	-0.004319		PASS
NV	-30	-4.45	-0.002367		PASS
NV	-20	-5.79	-0.00308		PASS
NV	-10	-5.61	-0.002984		PASS
NV	0	-7.21	-0.003835		PASS
NV	10	-7.04	-0.003745		PASS
NV	20	-5.36	-0.002851		PASS
NV	30	-7.6	-0.004043		PASS
NV	40	-6.54	-0.003479		PASS
NV	50	-5.39	-0.002867		PASS

NR Band n5_20MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-6.45	-0.007711	±2.5	PASS
LV	NT	-6.86	-0.008201		PASS
HV	NT	-6.45	-0.007711		PASS
NV	-30	-6.65	-0.00795		PASS
NV	-20	-6.78	-0.008105		PASS
NV	-10	-6.57	-0.007854		PASS
NV	0	-6.64	-0.007938		PASS
NV	10	-6.69	-0.007998		PASS
NV	20	-7.1	-0.008488		PASS
NV	30	-6.83	-0.008165		PASS
NV	40	-7.49	-0.008954		PASS
NV	50	-7.15	-0.008548		PASS



NR Band n26(814~824MHz)_10MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-0.6	-0.000733	±2.5	PASS
LV	NT	-0.69	-0.000842		PASS
HV	NT	-1.15	-0.001404		PASS
NV	-30	-0.13	-0.000159		PASS
NV	-20	0.14	0.000171		PASS
NV	-10	-0.84	-0.001026		PASS
NV	0	0.27	0.00033		PASS
NV	10	0.23	0.000281		PASS
NV	20	-0.53	-0.000647		PASS
NV	30	-0.59	-0.00072		PASS
NV	40	0.38	0.000464		PASS
NV	50	-0.74	-0.000904		PASS

NR Band n26(824~849MHz)_20MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-6.51	-0.007782	±2.5	PASS
LV	NT	-6.87	-0.008213		PASS
HV	NT	-5.8	-0.006934		PASS
NV	-30	-6.24	-0.00746		PASS
NV	-20	-6.46	-0.007723		PASS
NV	-10	-6.75	-0.008069		PASS
NV	0	-6.04	-0.007221		PASS
NV	10	-5.8	-0.006934		PASS
NV	20	-6.41	-0.007663		PASS
NV	30	-6.68	-0.007986		PASS
NV	40	-6.88	-0.008225		PASS
NV	50	-6.67	-0.007974		PASS



NR Band n41_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-8.66	-0.00334	Within authorized band for Band n41	PASS
LV	NT	-9.32	-0.003594		PASS
HV	NT	-3.77	-0.001454		PASS
NV	-30	-13.96	-0.005384		PASS
NV	-20	-15.68	-0.006047		PASS
NV	-10	-15.23	-0.005874		PASS
NV	0	-15.72	-0.006062		PASS
NV	10	-14.22	-0.005484		PASS
NV	20	-13.44	-0.005183		PASS
NV	30	-16.65	-0.006421		PASS
NV	40	-12.79	-0.004933		PASS
NV	50	-13.33	-0.005141		PASS

NR Band n66_40MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-0.62	-0.000355	Within authorized band for Band n66	PASS
LV	NT	-0.66	-0.000378		PASS
HV	NT	-0.79	-0.000453		PASS
NV	-30	-0.91	-0.000521		PASS
NV	-20	-0.37	-0.000212		PASS
NV	-10	0.49	0.000281		PASS
NV	0	-0.13	-0.000074		PASS
NV	10	-0.17	-0.000097		PASS
NV	20	-0.52	-0.000298		PASS
NV	30	-1.8	-0.001032		PASS
NV	40	-1.22	-0.000699		PASS
NV	50	-1.89	-0.001083		PASS



NR Band n7_40MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-4.16	-0.001641	Within authorized band for Band n7	PASS
LV	NT	-3.08	-0.001215		PASS
HV	NT	-3.82	-0.001507		PASS
NV	-30	-4	-0.001578		PASS
NV	-20	-3.58	-0.001412		PASS
NV	-10	-1.09	-0.00043		PASS
NV	0	-1.95	-0.000769		PASS
NV	10	-4.77	-0.001882		PASS
NV	20	-4.01	-0.001582		PASS
NV	30	-1.89	-0.000746		PASS
NV	40	-1.43	-0.000564		PASS
NV	50	-2.89	-0.00114		PASS

NR Band n77_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	6.54	0.001869	Within authorized band for Band n77	PASS
LV	NT	0.96	0.000274		PASS
HV	NT	-1.4	-0.0004		PASS
NV	-30	4.08	0.001166		PASS
NV	-20	4.49	0.001283		PASS
NV	-10	3.42	0.000977		PASS
NV	0	6.6	0.001886		PASS
NV	10	3.4	0.000971		PASS
NV	20	1.49	0.000426		PASS
NV	30	4.18	0.001194		PASS
NV	40	7.72	0.002206		PASS
NV	50	-0.06	-0.000017		PASS



NR Band n78_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	5.12	0.001463	Within authorized band for Band n78	PASS
LV	NT	-0.94	-0.000269		PASS
HV	NT	0.29	0.000083		PASS
NV	-30	4.97	0.00142		PASS
NV	-20	2.52	0.00072		PASS
NV	-10	-2.6	-0.000743		PASS
NV	0	5.09	0.001454		PASS
NV	10	0.91	0.00026		PASS
NV	20	1.57	0.000449		PASS
NV	30	1.71	0.000489		PASS
NV	40	-1.63	-0.000466		PASS
NV	50	7.07	0.00202		PASS

Note 1: Normal Voltage = 7.68V, Low Voltage = 6.52V, High Voltage = 8.32V, Normal Temperature = 20°C.

**** END OF REPORT ****