



Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 23.1°C
M/N: A161	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.735MHz	-69.84	-13.00	-56.84	PK	Hor
2*	448.313MHz	-66.68	-13.00	-53.68	PK	Hor
3*	952.470MHz	-54.19	-13.00	-41.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.434MHz	-70.33	-13.00	-57.33	PK	Ver
2*	494.873MHz	-65.15	-13.00	-52.15	PK	Ver
3*	958.290MHz	-55.13	-13.00	-42.13	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 23.1°C
M/N: A161	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.254MHz	-71.04	-13.00	-58.04	PK	Hor
2*	357.133MHz	-69.87	-13.00	-56.87	PK	Hor
3*	953.683MHz	-54.87	-13.00	-41.87	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.009MHz	-70.89	-13.00	-57.89	PK	Ver
2*	461.408MHz	-65.69	-13.00	-52.69	PK	Ver
3*	992.240MHz	-55.21	-13.00	-42.21	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 23.1°C
M/N: A161	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.340MHz	-70.82	-13.00	-57.82	PK	Hor
2*	419.576MHz	-67.91	-13.00	-54.91	PK	Hor
3*	990.664MHz	-54.64	-13.00	-41.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	146.036MHz	-71.26	-13.00	-58.26	PK	Ver
2*	462.378MHz	-66.70	-13.00	-53.70	PK	Ver
3*	864.443MHz	-55.59	-13.00	-42.59	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 23.1°C
M/N: A161	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	145.794MHz	-71.35	-13.00	-58.35	PK	Hor
2*	481.535MHz	-66.57	-13.00	-53.57	PK	Hor
3*	943.255MHz	-54.78	-13.00	-41.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.649MHz	-70.59	-13.00	-57.59	PK	Ver
2*	383.929MHz	-68.30	-13.00	-55.30	PK	Ver
3*	995.635MHz	-53.99	-13.00	-40.99	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 23.1°C
M/N: A161	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.219MHz	-70.59	-13.00	-57.59	PK	Hor
2*	469.895MHz	-66.77	-13.00	-53.77	PK	Hor
3*	981.934MHz	-55.46	-13.00	-42.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.100MHz	-70.79	-13.00	-57.79	PK	Ver
2*	472.926MHz	-66.64	-13.00	-53.64	PK	Ver
3*	983.510MHz	-54.92	-13.00	-41.92	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	6.189GHz	-46.08	-13.00	-33.08	PK	Hor
2*	9.436GHz	-41.95	-13.00	-28.95	PK	Hor
3*	17.983GHz	-37.89	-13.00	-24.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.780GHz	-47.60	-13.00	-34.60	PK	Ver
2*	8.994GHz	-42.09	-13.00	-29.09	PK	Ver
3*	17.930GHz	-38.08	-13.00	-25.08	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.802GHz	-48.24	-13.00	-35.24	PK	Hor
2*	11.398GHz	-41.69	-13.00	-28.69	PK	Hor
3*	17.987GHz	-38.03	-13.00	-25.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.797GHz	-47.81	-13.00	-34.81	PK	Ver
2*	8.423GHz	-43.00	-13.00	-30.00	PK	Ver
3*	17.947GHz	-36.05	-13.00	-23.05	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.878GHz	-47.75	-13.00	-34.75	PK	Hor
2*	11.336GHz	-40.97	-13.00	-27.97	PK	Hor
3*	17.832GHz	-37.61	-13.00	-24.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.893GHz	-47.95	-13.00	-34.95	PK	Ver
2*	8.994GHz	-41.55	-13.00	-28.55	PK	Ver
3*	17.972GHz	-38.52	-13.00	-25.52	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.851GHz	-47.40	-13.00	-34.40	PK	Hor
2*	7.602GHz	-42.47	-13.00	-29.47	PK	Hor
3*	17.989GHz	-38.75	-13.00	-25.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.759GHz	-47.99	-13.00	-34.99	PK	Ver
2*	8.926GHz	-42.51	-13.00	-29.51	PK	Ver
3*	17.943GHz	-37.51	-13.00	-24.51	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.893GHz	-47.04	-13.00	-34.04	PK	Hor
2*	8.457GHz	-42.31	-13.00	-29.31	PK	Hor
3*	17.981GHz	-37.84	-13.00	-24.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.846GHz	-47.88	-13.00	-34.88	PK	Ver
2*	8.992GHz	-41.93	-13.00	-28.93	PK	Ver
3*	17.928GHz	-37.33	-13.00	-24.33	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.797GHz	-47.74	-13.00	-34.74	PK	Hor
2*	7.598GHz	-41.23	-13.00	-28.23	PK	Hor
3*	17.900GHz	-37.47	-13.00	-24.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.313GHz	-47.85	-13.00	-34.85	PK	Ver
2*	8.916GHz	-42.20	-13.00	-29.20	PK	Ver
3*	17.932GHz	-37.45	-13.00	-24.45	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.272GHz	-48.48	-13.00	-35.48	PK	Hor
2*	6.214GHz	-46.22	-13.00	-33.22	PK	Hor
3*	8.982GHz	-41.13	-13.00	-28.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.536GHz	-49.96	-13.00	-36.96	PK	Ver
2*	4.868GHz	-47.71	-13.00	-34.71	PK	Ver
3*	8.517GHz	-41.95	-13.00	-28.95	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.297GHz	-48.94	-13.00	-35.94	PK	Hor
2*	5.136GHz	-47.43	-13.00	-34.43	PK	Hor
3*	8.858GHz	-41.80	-13.00	-28.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.720GHz	-49.76	-13.00	-36.76	PK	Ver
2*	4.726GHz	-47.67	-13.00	-34.67	PK	Ver
3*	8.988GHz	-42.21	-13.00	-29.21	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.187GHz	-49.45	-13.00	-36.45	PK	Hor
2*	4.767GHz	-47.57	-13.00	-34.57	PK	Hor
3*	9.000GHz	-42.03	-13.00	-29.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.725GHz	-50.19	-13.00	-37.19	PK	Ver
2*	4.833GHz	-47.02	-13.00	-34.02	PK	Ver
3*	8.920GHz	-41.00	-13.00	-28.00	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.834GHz	-47.36	-13.00	-34.36	PK	Hor
2*	8.918GHz	-41.26	-13.00	-28.26	PK	Hor
3*	17.813GHz	-38.06	-13.00	-25.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.010GHz	-48.59	-13.00	-35.59	PK	Ver
2*	8.867GHz	-42.13	-13.00	-29.13	PK	Ver
3*	17.970GHz	-37.73	-13.00	-24.73	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.870GHz	-47.99	-13.00	-34.99	PK	Hor
2*	8.935GHz	-42.37	-13.00	-29.37	PK	Hor
3*	17.898GHz	-37.10	-13.00	-24.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.844GHz	-47.81	-13.00	-34.81	PK	Ver
2*	8.805GHz	-42.24	-13.00	-29.24	PK	Ver
3*	17.902GHz	-37.25	-13.00	-24.25	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-01-08
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.834GHz	-48.56	-13.00	-35.56	PK	Hor
2*	8.928GHz	-40.68	-13.00	-27.68	PK	Hor
3*	17.926GHz	-38.52	-13.00	-25.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.774GHz	-47.25	-13.00	-34.25	PK	Ver
2*	8.931GHz	-42.23	-13.00	-29.23	PK	Ver
3*	17.788GHz	-37.77	-13.00	-24.77	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 12 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.996GHz	-48.40	-13.00	-35.40	PK	Hor
2*	4.830GHz	-46.85	-13.00	-33.85	PK	Hor
3*	6.228GHz	-45.80	-13.00	-32.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.028GHz	-48.61	-13.00	-35.61	PK	Ver
2*	4.830GHz	-46.83	-13.00	-33.83	PK	Ver
3*	6.683GHz	-45.02	-13.00	-32.02	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.688GHz	-49.64	-13.00	-36.64	PK	Hor
2*	4.346GHz	-46.18	-13.00	-33.18	PK	Hor
3*	6.656GHz	-45.63	-13.00	-32.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.864GHz	-48.73	-13.00	-35.73	PK	Ver
2*	4.774GHz	-46.98	-13.00	-33.98	PK	Ver
3*	6.641GHz	-45.31	-13.00	-32.31	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.028GHz	-47.70	-13.00	-34.70	PK	Hor
2*	4.425GHz	-46.64	-13.00	-33.64	PK	Hor
3*	6.605GHz	-45.35	-13.00	-32.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.015GHz	-47.23	-13.00	-34.23	PK	Ver
2*	4.855GHz	-46.65	-13.00	-33.65	PK	Ver
3*	6.657GHz	-45.55	-13.00	-32.55	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.329GHz	-48.47	-13.00	-35.47	PK	Hor
2*	4.888GHz	-47.03	-13.00	-34.03	PK	Hor
3*	6.721GHz	-45.34	-13.00	-32.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.332GHz	-48.58	-13.00	-35.58	PK	Ver
2*	4.641GHz	-46.60	-13.00	-33.60	PK	Ver
3*	6.699GHz	-45.02	-13.00	-32.02	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.015GHz	-48.60	-13.00	-35.60	PK	Hor
2*	4.846GHz	-47.16	-13.00	-34.16	PK	Hor
3*	6.228GHz	-45.68	-13.00	-32.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.267GHz	-49.01	-13.00	-36.01	PK	Ver
2*	4.776GHz	-46.43	-13.00	-33.43	PK	Ver
3*	6.183GHz	-46.22	-13.00	-33.22	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.047GHz	-47.78	-13.00	-34.78	PK	Hor
2*	4.823GHz	-46.92	-13.00	-33.92	PK	Hor
3*	6.643GHz	-44.63	-13.00	-31.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.778GHz	-48.53	-13.00	-35.53	PK	Ver
2*	4.735GHz	-45.94	-13.00	-32.94	PK	Ver
3*	6.588GHz	-44.59	-13.00	-31.59	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.061GHz	-48.48	-13.00	-35.48	PK	Hor
2*	4.850GHz	-46.55	-13.00	-33.55	PK	Hor
3*	6.644GHz	-44.99	-13.00	-31.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.093GHz	-49.17	-13.00	-36.17	PK	Ver
2*	4.318GHz	-47.38	-13.00	-34.38	PK	Ver
3*	6.601GHz	-45.28	-13.00	-32.28	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.856GHz	-48.66	-13.00	-35.66	PK	Hor
2*	4.845GHz	-46.89	-13.00	-33.89	PK	Hor
3*	6.639GHz	-45.68	-13.00	-32.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.532GHz	-50.26	-13.00	-37.26	PK	Ver
2*	3.482GHz	-48.90	-13.00	-35.90	PK	Ver
3*	6.192GHz	-44.95	-13.00	-31.95	PK	Ver

Project: LGT22L038	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 24.2°C
M/N: A161	Humidity: 49%RH
Test Voltage: Battery	Test Data: 2023-03-02
Test Mode: LTE Band 17 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.093GHz	-48.99	-13.00	-35.99	PK	Hor
2*	4.839GHz	-47.35	-13.00	-34.35	PK	Hor
3*	6.741GHz	-44.93	-13.00	-31.93	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.109GHz	-52.51	-13.00	-39.51	PK	Ver
2*	2.994GHz	-48.65	-13.00	-35.65	PK	Ver
3*	6.718GHz	-45.61	-13.00	-32.61	PK	Ver

※※※※END OF THE REPORT※※※※