




Band40(2350-2360) QAM16 BW=10MHz Channel=39200 RB Size=50 Position=#0




Band40(2350-2360) QAM16 BW=5MHz Channel=39175 RB Size=25 Position=#0




Band40(2350-2360) QAM16 BW=5MHz Channel=39200 RB Size=25 Position=#0




Band40(2350-2360) QAM16 BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38775 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.739MHz	-76.60	-13.00	-63.60	PK	Hor
2*	516.698MHz	-70.41	-13.00	-57.41	PK	Hor
3*	998.909MHz	-61.36	-13.00	-48.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.765MHz	-75.03	-13.00	-62.03	PK	Ver
2*	458.740MHz	-71.94	-13.00	-58.94	PK	Ver
3*	976.114MHz	-61.43	-13.00	-48.43	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	175.621MHz	-76.84	-13.00	-63.84	PK	Hor
2*	446.251MHz	-72.75	-13.00	-59.75	PK	Hor
3*	999.030MHz	-61.79	-13.00	-48.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.255MHz	-77.19	-13.00	-64.19	PK	Ver
2*	437.400MHz	-72.65	-13.00	-59.65	PK	Ver
3*	959.503MHz	-61.90	-13.00	-48.90	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.890MHz	-76.30	-13.00	-63.30	PK	Hor
2*	316.029MHz	-74.88	-13.00	-61.88	PK	Hor
3*	984.359MHz	-61.50	-13.00	-48.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.524MHz	-76.54	-13.00	-63.54	PK	Ver
2*	413.271MHz	-73.34	-13.00	-60.34	PK	Ver
3*	992.725MHz	-61.56	-13.00	-48.56	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.584MHz	-76.52	-13.00	-63.52	PK	Hor
2*	455.345MHz	-71.50	-13.00	-58.50	PK	Hor
3*	992.240MHz	-60.20	-13.00	-47.20	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.705MHz	-76.21	-13.00	-63.21	PK	Ver
2*	493.418MHz	-71.94	-13.00	-58.94	PK	Ver
3*	992.725MHz	-60.31	-13.00	-47.31	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.678MHz	-76.94	-13.00	-63.94	PK	Hor
2*	438.855MHz	-73.07	-13.00	-60.07	PK	Hor
3*	987.269MHz	-60.33	-13.00	-47.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.828MHz	-77.17	-13.00	-64.17	PK	Ver
2*	318.575MHz	-74.39	-13.00	-61.39	PK	Ver
3*	995.999MHz	-60.37	-13.00	-47.37	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.618MHz	-76.59	-13.00	-63.59	PK	Hor
2*	455.951MHz	-71.86	-13.00	-58.86	PK	Hor
3*	988.481MHz	-60.96	-13.00	-47.96	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.980MHz	-76.77	-13.00	-63.77	PK	Ver
2*	373.865MHz	-73.28	-13.00	-60.28	PK	Ver
3*	994.423MHz	-61.61	-13.00	-48.61	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.068MHz	-76.49	-13.00	-63.49	PK	Hor
2*	452.678MHz	-72.36	-13.00	-59.36	PK	Hor
3*	997.333MHz	-61.63	-13.00	-48.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.951MHz	-76.75	-13.00	-63.75	PK	Ver
2*	437.521MHz	-71.03	-13.00	-58.03	PK	Ver
3*	989.815MHz	-61.99	-13.00	-48.99	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.949MHz	-77.24	-13.00	-64.24	PK	Hor
2*	398.964MHz	-74.34	-13.00	-61.34	PK	Hor
3*	969.203MHz	-61.37	-13.00	-48.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.706MHz	-77.53	-13.00	-64.53	PK	Ver
2*	392.174MHz	-73.65	-13.00	-60.65	PK	Ver
3*	951.500MHz	-61.69	-13.00	-48.69	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.463MHz	-77.44	-13.00	-64.44	PK	Hor
2*	417.273MHz	-73.95	-13.00	-60.95	PK	Hor
3*	987.026MHz	-61.04	-13.00	-48.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.130MHz	-76.32	-13.00	-63.32	PK	Ver
2*	437.521MHz	-71.87	-13.00	-58.87	PK	Ver
3*	968.596MHz	-61.82	-13.00	-48.82	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 7 Lowest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.251MHz	-76.70	-13.00	-63.70	PK	Hor
2*	443.341MHz	-72.96	-13.00	-59.96	PK	Hor
3*	979.873MHz	-60.84	-13.00	-47.84	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.979MHz	-76.93	-13.00	-63.93	PK	Ver
2*	337.248MHz	-74.99	-13.00	-61.99	PK	Ver
3*	949.803MHz	-61.99	-13.00	-48.99	PK	Ver