



Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.283MHz	-77.22	-13.00	-64.22	PK	Hor
2*	432.914MHz	-73.76	-13.00	-60.76	PK	Hor
3*	989.573MHz	-61.65	-13.00	-48.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.280MHz	-77.14	-13.00	-64.14	PK	Ver
2*	588.356MHz	-66.91	-13.00	-53.91	PK	Ver
3*	968.233MHz	-61.31	-13.00	-48.31	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.160MHz	-77.01	-13.00	-64.01	PK	Hor
2*	367.560MHz	-74.31	-13.00	-61.31	PK	Hor
3*	981.813MHz	-61.10	-13.00	-48.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.706MHz	-76.41	-13.00	-63.41	PK	Ver
2*	424.548MHz	-72.41	-13.00	-59.41	PK	Ver
3*	963.989MHz	-59.87	-13.00	-46.87	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.314MHz	-76.92	-13.00	-63.92	PK	Hor
2*	492.933MHz	-71.50	-13.00	-58.50	PK	Hor
3*	995.999MHz	-61.61	-13.00	-48.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	170.650MHz	-75.81	-13.00	-62.81	PK	Ver
2*	655.529MHz	-65.53	-13.00	-52.53	PK	Ver
3*	966.535MHz	-61.33	-13.00	-48.33	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.918MHz	-76.54	-13.00	-63.54	PK	Hor
2*	527.489MHz	-70.59	-13.00	-57.59	PK	Hor
3*	998.666MHz	-60.83	-13.00	-47.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.825MHz	-76.65	-13.00	-63.65	PK	Ver
2*	461.408MHz	-71.75	-13.00	-58.75	PK	Ver
3*	983.268MHz	-60.57	-13.00	-47.57	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	142.884MHz	-76.47	-13.00	-63.47	PK	Hor
2*	628.611MHz	-65.43	-13.00	-52.43	PK	Hor
3*	987.875MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.249MHz	-77.01	-13.00	-64.01	PK	Ver
2*	473.775MHz	-71.03	-13.00	-58.03	PK	Ver
3*	988.481MHz	-61.25	-13.00	-48.25	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	143.490MHz	-76.58	-13.00	-63.58	PK	Hor
2*	468.076MHz	-71.86	-13.00	-58.86	PK	Hor
3*	995.514MHz	-61.62	-13.00	-48.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	169.923MHz	-76.34	-13.00	-63.34	PK	Ver
2*	607.271MHz	-66.62	-13.00	-53.62	PK	Ver
3*	984.480MHz	-61.50	-13.00	-48.50	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.009MHz	-76.39	-13.00	-63.39	PK	Hor
2*	410.968MHz	-73.39	-13.00	-60.39	PK	Hor
3*	964.353MHz	-60.85	-13.00	-47.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.916MHz	-76.63	-13.00	-63.63	PK	Ver
2*	448.919MHz	-72.35	-13.00	-59.35	PK	Ver
3*	993.210MHz	-61.34	-13.00	-48.34	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 22.5°C
M/N: A170	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-01-10
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.706MHz	-76.71	-13.00	-63.71	PK	Hor
2*	413.393MHz	-72.26	-13.00	-59.26	PK	Hor
3*	978.054MHz	-60.42	-13.00	-47.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.644MHz	-76.12	-13.00	-63.12	PK	Ver
2*	399.813MHz	-73.73	-13.00	-60.73	PK	Ver
3*	938.405MHz	-61.17	-13.00	-48.17	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.404GHz	-47.95	-13.00	-34.95	PK	Hor
2*	7.949GHz	-42.96	-13.00	-29.96	PK	Hor
3*	17.945GHz	-37.58	-13.00	-24.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.719GHz	-46.51	-13.00	-33.51	PK	Ver
2*	10.401GHz	-41.58	-13.00	-28.58	PK	Ver
3*	17.843GHz	-37.31	-13.00	-24.31	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.678GHz	-47.20	-13.00	-34.20	PK	Hor
2*	8.763GHz	-42.99	-13.00	-29.99	PK	Hor
3*	17.790GHz	-37.48	-13.00	-24.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.692GHz	-45.56	-13.00	-32.56	PK	Ver
2*	9.438GHz	-41.76	-13.00	-28.76	PK	Ver
3*	14.634GHz	-38.01	-13.00	-25.01	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.791GHz	-46.03	-13.00	-33.03	PK	Hor
2*	7.636GHz	-42.75	-13.00	-29.75	PK	Hor
3*	17.930GHz	-37.24	-13.00	-24.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.800GHz	-45.58	-13.00	-32.58	PK	Ver
2*	8.926GHz	-42.14	-13.00	-29.14	PK	Ver
3*	14.817GHz	-38.05	-13.00	-25.05	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.766GHz	-46.04	-13.00	-33.04	PK	Hor
2*	10.840GHz	-41.54	-13.00	-28.54	PK	Hor
3*	14.304GHz	-38.22	-13.00	-25.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.762GHz	-45.87	-13.00	-32.87	PK	Ver
2*	8.898GHz	-41.78	-13.00	-28.78	PK	Ver
3*	16.334GHz	-37.42	-13.00	-24.42	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.682GHz	-46.22	-13.00	-33.22	PK	Hor
2*	8.076GHz	-41.59	-13.00	-28.59	PK	Hor
3*	14.314GHz	-36.62	-13.00	-23.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.296GHz	-46.18	-13.00	-33.18	PK	Ver
2*	8.180GHz	-42.17	-13.00	-29.17	PK	Ver
3*	14.310GHz	-37.88	-13.00	-24.88	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: VLTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.782GHz	-46.46	-13.00	-33.46	PK	Hor
2*	9.008GHz	-42.02	-13.00	-29.02	PK	Hor
3*	14.320GHz	-37.80	-13.00	-24.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.868GHz	-46.17	-13.00	-33.17	PK	Ver
2*	8.188GHz	-43.47	-13.00	-30.47	PK	Ver
3*	14.306GHz	-37.91	-13.00	-24.91	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.586GHz	-50.00	-13.00	-37.00	PK	Hor
2*	3.684GHz	-49.13	-13.00	-36.13	PK	Hor
3*	4.810GHz	-46.23	-13.00	-33.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.996GHz	-48.85	-13.00	-35.85	PK	Ver
2*	5.704GHz	-45.36	-13.00	-32.36	PK	Ver
3*	8.992GHz	-40.71	-13.00	-27.71	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.868GHz	-50.23	-13.00	-37.23	PK	Hor
2*	4.633GHz	-46.26	-13.00	-33.26	PK	Hor
3*	8.528GHz	-41.18	-13.00	-28.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.828GHz	-49.44	-13.00	-36.44	PK	Ver
2*	4.618GHz	-46.83	-13.00	-33.83	PK	Ver
3*	8.924GHz	-41.94	-13.00	-28.94	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.624GHz	-50.33	-13.00	-37.33	PK	Hor
2*	4.711GHz	-46.61	-13.00	-33.61	PK	Hor
3*	8.933GHz	-41.70	-13.00	-28.70	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.918GHz	-49.77	-13.00	-36.77	PK	Ver
2*	4.794GHz	-46.65	-13.00	-33.65	PK	Ver
3*	8.027GHz	-42.11	-13.00	-29.11	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.184GHz	-45.38	-13.00	-32.38	PK	Hor
2*	8.476GHz	-40.61	-13.00	-27.61	PK	Hor
3*	14.303GHz	-37.80	-13.00	-24.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.759GHz	-45.63	-13.00	-32.63	PK	Ver
2*	8.535GHz	-41.73	-13.00	-28.73	PK	Ver
3*	14.307GHz	-37.46	-13.00	-24.46	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.305GHz	-45.19	-13.00	-32.19	PK	Hor
2*	7.566GHz	-42.83	-13.00	-29.83	PK	Hor
3*	14.419GHz	-37.82	-13.00	-24.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.192GHz	-47.89	-13.00	-34.89	PK	Ver
2*	8.476GHz	-40.72	-13.00	-27.72	PK	Ver
3*	17.887GHz	-37.03	-13.00	-24.03	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.708GHz	-46.60	-13.00	-33.60	PK	Hor
2*	8.914GHz	-41.14	-13.00	-28.14	PK	Hor
3*	17.996GHz	-37.91	-13.00	-24.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.404GHz	-46.56	-13.00	-33.56	PK	Ver
2*	9.453GHz	-40.66	-13.00	-27.66	PK	Ver
3*	14.409GHz	-37.73	-13.00	-24.73	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 40 Lowest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.685GHz	-46.43	-13.00	-33.43	PK	Hor
2*	9.003GHz	-41.81	-13.00	-28.81	PK	Hor
3*	16.345GHz	-37.87	-13.00	-24.87	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.736GHz	-46.46	-13.00	-33.46	PK	Ver
2*	7.736GHz	-43.20	-13.00	-30.20	PK	Ver
3*	14.402GHz	-37.71	-13.00	-24.71	PK	Ver