



Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.698GHz	-45.81	-13.00	-32.81	PK	Hor
2*	8.474GHz	-41.53	-13.00	-28.53	PK	Hor
3*	16.364GHz	-37.73	-13.00	-24.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	6.160GHz	-45.43	-13.00	-32.43	PK	Ver
2*	8.822GHz	-41.50	-13.00	-28.50	PK	Ver
3*	14.324GHz	-37.07	-13.00	-24.07	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.462GHz	-46.19	-13.00	-33.19	PK	Hor
2*	8.973GHz	-42.03	-13.00	-29.03	PK	Hor
3*	17.811GHz	-37.04	-13.00	-24.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	6.160GHz	-45.43	-13.00	-32.43	PK	Ver
2*	8.822GHz	-41.50	-13.00	-28.50	PK	Ver
3*	14.324GHz	-37.07	-13.00	-24.07	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.759GHz	-46.57	-13.00	-33.57	PK	Hor
2*	8.516GHz	-40.96	-13.00	-27.96	PK	Hor
3*	14.362GHz	-37.12	-13.00	-24.12	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.708GHz	-45.74	-13.00	-32.74	PK	Ver
2*	8.478GHz	-42.71	-13.00	-29.71	PK	Ver
3*	17.817GHz	-37.23	-13.00	-24.23	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.710GHz	-46.13	-13.00	-33.13	PK	Hor
2*	8.416GHz	-42.48	-13.00	-29.48	PK	Hor
3*	14.817GHz	-38.40	-13.00	-25.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.707GHz	-45.45	-13.00	-32.45	PK	Ver
2*	9.449GHz	-41.36	-13.00	-28.36	PK	Ver
3*	17.885GHz	-36.99	-13.00	-23.99	PK	Ver

Project: LGT22L054	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 27.4°C
M/N: A170	Humidity: 65%RH
Test Voltage: Battery	Test Data: 2023-01-14
Test Mode: LTE Band 41 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.749GHz	-46.78	-13.00	-33.78	PK	Hor
2*	8.986GHz	-42.29	-13.00	-29.29	PK	Hor
3*	14.362GHz	-37.82	-13.00	-24.82	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.721GHz	-46.27	-13.00	-33.27	PK	Ver
2*	7.186GHz	-42.91	-13.00	-29.91	PK	Ver
3*	17.870GHz	-36.95	-13.00	-23.95	PK	Ver

※※※※※END OF THE REPORT※※※※※