



|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 22.1°C      |
| M/N: A181                    | Humidity: 56%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-09    |
| Test Mode: LTE Band 5 Middle |                          |
| Note:                        |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 144.460MHz | -76.90    | -13.00    | -63.90    | PK       | Hor   |
| 2*  | 427.700MHz | -74.15    | -13.00    | -61.15    | PK       | Hor   |
| 3*  | 970.294MHz | -61.96    | -13.00    | -48.96    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 152.463MHz | -76.35    | -13.00    | -63.35    | PK       | Ver   |
| 2*  | 440.674MHz | -71.89    | -13.00    | -58.89    | PK       | Ver   |
| 3*  | 972.476MHz | -61.99    | -13.00    | -48.99    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 22.1°C      |
| M/N: A181                     | Humidity: 56%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-09    |
| Test Mode: LTE Band 7 Highest |                          |
| Note:                         |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 149.189MHz | -76.54    | -13.00    | -63.54    | PK       | Hor   |
| 2*  | 432.065MHz | -73.77    | -13.00    | -60.77    | PK       | Hor   |
| 3*  | 964.110MHz | -62.54    | -13.00    | -49.54    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 163.496MHz | -75.42    | -13.00    | -62.42    | PK       | Ver   |
| 2*  | 492.326MHz | -71.23    | -13.00    | -58.23    | PK       | Ver   |
| 3*  | 994.059MHz | -61.04    | -13.00    | -48.04    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 22.1°C      |
| M/N: A181                    | Humidity: 56%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-09    |
| Test Mode: LTE Band 7 Lowest |                          |
| Note:                        |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 150.886MHz | -76.24    | -13.00    | -63.24    | PK       | Hor   |
| 2*  | 492.690MHz | -71.37    | -13.00    | -58.37    | PK       | Hor   |
| 3*  | 969.445MHz | -61.90    | -13.00    | -48.90    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 150.401MHz | -76.61    | -13.00    | -63.61    | PK       | Ver   |
| 2*  | 445.524MHz | -73.20    | -13.00    | -60.20    | PK       | Ver   |
| 3*  | 880.569MHz | -61.54    | -13.00    | -48.54    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 22.1°C      |
| M/N: A181                    | Humidity: 56%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-09    |
| Test Mode: LTE Band 7 Middle |                          |
| Note:                        |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 150.159MHz | -75.89    | -13.00    | -62.89    | PK       | Hor   |
| 2*  | 444.675MHz | -73.23    | -13.00    | -60.23    | PK       | Hor   |
| 3*  | 986.905MHz | -60.81    | -13.00    | -47.81    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 152.705MHz | -76.91    | -13.00    | -63.91    | PK       | Ver   |
| 2*  | 407.573MHz | -73.59    | -13.00    | -60.59    | PK       | Ver   |
| 3*  | 999.273MHz | -60.95    | -13.00    | -47.95    | PK       | Ver   |

|                                |                          |
|--------------------------------|--------------------------|
| Project: LGT22L018             | Test Engineer: Dylan.shi |
| EUT: Smartphone                | Temperature: 22.1°C      |
| M/N: A181                      | Humidity: 56%RH          |
| Test Voltage: Battery          | Test Data: 2023-01-09    |
| Test Mode: LTE Band 40 Highest |                          |
| Note:                          |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 158.283MHz | -77.06    | -13.00    | -64.06    | PK       | Hor   |
| 2*  | 392.901MHz | -73.43    | -13.00    | -60.43    | PK       | Hor   |
| 3*  | 994.908MHz | -61.27    | -13.00    | -48.27    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 157.919MHz | -76.14    | -13.00    | -63.14    | PK       | Ver   |
| 2*  | 432.793MHz | -72.82    | -13.00    | -59.82    | PK       | Ver   |
| 3*  | 968.111MHz | -61.25    | -13.00    | -48.25    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 22.1°C      |
| M/N: A181                     | Humidity: 56%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-09    |
| Test Mode: LTE Band 40 Lowest |                          |
| Note:                         |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 149.553MHz | -75.97    | -13.00    | -62.97    | PK       | Hor   |
| 2*  | 436.551MHz | -72.58    | -13.00    | -59.58    | PK       | Hor   |
| 3*  | 942.285MHz | -60.84    | -13.00    | -47.84    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 153.918MHz | -75.99    | -13.00    | -62.99    | PK       | Ver   |
| 2*  | 414.969MHz | -72.52    | -13.00    | -59.52    | PK       | Ver   |
| 3*  | 993.695MHz | -59.84    | -13.00    | -46.84    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 22.1°C      |
| M/N: A181                     | Humidity: 56%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-09    |
| Test Mode: LTE Band 40 Middle |                          |
| Note:                         |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 149.916MHz | -76.55    | -13.00    | -63.55    | PK       | Hor   |
| 2*  | 427.579MHz | -73.11    | -13.00    | -60.11    | PK       | Hor   |
| 3*  | 943.861MHz | -61.42    | -13.00    | -48.42    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 157.313MHz | -77.37    | -13.00    | -64.37    | PK       | Ver   |
| 2*  | 459.346MHz | -71.86    | -13.00    | -58.86    | PK       | Ver   |
| 3*  | 997.211MHz | -60.69    | -13.00    | -47.69    | PK       | Ver   |

|                                |                          |
|--------------------------------|--------------------------|
| Project: LGT22L018             | Test Engineer: Dylan.shi |
| EUT: Smartphone                | Temperature: 22.1°C      |
| M/N: A181                      | Humidity: 56%RH          |
| Test Voltage: Battery          | Test Data: 2023-01-09    |
| Test Mode: LTE Band 41 Highest |                          |
| Note:                          |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 171.741MHz | -76.33    | -13.00    | -63.33    | PK       | Hor   |
| 2*  | 457.285MHz | -72.86    | -13.00    | -59.86    | PK       | Hor   |
| 3*  | 968.475MHz | -61.41    | -13.00    | -48.41    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 157.676MHz | -77.51    | -13.00    | -64.51    | PK       | Ver   |
| 2*  | 517.668MHz | -71.45    | -13.00    | -58.45    | PK       | Ver   |
| 3*  | 929.675MHz | -61.83    | -13.00    | -48.83    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 22.1°C      |
| M/N: A181                     | Humidity: 56%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-09    |
| Test Mode: LTE Band 41 Lowest |                          |
| Note:                         |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 154.524MHz | -76.32    | -13.00    | -63.32    | PK       | Hor   |
| 2*  | 446.494MHz | -72.73    | -13.00    | -59.73    | PK       | Hor   |
| 3*  | 994.908MHz | -61.34    | -13.00    | -48.34    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 156.221MHz | -75.64    | -13.00    | -62.64    | PK       | Ver   |
| 2*  | 640.373MHz | -66.15    | -13.00    | -53.15    | PK       | Ver   |
| 3*  | 963.019MHz | -61.88    | -13.00    | -48.88    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 22.1°C      |
| M/N: A181                     | Humidity: 56%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-09    |
| Test Mode: LTE Band 41 Middle |                          |
| Note:                         |                          |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 157.313MHz | -77.62    | -13.00    | -64.62    | PK       | Hor   |
| 2*  | 438.370MHz | -71.73    | -13.00    | -58.73    | PK       | Hor   |
| 3*  | 969.445MHz | -61.67    | -13.00    | -48.67    | PK       | Hor   |




| No. | Frequency  | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1*  | 156.706MHz | -77.68    | -13.00    | -64.68    | PK       | Ver   |
| 2*  | 440.674MHz | -72.75    | -13.00    | -59.75    | PK       | Ver   |
| 3*  | 966.778MHz | -62.15    | -13.00    | -49.15    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 2 Highest |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.823GHz  | -47.66    | -13.00    | -34.66    | PK       | Hor   |
| 2*  | 11.379GHz | -40.64    | -13.00    | -27.64    | PK       | Hor   |
| 3*  | 17.790GHz | -37.21    | -13.00    | -24.21    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.825GHz  | -47.14    | -13.00    | -34.14    | PK       | Ver   |
| 2*  | 8.952GHz  | -42.33    | -13.00    | -29.33    | PK       | Ver   |
| 3*  | 17.877GHz | -37.99    | -13.00    | -24.99    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 2 Lowest |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.727GHz  | -47.98    | -13.00    | -34.98    | PK       | Hor   |
| 2*  | 8.882GHz  | -42.07    | -13.00    | -29.07    | PK       | Hor   |
| 3*  | 17.864GHz | -38.04    | -13.00    | -25.04    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.759GHz  | -47.53    | -13.00    | -34.53    | PK       | Ver   |
| 2*  | 9.009GHz  | -42.92    | -13.00    | -29.92    | PK       | Ver   |
| 3*  | 17.777GHz | -37.97    | -13.00    | -24.97    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 2 Middle |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.831GHz  | -46.75    | -13.00    | -33.75    | PK       | Hor   |
| 2*  | 8.988GHz  | -40.76    | -13.00    | -27.76    | PK       | Hor   |
| 3*  | 17.962GHz | -37.75    | -13.00    | -24.75    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.834GHz  | -47.58    | -13.00    | -34.58    | PK       | Ver   |
| 2*  | 9.424GHz  | -41.72    | -13.00    | -28.72    | PK       | Ver   |
| 3*  | 17.894GHz | -37.88    | -13.00    | -24.88    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 4 Highest |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.836GHz  | -47.03    | -13.00    | -34.03    | PK       | Hor   |
| 2*  | 8.944GHz  | -42.56    | -13.00    | -29.56    | PK       | Hor   |
| 3*  | 14.308GHz | -39.26    | -13.00    | -26.26    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.792GHz  | -46.54    | -13.00    | -33.54    | PK       | Ver   |
| 2*  | 9.008GHz  | -41.28    | -13.00    | -28.28    | PK       | Ver   |
| 3*  | 14.766GHz | -40.28    | -13.00    | -27.28    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 4 Lowest |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.328GHz  | -47.72    | -13.00    | -34.72    | PK       | Hor   |
| 2*  | 9.000GHz  | -42.10    | -13.00    | -29.10    | PK       | Hor   |
| 3*  | 14.422GHz | -40.38    | -13.00    | -27.38    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.900GHz  | -47.60    | -13.00    | -34.60    | PK       | Ver   |
| 2*  | 8.870GHz  | -41.79    | -13.00    | -28.79    | PK       | Ver   |
| 3*  | 14.426GHz | -40.42    | -13.00    | -27.42    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 4 Middle |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.842GHz  | -45.51    | -13.00    | -32.51    | PK       | Hor   |
| 2*  | 9.000GHz  | -42.38    | -13.00    | -29.38    | PK       | Hor   |
| 3*  | 16.464GHz | -40.49    | -13.00    | -27.49    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 5.726GHz  | -45.68    | -13.00    | -32.68    | PK       | Ver   |
| 2*  | 11.400GHz | -40.54    | -13.00    | -27.54    | PK       | Ver   |
| 3*  | 16.468GHz | -39.92    | -13.00    | -26.92    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 5 Highest |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 3.080GHz  | -49.66    | -13.00    | -36.66    | PK       | Hor   |
| 2*  | 4.790GHz  | -46.56    | -13.00    | -33.56    | PK       | Hor   |
| 3*  | 8.976GHz  | -41.72    | -13.00    | -28.72    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 2.448GHz  | -50.15    | -13.00    | -37.15    | PK       | Ver   |
| 2*  | 4.776GHz  | -47.77    | -13.00    | -34.77    | PK       | Ver   |
| 3*  | 8.930GHz  | -41.70    | -13.00    | -28.70    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 5 Lowest |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 2.839GHz  | -49.43    | -13.00    | -36.43    | PK       | Hor   |
| 2*  | 4.776GHz  | -46.90    | -13.00    | -33.90    | PK       | Hor   |
| 3*  | 8.987GHz  | -41.44    | -13.00    | -28.44    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 3.015GHz  | -49.29    | -13.00    | -36.29    | PK       | Ver   |
| 2*  | 4.713GHz  | -47.38    | -13.00    | -34.38    | PK       | Ver   |
| 3*  | 8.867GHz  | -42.58    | -13.00    | -29.58    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 5 Middle |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 3.175GHz  | -49.12    | -13.00    | -36.12    | PK       | Hor   |
| 2*  | 4.798GHz  | -46.70    | -13.00    | -33.70    | PK       | Hor   |
| 3*  | 8.995GHz  | -41.46    | -13.00    | -28.46    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 3.057GHz  | -49.55    | -13.00    | -36.55    | PK       | Ver   |
| 2*  | 4.825GHz  | -46.70    | -13.00    | -33.70    | PK       | Ver   |
| 3*  | 8.935GHz  | -41.72    | -13.00    | -28.72    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 7 Highest |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.638GHz  | -47.57    | -13.00    | -34.57    | PK       | Hor   |
| 2*  | 8.931GHz  | -42.17    | -13.00    | -29.17    | PK       | Hor   |
| 3*  | 17.904GHz | -38.18    | -13.00    | -25.18    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.899GHz  | -46.89    | -13.00    | -33.89    | PK       | Ver   |
| 2*  | 8.937GHz  | -40.65    | -13.00    | -27.65    | PK       | Ver   |
| 3*  | 17.811GHz | -38.65    | -13.00    | -25.65    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 7 Lowest |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.840GHz  | -47.23    | -13.00    | -34.23    | PK       | Hor   |
| 2*  | 8.975GHz  | -42.46    | -13.00    | -29.46    | PK       | Hor   |
| 3*  | 17.938GHz | -38.50    | -13.00    | -25.50    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.836GHz  | -46.51    | -13.00    | -33.51    | PK       | Ver   |
| 2*  | 9.421GHz  | -41.37    | -13.00    | -28.37    | PK       | Ver   |
| 3*  | 17.985GHz | -38.66    | -13.00    | -25.66    | PK       | Ver   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 7 Middle |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.842GHz  | -47.58    | -13.00    | -34.58    | PK       | Hor   |
| 2*  | 8.994GHz  | -41.92    | -13.00    | -28.92    | PK       | Hor   |
| 3*  | 17.887GHz | -37.96    | -13.00    | -24.96    | PK       | Hor   |

|                              |                          |
|------------------------------|--------------------------|
| Project: LGT22L018           | Test Engineer: Dylan.shi |
| EUT: Smartphone              | Temperature: 24.2°C      |
| M/N: A181                    | Humidity: 49%RH          |
| Test Voltage: Battery        | Test Data: 2023-01-08    |
| Test Mode: LTE Band 7 Middle |                          |
| Note:                        |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.838GHz  | -46.92    | -13.00    | -33.92    | PK       | Ver   |
| 2*  | 9.005GHz  | -42.43    | -13.00    | -29.43    | PK       | Ver   |
| 3*  | 17.824GHz | -38.23    | -13.00    | -25.23    | PK       | Ver   |

|                                |                          |
|--------------------------------|--------------------------|
| Project: LGT22L018             | Test Engineer: Dylan.shi |
| EUT: Smartphone                | Temperature: 24.2°C      |
| M/N: A181                      | Humidity: 49%RH          |
| Test Voltage: Battery          | Test Data: 2023-01-08    |
| Test Mode: LTE Band 40 Highest |                          |
| Note:                          |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.313GHz  | -47.38    | -13.00    | -34.38    | PK       | Hor   |
| 2*  | 11.355GHz | -41.35    | -13.00    | -28.35    | PK       | Hor   |
| 3*  | 17.917GHz | -37.78    | -13.00    | -24.78    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.738GHz  | -48.04    | -13.00    | -35.04    | PK       | Ver   |
| 2*  | 8.527GHz  | -41.73    | -13.00    | -28.73    | PK       | Ver   |
| 3*  | 17.943GHz | -37.10    | -13.00    | -24.10    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 40 Lowest |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.772GHz  | -47.15    | -13.00    | -34.15    | PK       | Hor   |
| 2*  | 9.466GHz  | -41.57    | -13.00    | -28.57    | PK       | Hor   |
| 3*  | 17.900GHz | -38.25    | -13.00    | -25.25    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.876GHz  | -47.20    | -13.00    | -34.20    | PK       | Ver   |
| 2*  | 8.425GHz  | -42.24    | -13.00    | -29.24    | PK       | Ver   |
| 3*  | 17.900GHz | -37.51    | -13.00    | -24.51    | PK       | Ver   |

|                               |                          |
|-------------------------------|--------------------------|
| Project: LGT22L018            | Test Engineer: Dylan.shi |
| EUT: Smartphone               | Temperature: 24.2°C      |
| M/N: A181                     | Humidity: 49%RH          |
| Test Voltage: Battery         | Test Data: 2023-01-08    |
| Test Mode: LTE Band 40 Middle |                          |
| Note:                         |                          |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.783GHz  | -46.55    | -13.00    | -33.55    | PK       | Hor   |
| 2*  | 8.945GHz  | -41.27    | -13.00    | -28.27    | PK       | Hor   |
| 3*  | 17.953GHz | -37.34    | -13.00    | -24.34    | PK       | Hor   |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.366GHz  | -47.94    | -13.00    | -34.94    | PK       | Ver   |
| 2*  | 11.402GHz | -40.46    | -13.00    | -27.46    | PK       | Ver   |
| 3*  | 17.894GHz | -38.42    | -13.00    | -25.42    | PK       | Ver   |

|                                |                          |
|--------------------------------|--------------------------|
| Project: LGT22L018             | Test Engineer: Dylan.shi |
| EUT: Smartphone                | Temperature: 24.2°C      |
| M/N: A181                      | Humidity: 49%RH          |
| Test Voltage: Battery          | Test Data: 2023-01-08    |
| Test Mode: LTE Band 41 Highest |                          |
| Note:                          |                          |



| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.899GHz  | -47.05    | -13.00    | -34.05    | PK       | Hor   |
| 2*  | 8.920GHz  | -41.23    | -13.00    | -28.23    | PK       | Hor   |
| 3*  | 17.732GHz | -37.93    | -13.00    | -24.93    | PK       | Hor   |



| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1*  | 4.836GHz  | -47.78    | -13.00    | -34.78    | PK       | Ver   |
| 2*  | 9.453GHz  | -41.88    | -13.00    | -28.88    | PK       | Ver   |
| 3*  | 17.843GHz | -38.16    | -13.00    | -25.16    | PK       | Ver   |