




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




OCCUPIED BANDWIDTH

Band	Channel	Frequency (MHz)	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
WCDMA Band2	9262	1852.4	4.161	4.710	PASS
WCDMA Band2	9400	1880	4.182	4.700	PASS
WCDMA Band2	9538	1907.6	4.149	4.710	PASS
WCDMA Band4	1312	1712.4	4.152	4.683	PASS
WCDMA Band4	1450	1740	4.151	4.650	PASS
WCDMA Band4	1513	1752.6	4.153	4.679	PASS
WCDMA Band5	4132	826.4	4.175	4.681	PASS
WCDMA Band5	4182	836.4	4.175	4.679	PASS
WCDMA Band5	4233	846.6	4.171	4.682	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182






WCDMA Band5 Channel=4233



BAND EDGE


Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1850.00	-24.57	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-22.92	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-25.19	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-25.81	-13	PASS
WCDMA Band5	4132	826.4	824.00	-26.77	-13	PASS
WCDMA Band5	4233	846.6	849.00	-25.15	-13	PASS



WCDMA Band4 Channel=1513



WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




OUT-OF-BAND EMISSIONS

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	16432.36	-23.16	-13	PASS
WCDMA Band2	9400	1880	19388.92	-21.99	-13	PASS
WCDMA Band2	9538	1907.6	19295.56	-22.58	-13	PASS
WCDMA Band4	1312	1712.4	19926.11	-22.35	-13	PASS
WCDMA Band4	1450	1740	16467.81	-22.79	-13	PASS
WCDMA Band4	1513	1752.6	19439.34	-22.05	-13	PASS
WCDMA Band5	4132	826.4	6211.15	-29.54	-13	PASS
WCDMA Band5	4182	836.4	6230.34	-29.74	-13	PASS
WCDMA Band5	4233	846.6	3030.47	-30.36	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




FIELD STRENGTH OF SPURIOUS RADIATION

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.433MHz	-70.48	-13.00	-57.48	PK	Hor
2*	312.513MHz	-70.26	-13.00	-57.26	PK	Hor
3*	652.983MHz	-59.08	-13.00	-46.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	170.893MHz	-70.49	-13.00	-57.49	PK	Ver
2*	402.116MHz	-67.56	-13.00	-54.56	PK	Ver
3*	885.419MHz	-55.87	-13.00	-42.87	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.736MHz	-70.97	-13.00	-57.97	PK	Hor
2*	289.354MHz	-70.74	-13.00	-57.74	PK	Hor
3*	670.685MHz	-59.24	-13.00	-46.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.006MHz	-71.50	-13.00	-58.50	PK	Ver
2*	159.738MHz	-69.85	-13.00	-56.85	PK	Ver
3*	680.143MHz	-59.28	-13.00	-46.28	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.069MHz	-69.99	-13.00	-56.99	PK	Hor
2*	534.885MHz	-63.60	-13.00	-50.60	PK	Hor
3*	948.954MHz	-54.53	-13.00	-41.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	175.743MHz	-70.76	-13.00	-57.76	PK	Ver
2*	467.470MHz	-65.94	-13.00	-52.94	PK	Ver
3*	929.918MHz	-55.53	-13.00	-42.53	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.159MHz	-70.02	-13.00	-57.02	PK	Hor
2*	286.323MHz	-70.10	-13.00	-57.10	PK	Hor
3*	683.295MHz	-58.31	-13.00	-45.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.585MHz	-70.51	-13.00	-57.51	PK	Ver
2*	345.735MHz	-69.85	-13.00	-56.85	PK	Ver
3*	655.286MHz	-59.04	-13.00	-46.04	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.435MHz	-71.25	-13.00	-58.25	PK	Hor
2*	309.845MHz	-70.79	-13.00	-57.79	PK	Hor
3*	698.573MHz	-58.01	-13.00	-45.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.281MHz	-70.73	-13.00	-57.73	PK	Ver
2*	949.075MHz	-55.09	-13.00	-42.09	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.186MHz	-70.43	-13.00	-57.43	PK	Hor
2*	140.944MHz	-70.67	-13.00	-57.67	PK	Hor
3*	636.129MHz	-59.74	-13.00	-46.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.435MHz	-72.44	-13.00	-59.44	PK	Ver
2*	157.798MHz	-70.93	-13.00	-57.93	PK	Ver
3*	608.241MHz	-60.13	-13.00	-47.13	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.826MHz	-69.60	-13.00	-56.60	PK	Hor
2*	346.584MHz	-70.60	-13.00	-57.60	PK	Hor
3*	643.161MHz	-59.29	-13.00	-46.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.283MHz	-70.13	-13.00	-57.13	PK	Ver
2*	311.058MHz	-69.33	-13.00	-56.33	PK	Ver
3*	683.416MHz	-57.86	-13.00	-44.86	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.646MHz	-70.79	-13.00	-57.79	PK	Hor
2*	666.441MHz	-59.43	-13.00	-46.43	PK	Hor
3*	834.979MHz	-56.49	-13.00	-43.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	170.286MHz	-70.06	-13.00	-57.06	PK	Ver
2*	364.286MHz	-68.87	-13.00	-55.87	PK	Ver
3*	812.184MHz	-56.60	-13.00	-43.60	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.798MHz	-69.91	-13.00	-56.91	PK	Hor
2*	439.340MHz	-64.75	-13.00	-51.75	PK	Hor
3*	628.369MHz	-58.85	-13.00	-45.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.466MHz	-70.42	-13.00	-57.42	PK	Ver
2*	316.393MHz	-69.99	-13.00	-56.99	PK	Ver
3*	709.485MHz	-58.87	-13.00	-45.87	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.248GHz	-49.69	-13.00	-36.69	PK	Hor
2*	4.865GHz	-47.11	-13.00	-34.11	PK	Hor
3*	8.982GHz	-40.83	-13.00	-27.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.236GHz	-49.10	-13.00	-36.10	PK	Ver
2*	9.013GHz	-42.51	-13.00	-29.51	PK	Ver
3*	11.166GHz	-42.07	-13.00	-29.07	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.989GHz	-49.47	-13.00	-36.47	PK	Hor
2*	5.188GHz	-48.24	-13.00	-35.24	PK	Hor
3*	8.986GHz	-42.41	-13.00	-29.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.811GHz	-50.09	-13.00	-37.09	PK	Ver
2*	4.844GHz	-48.13	-13.00	-35.13	PK	Ver
3*	8.971GHz	-41.74	-13.00	-28.74	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.276GHz	-48.95	-13.00	-35.95	PK	Hor
2*	4.368GHz	-47.45	-13.00	-34.45	PK	Hor
3*	8.920GHz	-42.16	-13.00	-29.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.223GHz	-48.68	-13.00	-35.68	PK	Ver
2*	8.920GHz	-41.66	-13.00	-28.66	PK	Ver
3*	11.347GHz	-41.52	-13.00	-28.52	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.814GHz	-49.17	-13.00	-36.17	PK	Hor
2*	4.838GHz	-48.11	-13.00	-35.11	PK	Hor
3*	9.008GHz	-42.13	-13.00	-29.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.686GHz	-47.35	-13.00	-34.35	PK	Ver
2*	9.010GHz	-41.40	-13.00	-28.40	PK	Ver
3*	11.260GHz	-41.31	-13.00	-28.31	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.218GHz	-50.17	-13.00	-37.17	PK	Hor
2*	5.180GHz	-48.17	-13.00	-35.17	PK	Hor
3*	8.970GHz	-42.63	-13.00	-29.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.060GHz	-49.26	-13.00	-36.26	PK	Ver
2*	4.788GHz	-48.12	-13.00	-35.12	PK	Ver
3*	8.978GHz	-41.96	-13.00	-28.96	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.094GHz	-49.21	-13.00	-36.21	PK	Hor
2*	8.982GHz	-42.43	-13.00	-29.43	PK	Hor
3*	11.400GHz	-41.52	-13.00	-28.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.782GHz	-48.00	-13.00	-35.00	PK	Ver
2*	8.920GHz	-42.27	-13.00	-29.27	PK	Ver
3*	11.266GHz	-41.28	-13.00	-28.28	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.774GHz	-49.55	-13.00	-36.55	PK	Hor
2*	5.075GHz	-47.93	-13.00	-34.93	PK	Hor
3*	7.651GHz	-42.96	-13.00	-29.96	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.132GHz	-49.29	-13.00	-36.29	PK	Ver
2*	4.682GHz	-47.05	-13.00	-34.05	PK	Ver
3*	6.208GHz	-44.85	-13.00	-31.85	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.433GHz	-49.79	-13.00	-36.79	PK	Hor
2*	4.701GHz	-47.31	-13.00	-34.31	PK	Hor
3*	7.601GHz	-43.57	-13.00	-30.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.092GHz	-49.81	-13.00	-36.81	PK	Ver
2*	4.713GHz	-47.44	-13.00	-34.44	PK	Ver
3*	6.664GHz	-46.30	-13.00	-33.30	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.366GHz	-50.43	-13.00	-37.43	PK	Hor
2*	3.310GHz	-49.45	-13.00	-36.45	PK	Hor
3*	4.883GHz	-46.04	-13.00	-33.04	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.271GHz	-51.65	-13.00	-38.65	PK	Ver
2*	3.142GHz	-49.24	-13.00	-36.24	PK	Ver
3*	4.827GHz	-46.73	-13.00	-33.73	PK	Ver

APPENDIX II- PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****