




Band40(2350-2360) QAM16 BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QAM16 BW=5MHz Channel=38775 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




FIELD STRENGTH OF SPURIOUS RADIATION

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.403MHz	-69.43	-13.00	-56.43	PK	Hor
2*	317.120MHz	-70.10	-13.00	-57.10	PK	Hor
3*	776.173MHz	-57.19	-13.00	-44.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.553MHz	-70.33	-13.00	-57.33	PK	Ver
2*	291.294MHz	-70.86	-13.00	-57.86	PK	Ver
3*	694.450MHz	-59.16	-13.00	-46.16	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	129.304MHz	-72.19	-13.00	-59.19	PK	Hor
2*	266.559MHz	-70.97	-13.00	-57.97	PK	Hor
3*	956.714MHz	-53.86	-13.00	-40.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.036MHz	-71.84	-13.00	-58.84	PK	Ver
2*	162.526MHz	-70.07	-13.00	-57.07	PK	Ver
3*	710.334MHz	-58.57	-13.00	-45.57	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.280MHz	-71.23	-13.00	-58.23	PK	Hor
2*	283.776MHz	-71.26	-13.00	-58.26	PK	Hor
3*	703.544MHz	-58.14	-13.00	-45.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.946MHz	-71.54	-13.00	-58.54	PK	Ver
2*	151.371MHz	-69.80	-13.00	-56.80	PK	Ver
3*	623.640MHz	-57.84	-13.00	-44.84	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.765MHz	-71.34	-13.00	-58.34	PK	Hor
2*	296.386MHz	-71.06	-13.00	-58.06	PK	Hor
3*	649.466MHz	-59.24	-13.00	-46.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	69.406MHz	-72.54	-13.00	-59.54	PK	Ver
2*	162.041MHz	-69.75	-13.00	-56.75	PK	Ver
3*	544.100MHz	-63.92	-13.00	-50.92	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.043MHz	-70.32	-13.00	-57.32	PK	Hor
2*	444.918MHz	-67.29	-13.00	-54.29	PK	Hor
3*	704.999MHz	-57.68	-13.00	-44.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.523MHz	-70.60	-13.00	-57.60	PK	Ver
2*	412.786MHz	-66.82	-13.00	-53.82	PK	Ver
3*	752.165MHz	-57.51	-13.00	-44.51	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.159MHz	-71.85	-13.00	-58.85	PK	Hor
2*	151.856MHz	-70.56	-13.00	-57.56	PK	Hor
3*	618.548MHz	-60.09	-13.00	-47.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.400MHz	-71.87	-13.00	-58.87	PK	Ver
2*	152.341MHz	-69.82	-13.00	-56.82	PK	Ver
3*	714.335MHz	-59.27	-13.00	-46.27	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.523MHz	-71.29	-13.00	-58.29	PK	Hor
2*	257.344MHz	-70.86	-13.00	-57.86	PK	Hor
3*	812.548MHz	-56.34	-13.00	-43.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.071MHz	-72.50	-13.00	-59.50	PK	Ver
2*	150.159MHz	-70.91	-13.00	-57.91	PK	Ver
3*	682.083MHz	-59.50	-13.00	-46.50	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.191MHz	-69.98	-13.00	-56.98	PK	Hor
2*	413.514MHz	-67.41	-13.00	-54.41	PK	Hor
3*	792.299MHz	-57.22	-13.00	-44.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.555MHz	-71.44	-13.00	-58.44	PK	Ver
2*	157.676MHz	-70.67	-13.00	-57.67	PK	Ver
3*	611.515MHz	-60.67	-13.00	-47.67	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.159MHz	-70.54	-13.00	-57.54	PK	Hor
2*	355.799MHz	-68.51	-13.00	-55.51	PK	Hor
3*	662.076MHz	-59.58	-13.00	-46.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.008MHz	-70.15	-13.00	-57.15	PK	Ver
2*	627.156MHz	-59.74	-13.00	-46.74	PK	Ver
3*	998.303MHz	-53.43	-13.00	-40.43	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	177.561MHz	-71.10	-13.00	-58.10	PK	Hor
2*	419.698MHz	-67.41	-13.00	-54.41	PK	Hor
3*	600.724MHz	-60.38	-13.00	-47.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.830MHz	-70.43	-13.00	-57.43	PK	Ver
2*	405.996MHz	-67.99	-13.00	-54.99	PK	Ver
3*	794.966MHz	-57.40	-13.00	-44.40	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Lowest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.949MHz	-70.55	-13.00	-57.55	PK	Hor
2*	492.326MHz	-65.60	-13.00	-52.60	PK	Hor
3*	916.701MHz	-54.22	-13.00	-41.22	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	171.135MHz	-71.62	-13.00	-58.62	PK	Ver
2*	407.451MHz	-68.20	-13.00	-55.20	PK	Ver
3*	915.974MHz	-54.89	-13.00	-41.89	PK	Ver