



Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	175.500MHz	-70.80	-13.00	-57.80	PK	Hor
2*	466.621MHz	-66.21	-13.00	-53.21	PK	Hor
3*	703.301MHz	-58.25	-13.00	-45.25	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.099MHz	-70.64	-13.00	-57.64	PK	Ver
2*	374.229MHz	-69.40	-13.00	-56.40	PK	Ver
3*	965.808MHz	-53.84	-13.00	-40.84	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.343MHz	-70.25	-13.00	-57.25	PK	Hor
2*	336.156MHz	-68.97	-13.00	-55.97	PK	Hor
3*	664.623MHz	-59.62	-13.00	-46.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	62.980MHz	-72.23	-13.00	-59.23	PK	Ver
2*	163.011MHz	-70.14	-13.00	-57.14	PK	Ver
3*	644.131MHz	-59.19	-13.00	-46.19	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.403MHz	-70.74	-13.00	-57.74	PK	Hor
2*	324.031MHz	-70.23	-13.00	-57.23	PK	Hor
3*	803.939MHz	-56.99	-13.00	-43.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.038MHz	-70.99	-13.00	-57.99	PK	Ver
2*	446.251MHz	-66.17	-13.00	-53.17	PK	Ver
3*	984.965MHz	-54.05	-13.00	-41.05	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	169.923MHz	-70.68	-13.00	-57.68	PK	Hor
2*	350.949MHz	-68.39	-13.00	-55.39	PK	Hor
3*	772.293MHz	-57.43	-13.00	-44.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.191MHz	-71.03	-13.00	-58.03	PK	Ver
2*	280.139MHz	-70.18	-13.00	-57.18	PK	Ver
3*	695.905MHz	-57.95	-13.00	-44.95	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.976MHz	-71.69	-13.00	-58.69	PK	Hor
2*	150.159MHz	-70.45	-13.00	-57.45	PK	Hor
3*	672.868MHz	-58.61	-13.00	-45.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.556MHz	-72.35	-13.00	-59.35	PK	Ver
2*	174.651MHz	-70.16	-13.00	-57.16	PK	Ver
3*	772.171MHz	-57.22	-13.00	-44.22	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	176.591MHz	-70.49	-13.00	-57.49	PK	Hor
2*	617.699MHz	-60.38	-13.00	-47.38	PK	Hor
3*	925.674MHz	-54.97	-13.00	-41.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.006MHz	-70.65	-13.00	-57.65	PK	Ver
2*	385.263MHz	-67.88	-13.00	-54.88	PK	Ver
3*	814.730MHz	-56.37	-13.00	-43.37	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.8°C
M/N: T108	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	62.738MHz	-70.86	-13.00	-57.86	PK	Hor
2*	151.856MHz	-70.15	-13.00	-57.15	PK	Hor
3*	906.759MHz	-54.73	-13.00	-41.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.735MHz	-70.40	-13.00	-57.40	PK	Ver
2*	406.239MHz	-66.73	-13.00	-53.73	PK	Ver
3*	699.300MHz	-58.47	-13.00	-45.47	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Higheste	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.206GHz	-49.33	-13.00	-36.33	PK	Hor
2*	4.846GHz	-48.10	-13.00	-35.10	PK	Hor
3*	8.873GHz	-42.66	-13.00	-29.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.908GHz	-50.19	-13.00	-37.19	PK	Ver
2*	4.736GHz	-47.94	-13.00	-34.94	PK	Ver
3*	9.007GHz	-41.88	-13.00	-28.88	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.732GHz	-51.16	-13.00	-38.16	PK	Hor
2*	4.700GHz	-47.85	-13.00	-34.85	PK	Hor
3*	8.939GHz	-42.51	-13.00	-29.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.359GHz	-48.78	-13.00	-35.78	PK	Ver
2*	5.254GHz	-47.89	-13.00	-34.89	PK	Ver
3*	9.003GHz	-42.37	-13.00	-29.37	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.760GHz	-50.26	-13.00	-37.26	PK	Hor
2*	4.715GHz	-47.12	-13.00	-34.12	PK	Hor
3*	8.967GHz	-42.36	-13.00	-29.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.968GHz	-49.59	-13.00	-36.59	PK	Ver
2*	4.780GHz	-47.72	-13.00	-34.72	PK	Ver
3*	8.918GHz	-41.89	-13.00	-28.89	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.772GHz	-50.58	-13.00	-37.58	PK	Hor
2*	4.680GHz	-47.78	-13.00	-34.78	PK	Hor
3*	9.008GHz	-42.15	-13.00	-29.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.824GHz	-49.06	-13.00	-36.06	PK	Ver
2*	4.834GHz	-47.92	-13.00	-34.92	PK	Ver
3*	8.864GHz	-42.36	-13.00	-29.36	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.134GHz	-48.88	-13.00	-35.88	PK	Hor
2*	4.746GHz	-48.09	-13.00	-35.09	PK	Hor
3*	8.980GHz	-42.29	-13.00	-29.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.326GHz	-48.98	-13.00	-35.98	PK	Ver
2*	6.220GHz	-46.74	-13.00	-33.74	PK	Ver
3*	9.012GHz	-41.87	-13.00	-28.87	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.136GHz	-49.50	-13.00	-36.50	PK	Hor
2*	7.542GHz	-43.88	-13.00	-30.88	PK	Hor
3*	8.978GHz	-42.72	-13.00	-29.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.252GHz	-49.45	-13.00	-36.45	PK	Ver
2*	4.846GHz	-47.68	-13.00	-34.68	PK	Ver
3*	8.930GHz	-41.77	-13.00	-28.77	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.100GHz	-49.61	-13.00	-36.61	PK	Hor
2*	4.803GHz	-48.34	-13.00	-35.34	PK	Hor
3*	8.523GHz	-41.59	-13.00	-28.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.242GHz	-49.46	-13.00	-36.46	PK	Ver
2*	4.837GHz	-47.93	-13.00	-34.93	PK	Ver
3*	7.597GHz	-43.83	-13.00	-30.83	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.357GHz	-50.58	-13.00	-37.58	PK	Hor
2*	2.945GHz	-49.65	-13.00	-36.65	PK	Hor
3*	4.886GHz	-47.62	-13.00	-34.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.777GHz	-49.24	-13.00	-36.24	PK	Ver
2*	4.771GHz	-47.94	-13.00	-34.94	PK	Ver
3*	7.535GHz	-43.05	-13.00	-30.05	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.125GHz	-52.74	-13.00	-39.74	PK	Hor
2*	2.922GHz	-48.90	-13.00	-35.90	PK	Hor
3*	8.516GHz	-42.57	-13.00	-29.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.673GHz	-50.51	-13.00	-37.51	PK	Ver
2*	3.767GHz	-49.71	-13.00	-36.71	PK	Ver
3*	6.782GHz	-46.67	-13.00	-33.67	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.728GHz	-50.86	-13.00	-37.86	PK	Hor
2*	4.783GHz	-47.44	-13.00	-34.44	PK	Hor
3*	8.994GHz	-43.07	-13.00	-30.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.902GHz	-48.97	-13.00	-35.97	PK	Ver
2*	4.806GHz	-48.20	-13.00	-35.20	PK	Ver
3*	8.928GHz	-41.42	-13.00	-28.42	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.174GHz	-49.49	-13.00	-36.49	PK	Hor
2*	4.647GHz	-48.11	-13.00	-35.11	PK	Hor
3*	8.863GHz	-42.60	-13.00	-29.60	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.728GHz	-49.79	-13.00	-36.79	PK	Ver
2*	4.787GHz	-47.94	-13.00	-34.94	PK	Ver
3*	9.039GHz	-42.09	-13.00	-29.09	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.227GHz	-49.85	-13.00	-36.85	PK	Hor
2*	4.776GHz	-47.98	-13.00	-34.98	PK	Hor
3*	8.871GHz	-42.21	-13.00	-29.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.365GHz	-49.90	-13.00	-36.90	PK	Ver
2*	4.897GHz	-48.06	-13.00	-35.06	PK	Ver
3*	8.933GHz	-42.15	-13.00	-29.15	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.434GHz	-48.62	-13.00	-35.62	PK	Hor
2*	7.588GHz	-43.29	-13.00	-30.29	PK	Hor
3*	11.376GHz	-41.22	-13.00	-28.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	6.721GHz	-46.07	-13.00	-33.07	PK	Ver
2*	10.911GHz	-42.22	-13.00	-29.22	PK	Ver

Project: LGT23A058	Test Engineer: Dylan.shi
EUT: TABLET	Temperature: 24.6°C
M/N: T108	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 40 Lowest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.136GHz	-49.19	-13.00	-36.19	PK	Hor
2*	4.836GHz	-47.72	-13.00	-34.72	PK	Hor
3*	9.013GHz	-41.95	-13.00	-28.95	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.000GHz	-48.45	-13.00	-35.45	PK	Ver
2*	4.776GHz	-47.64	-13.00	-34.64	PK	Ver
3*	11.498GHz	-41.55	-13.00	-28.55	PK	Ver