

Zhongshan Bitop Intelligent Control Technology Co., Ltd.  
2nd Floor, Building E, No.3 Lefeng 6th Road, Maohui Industrial Zone,  
Henglan Town, Zhongshan City, Guangdong Province, China

# Instruction for Use

## ➤ Product information:

Product name: 2.4G-smart fan light controller

Model: BT003

## ➤ Product parameter information:

Frequency: 2402-2480MHz

Modulation: GFSK

Data rate: 1Mbps

Channel number: 40CH

Power Supply: DC 3V

Battery: 1.5V × 2AAA

## ➤ Instructions of Product

1. light on/key: the lamp is fully lit, at this time press the lamp switch for the first time, the lights are all off, press two times, the light is white, press the third time, the lights are off, press the fourth time, the warm light, press the fifth time, the lights are off, press the sixth time, the lights are all lit, if again in accordance with the previous cycle; The buzzer does not sound on time.

Zhongshan Bitop Intelligent Control Technology Co., Ltd.  
2nd Floor, Building E, No.3 Lefeng 6th Road, Maohui Industrial Zone,  
Henglan Town, Zhongshan City, Guangdong Province, China

2. brightness +, brightness - key: when the lamp is on, press the brightness + or brightness - key to adjust the brightness, and the buzzer will not ring on time; Long press for non-polar dimming, point press a plus or minus one pole, maximum and minimum between ten poles.

3. color temperature +, color temperature - key: when the lamp is on, press the color temperature + or color temperature - key to adjust the color temperature back and forth, on time

➤ **Safety Caution:**

1. When using any remote control for the first time, appropriate batteries should be loaded first;
2. Ensure that the LED light of the main control device and the motor device are correctly connected;
3. Check whether the power supply of the main control device is properly connected, and the device is fully powered on and enters the standby state.
4. and then learn the code with the master, learn the code can be used normally;
5. Finally, select different functions according to the needs;

Note: there is no sound when the function related to the lamp is operated, and the sound when the function related to the motor

Zhongshan Bitop Intelligent Control Technology Co., Ltd.  
2nd Floor, Building E, No.3 Lefeng 6th Road, Maohui Industrial Zone,  
Henglan Town, Zhongshan City, Guangdong Province, China

is operated;

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Zhongshan Bitop Intelligent Control Technology Co., Ltd.  
2nd Floor, Building E, No.3 Lefeng 6th Road, Maohui Industrial Zone,  
Henglan Town, Zhongshan City, Guangdong Province, China

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The device has been evaluated to meet general RF exposure requirement, The device can be used in portable exposure condition without restriction